ON VARIETIES WHICH ARE UNIRULED BY LINES

A. L. KNUTSEN, C. NOVELLI, A. SARTI

ABSTRACT. Using the \sharp -minimal model program of uniruled varieties we show that for any pair (X, \mathcal{H}) consisting of a reduced and irreducible variety X of dimension $k \geq 3$ and a globally generated big line bundle \mathcal{H} on X with $d := \mathcal{H}^k$ and $n := h^0(X, \mathcal{H}) - 1$ such that d < 2(n - k) - 4, then X is uniruled of \mathcal{H} -degree one, except if (k, d, n) = (3, 27, 19)and a \sharp -minimal model of (X, \mathcal{H}) is $(\mathbb{P}^3, \mathcal{O}_{\mathbb{P}^3}(3))$. We also show that the bound is optimal for threefolds.

0. INTRODUCTION

It is well-known that an irreducible nondegenerate variety $X \subseteq \mathbb{P}^n$ of degree d satisfies $d \ge n - \dim X + 1$. Varieties for which equality is obtained are the well-known varieties of minimal degree, which are completely classified.

Varieties for which d is "small" compared to n have been the objects of intensive study throughout the years, see e.g. [Ha, Ba, F1, F2, F3, Is, Io, Ho, Re2, Me2]. One of the common features is that such varieties are covered by rational curves.

More generally one can study pairs (X, \mathcal{H}) where X is an irreducible variety (possibly with some additional assumptions on its singularities) and \mathcal{H} a line bundle on X which is sufficiently "positive" (e.g. ample or (birationally) very ample or big and nef). Naturally we set $d := \mathcal{H}^{\dim X}$ and $n := \dim |\mathcal{H}|$. The difference between d and n is measured by the Δ -genus: $\Delta(X, \mathcal{H}) := d + \dim X - n - 1$, introduced by Fujita (cf. [F1] and [F2]) and Fujita in facts shows that $\Delta(X, \mathcal{H}) \geq 0$ for X smooth and \mathcal{H} ample. The cases with $\Delta(X, \mathcal{H}) = 0$ are the varieties of minimal degree and the cases with $\Delta(X, \mathcal{H}) = 1$ have been classified by Fujita [F1, F2, F3] and Iskovskih [Is].

The notion of being covered by rational curves is incorporated in the concept of a variety being *uniruled*. Roughly speaking a variety is uniruled if through any point there passes a rational curve. In many ways these are the natural generalizations to higher dimensions of ruled surfaces. In the Mori program they play an important role, because - like in the case of ruled surfaces - these are the varieties for which the program does not yield a minimal model, but a Mori fiber space. Uniruled varieties can also be considered to be the natural generalizations to higher dimensions of surfaces of negative Kodaira dimension: in fact it is conjectured that a (smooth) variety is uniruled if and only if its Kodaira dimension is negative. The conjecture has been established for threefolds by Miyaoka [Mi].

With the evolution of a structure theory for higher dimensional varieties in the past decades, namely the Mori program, the geometry of rational curves on varieties has gained new importance. The main idea is to obtain information about varieties by studying the rational curves on them (cf. e.g. [Ko]).

²⁰⁰⁰ Mathematics Subject Classification: Primary: 14E30, 14J30, 14J40, 14N25; Secondary: 14C20, 14H45.

Key words: Minimal model program, rational curves, 3-folds, n-folds, linear systems.

To measure the "degree" of the rational curves which cover X we say in addition that X is uniruled of \mathcal{H} -degree at most m if the covering curves all satisfy $\Gamma \cdot \mathcal{H} \leq m$.

For surfaces Reid [Re2] found bounds on the uniruledness degree of (X, \mathcal{H}) depending on d and n. For instance he shows that X is uniruled of \mathcal{H} -degree one if $d < \frac{4}{3}n - 3$. The same result was obtained by Horowitz [Ho] using a different approach. In particular, it immediately follows (by taking surface sections) that if dim X = 3 and $|\mathcal{H}|$ contains a smooth surface then X is uniruled of \mathcal{H} -degree one if $d < \frac{4}{3}(n-1) - 3 = \frac{4}{3}n - \frac{13}{3}$, and similarly for higher dimensions. (Note that there is even a better bound one can obtain from the results on threefolds in [Ho], see Proposition 2.6 below). However it is to be expected that this "naive" inductive procedure does not yield an optimal bound.

The purpose of this article is to obtain a bound for uniruledness degree one that is optimal for threefolds. In fact we show:

Theorem 0.1. Let (X, \mathcal{H}) be a pair consisting of a reduced and irreducible 3-dimensional variety X and a globally generated big line bundle \mathcal{H} on X. Set $d := \mathcal{H}^3$ and $n := h^0(X, \mathcal{H}) - 1$.

If d < 2n - 10 then X is uniruled of \mathcal{H} -degree one, except when (d, n) = (27, 19) and a \sharp -minimal model of (X, \mathcal{H}) is $(\mathbb{P}^3, \mathcal{O}_{\mathbb{P}^3}(3))$.

(For the definition of a \sharp -minimal model we refer to Definition 1.3 below.)

The bound in Theorem 0.1 is sharp since there are pairs satisfying d = 2n - 10 for infinitely many d and n, namely $(\mathbb{P}^2 \times \mathbb{P}^1, \mathcal{O}_{\mathbb{P}^2}(2) \boxtimes \mathcal{O}_{\mathbb{P}^1}(a))$ (cf. Example 2.8 below), which are not uniruled of \mathcal{H} -degree one.

Observe that in Corollary 2.5 below we obtain a better bound than in Theorem 0.1 for $n \leq 12$.

As a consequence of Theorem 0.1 we get the following result for higher dimensional varieties, which is probably far from being sharp:

Corollary 0.2. Let (X, \mathcal{H}) be a pair consisting of a reduced and irreducible k-dimensional variety $X, k \geq 4$, and a globally generated big line bundle \mathcal{H} on X. Set $d := \mathcal{H}^k$ and $n := h^0(X, \mathcal{H}) - 1$. If d < 2(n - k) - 4 then X is uniruled of \mathcal{H} -degree one.

For those preferring the notion of Δ -genus, the condition d < 2(n-k) - 4 is equivalent to $\Delta(X, \mathcal{H}) < n-k-5 = h^0(X, \mathcal{H}) - \dim X - 6$.

The above results have the following corollary for embedded varieties:

Corollary 0.3. Let $X \subset \mathbb{P}^n$ be a nondegenerate irreducible variety of dimension $k \geq 3$ and degree d. If d < 2(n-k) - 4 then X is uniruled by lines, except when (k, d, n) = (3, 27, 19) and a \sharp -minimal model of $(X, \mathcal{O}_X(1))$ is $(\mathbb{P}^3, \mathcal{O}_{\mathbb{P}^3}(3))$.

Note that the condition d < 2(n-k) - 4 implicitly requires $n \ge k + 6$ in Corollary 0.3.

To prove these results we use the \sharp -minimal model program of uniruled varieties introduced for surfaces by Reid in [Re2] and developed for threefolds by Mella in [Me2]. The main advantage of the \sharp -minimal model program is that one does not only work with birational modifications along the minimal model program but also uses a polarizing divisor. Under certain assumptions one manages to follow every step of the program on an effective divisor, i.e. a (smooth) surface in the case of threefolds.

Our method of proof uses the classification results in [Me2] and borrows ideas from [Re2]. The crucial point is a careful investigation of pairs (X, \mathcal{H}) such that the output of the \sharp -minimal model program is a particular type of Mori fiber space which we call a *terminal Veronese fibration* (see Definition 3.1 below): this is roughly speaking a terminal threefold marked by a line bundle with at most base points fibered over a smooth curve with

3

general fibers being smooth Veronese surfaces (with respect to the marking line bundle) and having at most finitely many fibers being cones over a smooth quartic curve. We find a lower bound on the degree of such a threefold (in fact on every marked terminal threefold having a terminal Veronese fibration as a \sharp -minimal model) and on the number of degenerate fibers of the members of the marking linear system.

The precise statement, which we hope might be of independent interest, is the following:

Proposition 0.4. Let (X, \mathcal{H}) be a three-dimensional terminal Veronese fibration (see Definition 3.1) over a smooth curve B and set $n := h^0(\mathcal{H}) - 1$ and $d := \mathcal{H}^3$. Then $d \ge 2n - 10$ and the general member of $|\mathcal{H}|$ is a smooth surface fibered over B with $\ge \frac{n-5}{2}$ fibers which are unions of two conics (with respect to \mathcal{H}) intersecting in one point (the other fibers are smooth quartics).

Observe that both equalities are obtained by $(\mathbb{P}^2 \times \mathbb{P}^1, \mathcal{O}_{\mathbb{P}^2}(2) \boxtimes \mathcal{O}_{\mathbb{P}^1}(a))$, cf. Examples 2.8 and 3.4.

In Section 1 we set notation and give all central definitions. In particular we introduce, after [Me2], the \sharp -minimal models of uniruled threefolds in Subsection 1.2 and give a result that will be central for our purposes in Lemma 1.4.

In Section 2 we study threefolds with big uniruled systems, as defined in [Me2], and after obtaining some basic results (such as Lemmas 2.2 and 2.3) we first obtain an "easy bound" on d such that a threefold is uniruled in degree one (Proposition 2.4) and then we show how to reduce the proofs of our main results Theorem 0.1 and its two corollaries to a result about uniruled threefolds having a terminal Veronese fibration as a \sharp -minimal model, namely Proposition 2.7.

The proofs of Proposition 2.7 and of Proposition 0.4 are then settled in Section 3.

Finally, in Section 4 we mention a couple of slight improvements of some results in [Me2] that follow from our treatment (Propositions 4.1 and 4.2).

Acknowledgments We are indebted to M. Mella for suggesting the problem and for many helpful discussions. We were introduced to the topic during the wonderful school *Pragmatic 2002* in Catania, and it is a great pleasure to thank all the participants, as well as the organizer A. Ragusa.

Moreover we thank M. Andreatta, R. Pignatelli, W. Barth and K. Ranestad for useful comments.

1. Basic definitions and notation

We work over the field of complex numbers.

1.1. Uniruled varieties. An *n*-dimensional projective variety X is called *uniruled* if there is a variety Y of dimension n - 1 and a generically finite dominant rational map $p : Y \times \mathbb{P}^1 - - \to X$. In particular, such a variety is covered by rational curves (cf. [Ko, IV 1.4.4]).

Note that since our field is algebraically closed the condition is equivalent to the map p being a birational morphism (cf. [Ko, IV (1.1.1)]).

If H is a nef \mathbb{Q} -divisor on X and $d \in \mathbb{Q}$ we say that X is uniruled of H-degree at most d if deg $(p^*H)_{|\mathbb{P}^1 \times \{y\}} \leq d$ for every $y \in Y$, or equivalently if there is a dense open subset $U \subseteq X$ such that every point in U is contained in a rational curve C with $C.H \leq d$ (cf. [Ko, IV 1.4.]). A consequence is that in fact every point in X is contained in a rational curve C with $C.H \leq d$ (cf. [Ko, IV (1.4.4)]). In particular, if $X \subseteq \mathbb{P}^n$ we say that X is uniruled by lines if d = 1 with respect to $H := \mathcal{O}_X(1)$

We say that a linear system \mathfrak{D} of Weil divisors on X is *movable* if for the general member $H \in \mathfrak{D}$ we have $h^0(X, nH) > 1$ for some n > 0. We say that it is *nef* if the general member $H \in \mathfrak{D}$ is nef. Assume furthermore that X is terminal Q-factorial. Then the *threshold* of the pair (T, \mathfrak{D}) is defined as

$$\rho_{\mathfrak{D}} = \rho(T, \mathfrak{D}) := \sup \{ m \in \mathbb{Q} : H + mK_T \text{ is an effective } \mathbb{Q}\text{-divisor} \} \ge 0$$

For a pair (X, \mathcal{L}) of a variety X and a line bundle \mathcal{L} on X we similarly define

$$\rho_{\mathcal{L}} = \rho(T, \mathcal{L}) := \rho(T, |\mathcal{L}|).$$

Moreover we set

(1)
$$d(X,\mathcal{L}) := \mathcal{L}^{\dim X} \text{ and } n(X,\mathcal{L}) := h^0(X,\mathcal{L}) - 1 = \dim |\mathcal{L}|.$$

In these terms the Δ -genus, introduced by Fujita (cf. [F1] and [F2]), is

(2)
$$\Delta(X,\mathcal{L}) := d(X,\mathcal{L}) + \dim X - n(X,\mathcal{L}) - 1$$

and all the results in the paper can be equivalently formulated with the Δ -genus.

1.2. \sharp -Minimal models of uniruled threefolds. Recall that a surjective morphism $f : X \longrightarrow Y$ with connected fibers between normal varieties is called a *Mori fiber space* if $-K_X$ is f-ample, rk Pic (X/Y) = 1 and dim $X > \dim Y$. Given $A, B \in \text{Div} (X) \otimes \mathbb{Q}$ then A is f-numerically equivalent to B $(A \equiv_f B)$ if $A \cdot C = B \cdot C$ for every curve contracted by f. The following result of Mella will be central to us:

Theorem 1.1. [Me2, Thm. 3.2] Let T be a terminal \mathbb{Q} -factorial uniruled threefold and \mathfrak{D} a movable and nef linear system. Then there exists a pair $(T^{\sharp}, \mathfrak{D}^{\sharp})$, called a \sharp -minimal model of the pair (T, \mathfrak{D}) , with general element $S^{\sharp} \in \mathfrak{D}^{\sharp}$ such that:

- (i) There is a birational map $\phi: T \longrightarrow T^{\sharp}$ with $\phi_* \mathfrak{D} = \mathfrak{D}^{\sharp}$.
- (ii) $\pi: T^{\sharp} \longrightarrow W$ is a Mori fiber space.
- (iii) $\rho(T, \mathfrak{D})K_{T^{\sharp}} + S^{\sharp} \equiv_{\pi} \mathcal{O}_{T^{\sharp}}.$

Remark 1.2. Note that it is implicitly shown in the proof of [Me2, Thm. 3.2] that $\rho(T, \mathfrak{D}) = \rho(T^{\sharp}, \mathfrak{D}^{\sharp}).$

The following explains the terminology used in Theorem 0.1 and Corollaries 0.2 and 0.3:

Definition 1.3. For any pair (X, \mathcal{L}) consisting of a reduced and irreducible uniruled variety X and a big and nef line bundle \mathcal{L} on X we will by a \sharp -minimal model of (X, \mathcal{L}) mean a \sharp -minimal model of $(\tilde{X}, |f^*\mathcal{L}|)$, where $f : \tilde{X} \longrightarrow X$ is a minimal resolution of singularities.

As observed in [Me2, Prop. 3.6], if $\rho(T, \mathfrak{D}) < 1$ and there is a smooth surface $S \in \mathfrak{D}$, one can describe each step in the \sharp -minimal model program in a neighborhood of S. More precisely, set $T_0 := T$, $\mathfrak{D}_0 := \mathfrak{D}$, $S_0 := S$ and $T_m := T^{\sharp}$, $\mathfrak{D}_m := \mathfrak{D}^{\sharp}$ and $S_m = S^{\sharp} := \phi_* S$. Denote by $\phi_i : T_{i-1} - \to T_i$ for $i = 1, \ldots, m$ each birational modification in the \sharp -minimal model program relative to (T, \mathfrak{D}) and define inductively $S_i := \phi_* S_{i-1}$ and $\mathfrak{D}_i := \phi_* \mathfrak{D}_{i-1}$. Then each S_i is smooth and the map

$$\phi_{i|S_{i-1}}: S_{i-1} \longrightarrow S_i$$

is a well-defined morphism which is either an isomorphism or a contraction of a disjoint union of (-1)-curves. We will need the following precise result, especially the inequality in (3), which in principle is the same as [Re2, Claim 2.6] and which might have some interest of its own:

Lemma 1.4. With the same notation and assumptions as in Theorem 1.1, assume furthermore that $\rho := \rho(T, \mathfrak{D}) < 1$ and there is a smooth surface $S \in \mathfrak{D}$. Set $S^{\sharp} := \phi_* S$.

Then both S and S^{\sharp} are smooth and Cartier and the map

$$f := \phi_{|S} : S \longrightarrow S^{\sharp}$$

is a well-defined morphism which can be factorized in a finite sequence of monoidal transformations.

Let *l* be the total number of irreducible curves contracted by *f*. If $\rho \geq \frac{1}{3}$ then, setting $D := \mathcal{O}_S(S)$, we have

(3)
$$(D + \frac{\rho}{1-\rho}K_S)^2 \ge -l(\frac{\rho}{1-\rho})^2.$$

Proof. By what we discussed above it is clear that f is a well-defined morphism which can be factorized into a succession of l monoidal transformations and that S^{\sharp} is smooth. Moreover, since S^{\sharp} is smooth and T^{\sharp} is terminal, we have $S^{\sharp} \cap \text{Sing } T^{\sharp} = \emptyset$ [Me2, 2.3], so that S^{\sharp} is Cartier. Setting $f_i := \phi_{i|S_i}$ we can factorize f as

$$S \xrightarrow{f_1} S_1 \xrightarrow{f_2} \cdots \xrightarrow{f_{m-1}} S_{m-1} \xrightarrow{f_m} S_m = S^{\sharp},$$

where each f_i contracts l_i disjoint (-1)-curves $E_1^i, \ldots, E_{l_i}^i$ with $l_i \ge 0$. Clearly $l = \sum_{i=1}^m l_i$. We set $D_i := \mathcal{O}_{S_i}(S_i)$ and $D^{\sharp} := \mathcal{O}_{S^{\sharp}}(S^{\sharp})$.

If ϕ_i is a flip then S_i is disjoint from the flipping curves by [Me2, Claim 3.7], so that f_i is an isomorphism.

If ϕ_i contracts a divisor onto a curve then it is shown in [Me2, Case 3.8] that the fiber F_i of ϕ_i satisfies $S_i \cdot F_i = 0$, whence $D_i \cdot F_i = 0$, which means that all E_i^i satisfy $E_i^i \cdot D_i = 0$.

If ϕ_i is a divisorial contraction onto a curve then it is shown in [Me2, Case 3.9] that f_i is a contraction of a single (-1)-curve $E_i = E_1^i$ which satisfies $E_i \cdot D_i = 1$.

In other words, for every j we have three possibilities:

- (a) $l_i = 0$.
- (b) $l_i > 0$ and $E_j^i \cdot D_i = 0$ for all j.
- (c) $l_i = 1$ and $E_1^i \cdot D_i = 1$.

Now denote by L_j^i the total transform of E_j^i on S. Then $(L_j^i)^2 = -1$ and $L_j^i \cdot L_{j'}^{i'} = 0$ for $(i, j) \neq (i', j')$. We have

(4)
$$K_S = f^* K_{S^{\sharp}} + \sum L_j^i$$

and by (a)-(c)

(5)
$$D = f^* D^{\sharp} - \sum \mu_j^i L_j^i \text{ with } \mu_j^i \in \{0, 1\}.$$

Hence

$$D + \frac{\rho}{1-\rho} K_S = f^* (D^{\sharp} + \frac{\rho}{1-\rho} K_{S^{\sharp}}) + \sum (\frac{\rho}{1-\rho} - \mu_j^i) L_j^i,$$

and since there are l terms in the sum we get

(6)
$$(D + \frac{\rho}{1-\rho}K_S)^2 = (D^{\sharp} + \frac{\rho}{1-\rho}K_{S^{\sharp}})^2 - l(\frac{\rho}{1-\rho})^2 + \sum \mu_j^i(\frac{2\rho}{1-\rho} - \mu_j^i).$$

By definition and invariance of ρ (cf. Remark 1.2) we have that $\rho K_{T^{\sharp}} + S^{\sharp}$ is \mathbb{Q} -effective. From Theorem 1.1(iii) we have that it is also \mathbb{Q} -nef, whence its restriction to S^{\sharp} is also \mathbb{Q} -effective and \mathbb{Q} -nef. Since S^{\sharp} is Cartier we get by adjunction that $(\rho K_{T^{\sharp}} + S^{\sharp})_{|S^{\sharp}} \simeq (1-\rho)(\frac{\rho}{1-\rho}K_{S^{\sharp}} + D^{\sharp})$, whence by \mathbb{Q} -nefness

(7)
$$(D^{\sharp} + \frac{\rho}{1-\rho} K_{S^{\sharp}})^2 \ge 0.$$

Moreover the assumption $\rho \geq \frac{1}{3}$ is equivalent to $\frac{\rho}{1-\rho} \geq \frac{1}{2}$, whence

(8)
$$\sum \mu_j^i (\frac{2\rho}{1-\rho} - \mu_j^i) \ge \mu_j^i (1-\mu_j^i) \ge 0$$

Now (3) follows combining (6)-(8)

A direct consequence is the following

Corollary 1.5. [Me2, Cor. 3.10] With the same notation and assumptions as in Theorem 1.1, assume furthermore that $\rho := \rho(T, \mathfrak{D}) < 1$ and that \mathfrak{D} is base point free. Then \mathfrak{D}^{\sharp} is a linear system of Cartier divisors with at most base points and with general element a smooth surface.

The following result will be useful to us:

Lemma 1.6. With the same notation and assumptions as in Thm 1.1, assume furthermore that $\rho(T, \mathfrak{D}) < 1$ and there is a smooth surface $S \in \mathfrak{D}$. Let $S^{\sharp} := \phi_* S$.

If T^{\sharp} is uniruled of S^{\sharp} -degree at most m then also T is uniruled of S-degree at most m.

Proof. By assumption T^{\sharp} is covered by a family of rational curves Γ such that $\Gamma \cdot S^{\sharp} \leq m$. The strict transform $\tilde{\Gamma}$ of each such Γ on T then satisfies $\tilde{\Gamma} \cdot S \leq m$ by [Me2, Lemma 3.15]. Moreover, as we saw in the proof of Lemma 1.4, the exceptional locus of ϕ is covered by rational curves Δ satisfying $\Delta \cdot S = 0$ or 1 and the result follows.

2. Threefolds with Big uniruled systems

Let T be a terminal Q-factorial threefold and \mathfrak{D} a movable linear system on T. Recall from [Me2, Def. 5.1] that (T, \mathfrak{D}) is said to be a pair with a big uniruled system if there is an $S \in \mathfrak{D}$ which is big and nef and a smooth surface of negative Kodaira dimension. Such a pair is uniruled with $\rho(T, \mathfrak{D}) < 1$ by [Me2, Lemma 5.2].

Note that by Lemma 1.4 S is Cartier. Therefore \mathfrak{D} is a linear system of Cartier divisors and $\mathcal{H} := \mathcal{O}_T(S)$ is a line bundle. Moreover \mathfrak{D} is automatically movable since S is big and nef. We will say that (T, \mathcal{H}) is a pair with a big uniruled system if $(T, |\mathcal{H}|)$ is. Moreover, since the general $S^{\sharp} \in \mathfrak{D}^{\sharp}$ is Cartier by Lemma 1.4 $\mathcal{H}^{\sharp} := \mathcal{O}_{T^{\sharp}}(S^{\sharp})$ is a line bundle and we will say that the pair $(T^{\sharp}, \mathcal{H}^{\sharp})$ is a \sharp -minimal model of the pair (T, \mathcal{H}) .

Theorem 2.1. [Me2, Thm. 5.3] Let T be a terminal Q-factorial threefold and \mathcal{H} a line bundle on T such that (T, \mathcal{H}) is a pair with a big uniruled system. Set $\rho := \rho(T, \mathcal{H})$.

Then $(T^{\sharp}, \mathcal{H}^{\sharp})$ is one of the following:

- (I) a Q-Fano threefold of index $1/\rho > 1$, with $K_{T^{\sharp}} \sim -1/\rho \mathcal{H}^{\sharp}$, belonging to Table 1.
- (II) a bundle over a smooth curve with generic fiber $(F, \mathcal{H}_{|F}^{\sharp}) \cong (\mathbb{P}^2, \mathcal{O}(2))$ and with at most finitely many fibers $(G, \mathcal{H}_{|G}^{\sharp}) \cong (\mathbf{S_4}, \mathcal{O}(1))$, where $\mathbf{S_4}$ is the cone over the normal quartic curve and the vertex sits over a hyperquotient singularity of type 1/2(1, -1, 1) with $f = xy - z^2 + t^k$, for $k \ge 1$. $(\rho = 2/3)$
- (III) a quadric bundle with at most cA_1 singularities of type $f = x^2 + y^2 + z^2 + t^k$, for $k \ge 2$, and $\mathcal{H}_{|F}^{\sharp} \sim \mathcal{O}(1)$. $(\rho = 1/2)$
- (IV) $(\mathbb{P}(\mathcal{E}), \mathcal{O}(1))$ where \mathcal{E} is a rank 3 vector bundle over a smooth curve. $(\rho = 1/3)$

Type	T^{\sharp}	general $S^{\sharp} \in \mathcal{H}^{\sharp} $	ρ	$-\frac{\rho}{\rho-1}$	$K^2_{H^{\sharp}}$	$d(T^{\sharp}, \mathcal{H}^{\sharp})$	$n(T^{\sharp}, \mathcal{H}^{\sharp})$
(a)	$X = \mathbb{P}(1, 1, 2, 3)$	$H_6 \subset X$	6/7	6	1	36	22
(b)	$X_6 \subset \mathbb{P}(1,1,2,3,3)$	$X_6 \cap \{x_4 = 0\})$	3/4	3	1	9	7
(c)	$X_6 \subset \mathbb{P}(1,1,2,3,4)$	$X_6 \cap \{x_4 = 0\}$	4/5	4	1	16	11
(d)	$X_6 \subset \mathbb{P}(1,1,2,3,5)$	$X_6 \cap \{x_4 = 0\}$	5/6	5	1	25	16
(e)	$X_6 \subset \mathbb{P}(1,1,2,2,3)$	$X_6 \cap \{x_3 = 0\}$	2/3	2	1	4	4
(f)	$X_6 \subset \mathbb{P}(1,1,1,2,3)$	$X_6 \cap \{x_0 = 0\}$	1/2	1	1	1	2
(g)	$X = \mathbb{P}(1, 1, 1, 2)$	$H_4 \subset X$	4/5	4	2	32	21
(h)	$X_4 \subset \mathbb{P}(1,1,1,2,2)$	$X_4 \cap \{x_4 = 0\}$	2/3	2	2	8	7
(i)	$X_4 \subset \mathbb{P}(1,1,1,2,3)$	$X_4 \cap \{x_4 = 0\}$	3/4	3	2	18	13
(j)	$X_4 \subset \mathbb{P}(1,1,1,1,2)$	$X_4 \cap \{x_0 = 0\}$	1/2	1	2	2	3
(k)	$X = \mathbb{P}^3$	$H_3 \subset X$	3/4	3	3	27	19
(l)	$X_3 \subset \mathbb{P}(1,1,1,1,2)$	$X_3 \cap \{x_4 = 0\}$	2/3	2	3	12	10
(m)	$X_3 \subset \mathbb{P}^4$	$X_3 \cap \{x_0 = 0\}$	1/2	1	3	3	4
(n)	$X_2 \subset \mathbb{P}^4$	$H_{2,2} \subset X_2$	2/3	2	4	16	13
(o)	$X_{2,2} \subset \mathbb{P}^5$	$X_{2,2} \cap \{x_0 = 0\}$	1/2	1	4	4	5
(p)	$X = \mathbb{P}^6 \cap \mathbb{G}(1,4)$	$X \cap \{x_0 = 0\}$	1/2	1	5	5	6
(q)	$X_2 \subset \mathbb{P}^4$	$X_2 \cap \{x_0 = 0\} \simeq \mathbb{P}^1 \times \mathbb{P}^1$	1/3	1/2	8	2	4
(r)	$X = \mathbb{P}^3$	$\mathbb{P}^1 \times \mathbb{P}^1 \simeq H_2 \subset X$	1/2	1	8	8	9
(s)	$X = \mathbb{P}^3$	$\{x_0 = 0\} \simeq \mathbb{P}^2 \subset X$	1/4	1/3	9	1	3
(t)	$X = \mathbb{P}(1, 1, 1, 2)$	$\{x_3 = 0\} \simeq \mathbb{P}^2 \subset X$	2/5	2/3	9	4	6

TABLE 1. Q-Fano threefolds

(V) $(\mathbb{P}(\mathcal{E}), \mathcal{O}(1))$ where \mathcal{E} is a rank 2 vector bundle over a surface of negative Kodaira dimension. $(\rho = 1/2)$

In the cases (I) the general $S^{\sharp} \in |\mathcal{H}^{\sharp}|$ is a smooth del Pezzo surface and $\mathcal{O}_{S^{\sharp}}(\mathcal{H}^{\sharp}) \simeq \frac{\rho}{\rho-1}K_{S^{\sharp}}$. A list of such threefolds (with corresponding values for ρ) is given in [C-F]. Moreover one can easily calculate $d(T^{\sharp}, \mathcal{H}^{\sharp})$ and $n(T^{\sharp}, \mathcal{H}^{\sharp})$. Indeed

$$d(T^{\sharp}, \mathcal{H}^{\sharp}) := (\mathcal{H}^{\sharp})^3 = (\mathcal{O}_{S^{\sharp}}(\mathcal{H}^{\sharp}))^2 = \frac{\rho^2}{(\rho - 1)^2} K_{S^{\sharp}}^2,$$

and by Riemann-Roch

$$n(T^{\sharp},\mathcal{H}^{\sharp}):=h^0(\mathcal{H}^{\sharp})-1=h^0(\mathcal{O}_{S^{\sharp}}(\mathcal{H}^{\sharp}))=\frac{\rho}{2(\rho-1)^2}K_{S^{\sharp}}^2+1.$$

In Table 1 we list all the cases (see [C-F, p. 81]). In the table $\mathbb{P}(w_1, \ldots, w_n)$ denotes the weighted projective space with weight w_i at the coordinate x_i . The hyperplane given by x_i is denoted $\{x_i = 0\}$. Moreover X_a (resp. $X_{a,b}$) denotes a hypersurface of degree a (resp. a complete intersection of two hypersurfaces of degrees a and b) and similarly for H_a and $H_{a,b}$. The variety $\mathbb{G}(1,4)$ is the Grassmannian parameterizing lines in \mathbb{P}^4 , embedded in \mathbb{P}^9 by the Plücker embedding.

We remark the following:

Lemma 2.2. Let (T, \mathcal{H}) and $(T^{\sharp}, \mathcal{H}^{\sharp})$ be as in Theorem 2.1. Then the following hold:

(i) In the cases (I) $|\mathcal{H}^{\sharp}|$ is base point free except in the case (I)(f).

(ii) In all the cases we have

$$n(T^{\sharp}, \mathcal{H}^{\sharp}) \ge n(T, \mathcal{H}) \text{ and } d(T^{\sharp}, \mathcal{H}^{\sharp}) \ge d(T, \mathcal{H}),$$

with equalities in case (I). More generally $d(T^{\sharp}, \mathcal{H}^{\sharp}) = d(T, \mathcal{H})$ if $|\mathcal{H}^{\sharp}|$ is base point free.

Proof. We first concentrate on the cases in (I). Let $S^{\sharp} \in |\mathcal{H}^{\sharp}|$ be a general element. Then S^{\sharp} is a smooth del Pezzo surface and \mathcal{H}^{\sharp} is ample. By [C-F, Lemma (4.5)] the restriction map

$$H^0(T^{\sharp}, \mathcal{H}^{\sharp}) \longrightarrow H^0(S^{\sharp}, \mathcal{H}^{\sharp} \otimes \mathcal{O}_{S^{\sharp}})$$

is surjective, so if $x \in T^{\sharp}$ is a base point for \mathcal{H}^{\sharp} then $x \in S^{\sharp}$ and x is also a base point for $\mathcal{H}^{\sharp}_{|S^{\sharp}}$.

It follows that $|\mathcal{H}^{\sharp}|$ is base point free if and only if $|\mathcal{H}_{|S^{\sharp}|}^{\sharp}|$ is base point free for general $S^{\sharp} \in |\mathcal{H}^{\sharp}|$.

We have $\mathcal{H}_{|S^{\sharp}}^{\sharp} \simeq \frac{\rho}{\rho-1} K_{S^{\sharp}}$ and it is classically known that for a del Pezzo surface $|aK_{S^{\sharp}}|$ is base point free if and only if $(a, K_{S^{\sharp}}^2) \neq (1, 1)$. Therefore (i) follows in the cases where $-\frac{\rho}{\rho-1} \in \mathbb{Z}$. In the three cases where $-\frac{\rho}{\rho-1} \notin \mathbb{Z}$ we immediately see that $\mathcal{H}_{|S^{\sharp}}^{\sharp}$ is very ample. This finishes the proof of (i).

To prove (ii) pick smooth surfaces $S \in |\mathcal{H}|$ and $S^{\sharp} \in |\mathcal{H}^{\sharp}|$ such that we have a commutative diagram



where $f := \phi_{|S|}$ is well-defined and is a successive contraction of disjoint unions of finitely many (-1)-curves (in each step) by Lemma 1.4. Since ϕ is birational and S is general we have dim $|S| \leq \dim |S^{\sharp}|$, because the complete linear system |S| is mapped to a (possibly proper) sublinear system of $|S^{\sharp}|$. In other words dim $|\mathcal{H}| \leq \dim |\mathcal{H}^{\sharp}|$ so that $n(T^{\sharp}, \mathcal{H}^{\sharp}) \geq$ $n(T, \mathcal{H})$.

Moreover we have $d(T, \mathcal{H}) = \mathcal{H}^3 = (\mathcal{H}_{|S})^2$ and $d(T^{\sharp}, \mathcal{H}^{\sharp}) = (\mathcal{H}^{\sharp})^3 = (\mathcal{H}_{|S^{\sharp}}^{\sharp})^2$.

In the cases where $|\mathcal{H}^{\sharp}|$ is base point free, then $|\mathcal{H}_{|S^{\sharp}|}^{\sharp}|$ is base point free as well, so we can choose a curve in $|\mathcal{H}_{|S^{\sharp}|}^{\sharp}|$ lying outside of the exceptional points of f, whence

(9)
$$\mathcal{H}_{|S} \simeq f^*(\mathcal{H}_{|S^{\sharp}}^{\sharp})$$

and $(\mathcal{H}_{|S})^2 = (\mathcal{H}_{|S^{\sharp}}^{\sharp})^2$, so that $d(T^{\sharp}, \mathcal{H}^{\sharp}) = d(T, \mathcal{H})$ as stated.

If $|\mathcal{H}^{\sharp}|$ is not base point free, then it might be that $|\mathcal{H}_{|S^{\sharp}|}^{\sharp}|$ has base points in the exceptional set of f, in which case

(10)
$$\mathcal{H}_{|S} \simeq f^*(\mathcal{H}_{|S^{\sharp}|}^{\sharp}) - R,$$

where R is effective and supported on exceptional divisors of f (cf. (5)), whence $(\mathcal{H}_{|S})^2 = (\mathcal{H}_{|S^{\sharp}}^{\sharp})^2 + R^2 < (\mathcal{H}_{|S^{\sharp}}^{\sharp})^2$, so that $d(T^{\sharp}, \mathcal{H}^{\sharp}) > d(T, \mathcal{H})$.

In the case (I)(f) $d(T^{\sharp}, \mathcal{H}^{\sharp}) = 1$ and since \mathcal{H} is big and nef we must have $d(T, \mathcal{H}) \geq 1$, whence $d(T^{\sharp}, \mathcal{H}^{\sharp}) = d(T, \mathcal{H}) = 1$ as stated.

We only have left to prove that $n(T^{\sharp}, \mathcal{H}^{\sharp}) = n(T, \mathcal{H})$ in case (I).

We have seen that (9) holds in case (I), whence

(11)
$$h^{0}(\mathcal{H}_{|S}) = h^{0}(f_{*}\mathcal{H}_{|S}) = h^{0}(f_{*}f^{*}(\mathcal{H}_{|S^{\sharp}}^{\sharp})) = h^{0}(\mathcal{H}_{|S^{\sharp}}^{\sharp})$$

by standard properties of blow ups. Moreover, since S^{\sharp} is a del Pezzo we have $h^1(S^{\sharp}, \mathcal{O}_{S^{\sharp}}) = h^2(S^{\sharp}, \mathcal{O}_{S^{\sharp}}) = 0$. By Kawamata-Viehweg vanishing (in its most general form), since T^{\sharp} is

9

terminal and \mathcal{H}^{\sharp} is big and nef [K-M, Thm. 2.70], we have $h^{i}(T^{\sharp}, -\mathcal{H}^{\sharp}) = 0$ for i = 0, 1, 2, and since $\rho(T^{\sharp}, \mathcal{H}^{\sharp}) < 1$ we also have by Serre duality $h^{3}(T^{\sharp}, -\mathcal{H}^{\sharp}) = h^{0}(T^{\sharp}, K_{T^{\sharp}} + \mathcal{H}^{\sharp}) = 0$, whence from

$$0 \longrightarrow -\mathcal{H}^{\sharp} \longrightarrow \mathcal{O}_{T^{\sharp}} \longrightarrow \mathcal{O}_{S^{\sharp}} \longrightarrow 0$$

we get $h^i(\mathcal{O}_{T^{\sharp}}) = 0$ for i = 1, 2, 3. Therefore, from

$$0 \longrightarrow \mathcal{O}_{T^{\sharp}} \longrightarrow \mathcal{H}^{\sharp} \longrightarrow \mathcal{H}_{|S^{\sharp}}^{\sharp} \longrightarrow 0$$

we get $h^0(S^{\sharp}, \mathcal{H}_{|S^{\sharp}}^{\sharp}) = h^0(T^{\sharp}, \mathcal{H}^{\sharp}) - 1 = n(T^{\sharp}, \mathcal{H}^{\sharp})$ which combined with (11) yields

(12)
$$h^0(\mathcal{H}_{|S}) = n(T^{\sharp}, \mathcal{H}^{\sharp}).$$

Since f is a succession of monoidal transformations we have $h^1(S, \mathcal{O}_S) = h^2(S, \mathcal{O}_S) = 0$. By Kawamata-Viehweg vanishing, since T is terminal and \mathcal{H} is big and nef we have $h^i(T, -\mathcal{H}) = 0$ for i = 0, 1, 2, and since $\rho(T, \mathcal{H}) < 1$ we also have by Serre duality $h^3(T, -\mathcal{H}) = h^0(T, K_T + \mathcal{H}) = 0$, whence from

$$0 \longrightarrow -\mathcal{H} \longrightarrow \mathcal{O}_T \longrightarrow \mathcal{O}_S \longrightarrow 0$$

we get $h^i(\mathcal{O}_T, T) = 0$ for i = 1, 2, 3. Therefore, from

$$0 \longrightarrow \mathcal{O}_T \longrightarrow \mathcal{H} \longrightarrow \mathcal{H}_{|S} \longrightarrow 0$$

we get $h^0(S, \mathcal{H}_{|S}) = h^0(T, \mathcal{H}) - 1 = n(T, \mathcal{H})$ which combined with (12) yields the desired $n(T^{\sharp}, \mathcal{H}^{\sharp}) = n(T, \mathcal{H}).$

The following easy consequence of Clifford's theorem will be useful for our purposes:

Lemma 2.3. Let (X, \mathcal{H}) be a pair consisting of an irreducible terminal \mathbb{Q} -factorial threefold X and a globally generated and big line bundle \mathcal{H} on X. Set $d := d(X, \mathcal{H})$ and $n := n(X, \mathcal{H})$.

If d < 2n - 4 then (X, \mathcal{H}) is a pair with a big uniruled system and for any smooth irreducible surface $S \in |\mathcal{H}|$ and any irreducible curve $D \in |\mathcal{H}_{|S}|$ we have

$$(13) D \cdot K_S \le d - 2n + 2.$$

Proof. The general element $S \in |\mathcal{H}|$ is a smooth irreducible surface.

Pick any irreducible curve $D \in |\mathcal{O}_S(\mathcal{H})|$. Then deg $\mathcal{O}_D(\mathcal{H}) = \mathcal{H}^3 = d$ and from

(14)
$$0 \longrightarrow \mathcal{O}_X \longrightarrow \mathcal{H} \longrightarrow \mathcal{O}_S(\mathcal{H}) \longrightarrow 0$$

and

(15)
$$0 \longrightarrow \mathcal{O}_S \longrightarrow \mathcal{O}_S(\mathcal{H}) \longrightarrow \mathcal{O}_D(\mathcal{H}) \longrightarrow 0$$

we get

(16)
$$h^0(\mathcal{O}_D(\mathcal{H})) \ge h^0(\mathcal{O}_S(\mathcal{H})) - 1 \ge h^0(\mathcal{H}) - 2 = n - 1$$

Hence

(17)
$$\deg \mathcal{O}_D(\mathcal{H}) - 2(h^0(\mathcal{O}_D(\mathcal{H})) - 1) \le d - 2(n-2) < 0,$$

whence by Clifford's theorem on irreducible singular curves (see the appendix of [E-K-S]) we must have $h^1(\mathcal{O}_D(\mathcal{H})) = 0$, so that $\chi(\mathcal{O}_D(\mathcal{H})) = h^0(\mathcal{O}_D(\mathcal{H})) \ge n-1$. We see from (15) that $h^1(\mathcal{O}_S(\mathcal{H})) \le h^1(\mathcal{O}_S)$, so that we have, from (16),

$$\chi(\mathcal{O}_S(D)) - \chi(\mathcal{O}_S) = \chi(\mathcal{O}_D(\mathcal{H})) = h^0(\mathcal{O}_D(\mathcal{H})) \ge n - 1.$$

Combining with Riemann-Roch we get

$$D \cdot K_S = D^2 - 2(\chi(\mathcal{O}_S(D)) - \chi(\mathcal{O}_S)))$$

$$\leq d - 2n + 2 < -2,$$

proving (13) and showing that $\kappa(S) < 0$, so that (X, \mathcal{H}) is a pair with a big uniruled system.

As a "warming up" before proceeding with the proofs of the main results we give the proof of the following bound. Note that it improves Theorem 0.1 for $n \leq 12$.

Proposition 2.4. Let (X, \mathcal{H}) be a pair consisting of an irreducible terminal \mathbb{Q} -factorial threefold X and a globally generated and big line bundle \mathcal{H} on X. Set $d := d(X, \mathcal{H})$ and $n := n(X, \mathcal{H})$.

If $n \ge 4$ and $d < \frac{4}{3}n - \frac{4}{3}$, then X is uniruled of \mathcal{H} -degree one, except when (d, n) = (4, 6) or (8, 9) and a \sharp -minimal model of (X, \mathcal{H}) is of type (I)(t) or (r) respectively.

Proof. Since $n \ge 4$ we have $2n - 4 \ge \frac{4}{3}n - \frac{4}{3}$, whence d < 2n - 4 so by Lemma 2.3 (X, \mathcal{H}) is a pair with a big uniruled system.

Moreover for general $S \in |\mathcal{H}|$ and $D \in |\mathcal{H}_{|S}|$ we have, by Lemma 2.3,

$$D \cdot \left(\frac{3}{2}\mathcal{H} + K_X\right) = D \cdot (\mathcal{H} + K_X) + \frac{1}{2}D \cdot \mathcal{H} = D \cdot K_S + \frac{1}{2}d$$

$$\leq d - 2n + 2 + \frac{1}{2}d = \frac{3}{2}d - 2n + 2$$

$$< \frac{3}{2}\left(\frac{4}{3}n - \frac{4}{3}\right) - 2n + 2 = 0,$$

whence $\rho(X, \mathcal{H}) < 2/3$.

It follows that the \sharp -minimal model $(X^{\sharp}, \mathcal{H}^{\sharp})$ is in the list of Theorem 2.1 and moreover it cannot be as in (II) since $\rho(X, \mathcal{H}) = 2/3$ in this case. In the cases (III)-(V) one immediately sees that $(X^{\sharp}, \mathcal{H}^{\sharp})$ is uniruled of \mathcal{H}^{\sharp} -degree one, whence (X, \mathcal{H}) is also uniruled of \mathcal{H} -degree one by Lemma 1.6.

By using the table above we see that the cases in (I) where $n(X^{\sharp}, \mathcal{H}^{\sharp}) \geq 4$ and $\rho < 2/3$ are the cases (m), (o), (p), (q), (r) and (t). Among these (m), (o), (p) and (q) are clearly uniruled of \mathcal{H}^{\sharp} -degree one.

By Lemma 2.2 we have $n(T^{\sharp}, \mathcal{H}^{\sharp}) = n$ and $d(T^{\sharp}, \mathcal{H}^{\sharp}) = d$. Hence the result follows from Lemma 1.6 again.

We have the following corollary:

Corollary 2.5. Let (X, \mathcal{H}) be a pair consisting of a reduced and irreducible 3-dimensional variety X and a globally generated and big line bundle \mathcal{H} on X. Set $d := d(X, \mathcal{H})$ and $n := n(X, \mathcal{H})$.

If $d < \frac{4}{3}n - \frac{4}{3}$ and $(d, n) \notin \{(4, 6), (8, 8), (8, 9)\}$, then X is uniruled by lines.

Proof. Let $\pi : T \longrightarrow X$ be a resolution of the singularities of X. Then $\pi^*\mathcal{H}$ is globally generated and big with $d(T, \pi^*\mathcal{H}) = \mathcal{H}^3 = d$ and $n(T, \pi^*\mathcal{H}) = \dim |\pi^*\mathcal{H}| \ge n$ and we can apply Proposition 2.4. The additional case (d, n) = (8, 8) occurs since equality does not need to occur in $n(T, \pi^*\mathcal{H}) \ge n$.

It is interesting to note that similar bounds as in Proposition 2.4 can be obtained by using results of Horowitz [Ho] and Reid [Re2] respectively. As an example we briefly show the bound one would get using Horowitz's result. Note that the obtained bound is stronger than Proposition 2.4 for $n \ge 29$ but one has to assume that the threefold is smooth and the line bundle is very ample.

Proposition 2.6. Let X be a smooth threefold and \mathcal{H} a very ample line bundle on X with $d := \mathcal{H}^3$ and $n := h^0(\mathcal{H}) - 1$. If $n \ge 12$ and $d < \frac{3}{2}(n-4)$, or $7 \le n \le 11$ and $d < \frac{4}{3}(n-3)$ then X is uniruled of \mathcal{H} -degree one.

11

Proof. By [Ho, Corollary p. 668], if $d < \frac{3}{2}(n-4)$ then X is ruled by planes or quadrics and if $d < \frac{4}{3}(n-3)$ then X is ruled by planes, in which cases it is clearly uniruled by lines. Now we note that $\frac{4}{3}(n-3) > \frac{3}{2}(n-4)$ for $n \leq 11$ and that the condition $d \geq n-2$ requires $n \geq 7$.

Now we give the main ideas and the strategy of the proof of Theorem 0.1. The main result we will need to prove is the following:

Proposition 2.7. Let (X, \mathcal{H}) be a pair consisting of an irreducible terminal \mathbb{Q} -factorial threefold X and a globally generated, big line bundle \mathcal{H} on X. Set $d := d(X, \mathcal{H})$ and $n := n(X, \mathcal{H})$.

If a \sharp -minimal model of (X, \mathcal{H}) is of type (II) in Theorem 2.1, then $d \geq 2n - 10$.

The proof of this result will be given in Section 3 below, after a careful study of the threefolds of type (II) in Theorem 2.1. We will now give the proofs of Theorem 0.1 and Corollaries 0.2 and 0.3 assuming Proposition 2.7.

Proof of Theorem 0.1. Let X be a reduced and irreducible 3-dimensional variety and \mathcal{H} a globally generated big line bundle on X. Set $d := \mathcal{H}^3$ and $n := h^0(X, \mathcal{H}) - 1$ and assume d < 2n - 10.

Let $\pi: T \longrightarrow X$ be a resolution of the singularities of X. Then $\pi^*\mathcal{H}$ is globally generated and big with $d(T, \pi^*\mathcal{H}) = \mathcal{H}^3 = d$ and $n(T, \pi^*\mathcal{H}) = \dim |\pi^*\mathcal{H}| \ge n$. Since (d, n) = (27, 19)satisfies d = 2n - 11 we can reduce to the case where X is smooth. Therefore we henceforth assume X is smooth.

By Lemma 2.3 (X, \mathcal{H}) is a pair with a big uniruled system, whence any \sharp -Minimal model $(X^{\sharp}, \mathcal{H}^{\sharp})$ of (X, \mathcal{H}) is in the list of Theorem 2.1. Moreover, by Proposition 2.7, it cannot be of type (II).

We easily see that the cases (III)-(V) are uniruled of \mathcal{H}^{\sharp} -degree one. Moreover, by Lemma 2.2 we have $n(T^{\sharp}, \mathcal{H}^{\sharp}) = n$ and $d(T^{\sharp}, \mathcal{H}^{\sharp}) = d$ in the cases (I) and we see that we have $d \geq 2n - 10$ except for case (k). Now the result follows from Lemma 1.6.

Proof of Corollary 0.2. Let X be a reduced and irreducible variety of dimension $k \ge 4$ and \mathcal{H} a globally generated big line bundle on X with $d := \mathcal{H}^k$ and $n := h^0(X, \mathcal{H}) - 1$.

As just mentioned in the proof of Theorem 0.1 we can assume X is smooth.

Setting $X_k := X$ and $\mathcal{H}_k := \mathcal{H}$, we recursively choose general smooth "hyperplane sections" $X_{i-1} \in |\mathcal{H}_i|$ and define $\mathcal{H}_{i-1} := \mathcal{H}_i \otimes \mathcal{O}_{X_{i-1}}$, for $2 \leq i \leq k$. (Note that dim $X_i = i$ and \mathcal{H}_i is a line bundle on X_i .)

Let $n_3 := h^0(\mathcal{H}_3) - 1$. Then from the exact sequence

(18)
$$0 \longrightarrow \mathcal{O}_{X_i} \longrightarrow \mathcal{H}_i \longrightarrow \mathcal{H}_{i-1} \longrightarrow 0$$

we have

(19)
$$n_3 \ge n - (k-3) = n - k + 3.$$

Together with the conditions d < 2(n-k) - 4 this implies $d < 2n_3 - 10$ and it follows from Theorem 0.1 that either (X_3, \mathcal{H}_3) is uniruled of degree one or $(d, n_3) = (27, 19)$ and $(X_3^{\sharp}, \mathcal{H}_3^{\sharp})$ is $(\mathbb{P}^3, \mathcal{O}(3))$.

In the first case, since X_3 is the general 3-fold section, it follows that (X, \mathcal{H}) is also uniruled of degree one.

In the second case we have equality in (19), i.e.

(20)
$$19 = n_3 = h^0(\mathcal{H}_3) - 1 = h^0(\mathcal{H}) - (k-3) - 1 = n - k + 3.$$

Denote by $f : X_3 - \to X_3^{\sharp}$ the birational map of the \sharp -minimal model program. By Lemma 1.4 its restriction g to X_2 is a morphism onto a smooth surface $X_2^{\sharp} \in |\mathcal{H}_3^{\sharp}|$ which is either an isomorphism or a finite sequence of contractions of disjoint unions of (-1)-curves.

By Lemma 2.2(i) \mathcal{H}_3^{\sharp} is globally generated, whence the restriction $\mathcal{H}_2^{\sharp} := \mathcal{H}_3^{\sharp} \otimes \mathcal{O}_{X_2^{\sharp}}$ is also globally generated. Moreover, by Lemma 2.2(iii) we have dim $|\mathcal{H}_3| = \dim |\mathcal{H}_3^{\sharp}|$, whence $|\mathcal{H}_3^{\sharp}| = f_*|\mathcal{H}_3|$. By [C-F, Lemma 4.5] the restriction map $H^0(\mathcal{H}_3^{\sharp}) \to H^0(\mathcal{H}_2^{\sharp})$ is surjective and by (19) and (20) the restriction map $H^0(\mathcal{H}_3) \to H^0(\mathcal{H}_2)$ is surjective as well. Hence $|\mathcal{H}_2^{\sharp}| = g_*|\mathcal{H}_2|$ and this can only be base point free if every curve E contracted by g satisfies $E.\mathcal{H}_2 = 0$. Denoting by $\varphi_{\mathcal{H}_2}$ and $\varphi_{\mathcal{H}_2^{\sharp}}$ the morphisms defined by $|\mathcal{H}_2|$ and $|\mathcal{H}_2^{\sharp}|$ respectively, this implies that $\varphi_{\mathcal{H}_2^{\sharp}} \circ g = \varphi_{\mathcal{H}_2}$, in other words the images $\varphi_{\mathcal{H}_2^{\sharp}}(X_2^{\sharp})$ and $\varphi_{\mathcal{H}_2}(X_2)$ are the same and since \mathcal{H}_2^{\sharp} is very ample and $h^0(\mathcal{H}_2^{\sharp}) = h^0(\mathcal{H}_3^{\sharp}) - 1 = h^0(\mathcal{H}_3) - 1 = n - k + 3$, this image is a smooth nondegenerate surface in \mathbb{P}^{n-k+3} , call it S, which is birational to X_2 . Moreover, by (20), the natural map $H^0(\mathcal{H}) \to H^0(\mathcal{H}_2)$ is surjective, so S is the same as the image of the restriction of the morphism $\varphi_{\mathcal{H}} : X \longrightarrow \mathbb{P}^n$ defined by $|\mathcal{H}|$ to X_2 . Since this holds for the general surface section it follows that $\varphi_{\mathcal{H}}$ itself is birational onto a variety of dimension k, having S as a smooth surface section.

We now apply the theorem of Zak (unpublished, cf. [Za]) and L'vovski (cf. [L1] and [L2]) which says (in the surface case) that a smooth nondegenerate surface $S \subseteq \mathbb{P}^N$ satisfying $h^0(\mathcal{N}_{S/\mathbb{P}^N}(-1)) \leq N + r$ for r < (N-3)(N+1) cannot be the surface section of a nondegenerate irreducible k-dimensional variety in \mathbb{P}^{N+k} other than a cone. Since a cone is uniruled by lines, the corollary will follow if we show that $h^0(\mathcal{N}_{S/\mathbb{P}^{18}}(-1)) \leq 20$, with S being the 3-uple embedding of a smooth cubic surface S_0 in \mathbb{P}^3 .

We argue as in [G-L-M, p. 160-161] to compute $h^0(\mathcal{N}_{S/\mathbb{P}^{18}}(-1))$. We give the argument for the sake of the reader.

From the Euler sequence and tangent bundle sequence

$$0 \longrightarrow \mathcal{O}_{S}(-1) \longrightarrow \mathbb{C}^{19} \otimes \mathcal{O}_{S} \longrightarrow \mathcal{T}_{\mathbb{P}^{18}}(-1) \otimes \mathcal{O}_{S} \longrightarrow 0$$
$$0 \longrightarrow \mathcal{T}_{S}(-1) \longrightarrow \mathcal{T}_{\mathbb{P}^{18}}(-1) \otimes \mathcal{O}_{S} \longrightarrow \mathcal{N}_{S/\mathbb{P}^{18}}(-1) \longrightarrow 0$$

we find

(21)
$$h^0(\mathcal{N}_{S/\mathbb{P}^{18}}(-1)) \le h^0(\mathcal{T}_{\mathbb{P}^{18}}(-1) \otimes \mathcal{O}_S) + h^1(\mathcal{T}_S(-1)) \le 19 + h^1(\mathcal{T}_{S_0}(-3)).$$

From the tangent bundle sequence of $S_0 \subseteq \mathbb{P}^3$

(22)
$$0 \longrightarrow \mathcal{T}_{S_0}(-3) \longrightarrow \mathcal{T}_{\mathbb{P}^3}(-3) \otimes \mathcal{O}_{S_0} \longrightarrow \mathcal{N}_{S_0/\mathbb{P}^3}(-3) \longrightarrow 0$$

and the fact that $\mathcal{N}_{S_0/\mathbb{P}^3}(-3) \simeq \mathcal{O}_{S_0}$, we find

$$h^{1}(\mathcal{T}_{S_{0}}(-3)) \leq 1 + h^{1}(\mathcal{T}_{\mathbb{P}^{3}}(-3) \otimes \mathcal{O}_{S_{0}}).$$

In view of (21) it will suffice to show that $h^1(\mathcal{T}_{\mathbb{P}^3}(-3) \otimes \mathcal{O}_{S_0}) = 0$.

The Euler sequence of $S_0 \subseteq \mathbb{P}^3$ shows that $h^1(\mathcal{T}_{\mathbb{P}^3}(-3) \otimes \mathcal{O}_{S_0}) = \operatorname{coker} \mu$ where $\mu : H^0(\mathcal{O}_{S_0}(1)) \otimes H^0(\omega_{S_0}(2)) \longrightarrow H^0(\omega_{S_0}(3))$ is the multiplication map. As in [G-L-M, p. 161] one proves the surjectivity of μ by restricting to the general smooth curve section $C \subseteq S_0$ and showing that the map $\nu : H^0(\mathcal{O}_C(1)) \otimes H^0(\omega_{S_0}(2)) \longrightarrow H^0(\omega_C(2))$ is surjective. The latter is the composition

$$\nu: H^0(\mathcal{O}_C(1)) \otimes H^0(\omega_{S_0}(2)) \longrightarrow H^0(\mathcal{O}_C(1)) \otimes H^0(\omega_C(1)) \\ \longrightarrow H^0(\omega_C(2)).$$

The first map is surjective since $h^1(\omega_{S_0}(1)) = h^1(\mathcal{O}_{S_0}(-1)) = 0$ and the second is surjective by Green's H^0 -lemma [Gr, (4.e.1)]. This concludes the proof of the corollary.

It is immediate that Corollary 0.3 follows from the two above.

As we already noted in the introduction, Theorem 0.1 is sharp by the following example:

Example 2.8. The bound of Theorem 0.1 is sharp. In fact consider $X = \mathbb{P}^2 \times \mathbb{P}^1$ with projections p and q respectively and let $\mathcal{H} := p^* \mathcal{O}_{\mathbb{P}^2}(2) \otimes q^* \mathcal{O}_{\mathbb{P}^1}(a)$ for $a \in \mathbb{N}_{>0}$. We have $n := h^0(\mathcal{H}) - 1 = h^0(\mathcal{O}_{\mathbb{P}^2}(2)) \cdot h^0(\mathcal{O}_{\mathbb{P}^1}(a)) - 1 = 6(a+1) - 1$ and $d := \mathcal{H}^3 = (p_2^* \mathcal{O}(2) \otimes p_1^* \mathcal{O}(a))^3 = 3(p_2^* \mathcal{O}(2))^2 \cdot p_1^* \mathcal{O}(a) = 12a$, whence d = 2n - 10. Clearly any curve C on X satisfies $C \cdot \mathcal{H} = C \cdot p^* \mathcal{O}_{\mathbb{P}^2}(2) + C \cdot q^* \mathcal{O}_{\mathbb{P}^1}(a) \ge 2$, with equality

Clearly any curve C on X satisfies $C \cdot \mathcal{H} = C \cdot p^* \mathcal{O}_{\mathbb{P}^2}(2) + C \cdot q^* \mathcal{O}_{\mathbb{P}^1}(a) \geq 2$, with equality obtained exactly for the lines in the \mathbb{P}^2 -fibers, so that X is uniruled of \mathcal{H} -degree two and not uniruled of \mathcal{H} -degree one.

3. Terminal Veronese Fibrations

In this section we will prove Propositions 0.4 and 2.7.

Since we will have to study the threefolds as in (II) of Theorem 2.1 we find it convenient to make the following definition:

Definition 3.1. Let (X, \mathcal{H}) be a pair satisfying the following:

- (i) X is a three-dimensional terminal irreducible variety with a Mori fiber space structure $p: X \longrightarrow B$, where B is a smooth curve.
- (ii) \mathcal{H} is a line bundle on X such that the system $|\mathcal{H}|$ contains a smooth surface and has at most base points and $\mathcal{H}^3 > 0$.
- (iii) The general fiber of p is $(V, \mathcal{H}_{|V}) \simeq (\mathbb{P}^2, \mathcal{O}(2))$ and the rest are at most finitely many fibers $(G, \mathcal{H}_{|G}) \simeq (\mathbf{S}_4, \mathcal{O}(1))$, where \mathbf{S}_4 is the cone over a normal quartic curve.

Such a Mori fiber space will be called a (three-dimensional) terminal Veronese fibration.

The threefolds of Theorem 2.1 (II) are terminal Veronese fibrations.

The easiest examples of terminal Veronese fibrations are the smooth ones in Example 2.8. But there are also singular such varieties and these were erroneously left out in both [Me1, Prop. 3.7] and [C-F, Prop. 3.4], as remarked by Mella in [Me2, Rem. 5.4]: Take $\mathbb{P}^2 \times \mathbb{P}^1$ and blow up a conic *C* in a fiber and contract the strict transform of *C*, thus producing a Veronese cone singularity.

Although our main aim is to prove Proposition 2.7 we believe that terminal Veronese fibrations are interesting in their own rights. In order to prove Proposition 2.7 we will study "hyperplane sections" of X, i.e. surfaces in $|\mathcal{H}|$, and show that the desired bound on the degree follows since the general such surface has to have a certain number of degenerate fibers, i.e. unions of two lines. What we first prove in this section is the following, which is part of the statement in Proposition 0.4:

Proposition 3.2. Let (X, \mathcal{H}) be a three-dimensional terminal Veronese fibration and set $n := h^0(\mathcal{H}) - 1$ and $d := \mathcal{H}^3$.

Then any smooth member of $|\mathcal{H}|$ is a surface fibered over B with $k \geq \frac{n-5}{2}$ fibers which are unions of two smooth rational curves intersecting in one point (the other fibers are smooth rational curves).

Proof. Denote by \mathcal{V} the numerical equivalence class of the fiber. Let $S \in |\mathcal{H}|$ be a smooth surface. Then, since X is terminal, we have $S \cap \text{Sing } X = \emptyset$ (cf. [Me2, (2.2)]).

By property (iii) any fiber of S over B is either a smooth quartic, a union of two conics intersecting in one point, or a double conic, all with respect to \mathcal{H} . Denote by F the numerical equivalence class of the fiber. Then $F^2 = 0$.

If a fiber were a double conic, we could write $F \equiv 2F_0$ in Num S. However, in this case we would get the contradiction $F_0(F_0 + K_S) = -1$, so this case does not occur.

In the case of a fiber which is a union of two conics intersecting in one point, we have $F \equiv F_1 + F_2$ in Num S, whence by adjunction both F_i are (-1)-curves. Since S can contain only finitely many such curves, the general fiber of S over B is a smooth quartic and by adjunction $F \cdot K_S = -2$.

Therefore S has a finite number k of degenerate fibers which are unions of two conics and since these are all (-1)-curves we can blow down one of these curve in every fiber and reach a minimal model R for S which is a ruled surface over B. Let g be the genus of B. Then


$$k = K_R^2 - K_S^2 = 8(1 - g) - K_S^2 = 8(1 - g) - (K_X + \mathcal{H})^2 \cdot \mathcal{H},$$

which only depends on the numerical equivalence class of S. Therefore, any smooth surface in $|\mathcal{H}|$ has the same number of degenerate fibers.

Now note that the fibers of S over the finitely many points of B over which X has singular fibers are all smooth quartics, since $S \cap \text{Sing } X = \emptyset$.

We now consider the birational map of X to a smooth projective bundle \tilde{X} , as described in [Me2, p. 699].

Around one singular fiber $\mathbf{S_4}$ of X over a point $p \in B$ this map is given by a succession of blow ups ν_i and contractions μ_i :



where the procedure ends as soon as some X_s has a fiber over $p \in B$ which is a smooth Veronese surface.

For every ν_i the exceptional divisor E_i is either a smooth Veronese surface or a cone over the quartic curve, and the strict transform of the singular fiber $\mathbf{S_4}$ of X_{i-1} over pis $G_i \simeq \mathbb{F}_4$, the desingularization of $\mathbf{S_4}$. These two intersect along a smooth quartic C_i . Then μ_i contracts G_i and X_i is smooth along the exceptional locus of the contraction and contains the image C'_i of C_i which is a smooth quartic with respect to \mathcal{H} .

Following S throughout the procedure, we see that S stays out of the exceptional locus of every ν_i and in the contraction it is mapped to a surface having C'_i as fiber over p.

In other words the procedure of desingularizing one singular fiber of X maps every smooth surface in $|\mathcal{H}|$ to a smooth surface passing trough a unique smooth quartic over p.

Doing the same procedure for all the other singular fibers of X we therefore reach a smooth projective bundle $\mathbb{P}(\mathcal{E})$ over B and under this process $|\mathcal{H}|$ is "mapped" to a (not necessarily complete) linear system on $\mathbb{P}(\mathcal{E})$ having smooth quartics over the corresponding points of B as base curves. Denote the corresponding line bundle on $\mathbb{P}(\mathcal{E})$ by \mathcal{H}' . Since we have not changed the number of degenerate fibers of any smooth surface in $|\mathcal{H}|$ over B, we see that every smooth surface in $|\mathcal{H}'|$ still has k degenerate fibers over B. Since clearly dim $|\mathcal{H}'| \ge \dim |\mathcal{H}|$ it is now sufficient to show that any smooth surface in $|\mathcal{H}'|$ has $k \ge \frac{\hbar^0(\mathcal{H}')-6}{2}$ fibers which are unions of two conics intersecting in one point. This is the contents of the following proposition.

Proposition 3.3. Let $f : X \simeq \mathbb{P}(\mathcal{E}) \longrightarrow B$ be a three-dimensional projective bundle over a smooth curve of genus g. Denote by \mathcal{V} the numerical equivalence class of the fiber and assume \mathcal{H} is a line bundle on X satisfying:

- (i) $\mathcal{H}_{|V} \simeq \mathcal{O}_{\mathbb{P}^2}(2)$ for every fiber $V \simeq \mathbb{P}^2$,
- (ii) $|\mathcal{H}|$ is nonempty with general element a smooth surface,
- (iii) the only curves in the base locus of $|\mathcal{H}|$, if any, are smooth conics in the fibers.

Then any smooth surface in $|\mathcal{H}|$ is fibered over B with k fibers which are unions of two lines intersecting in one point, where

(24)
$$k = \frac{1}{4}\mathcal{H}^3 \ge \frac{h^0(\mathcal{H}) - 6}{2}.$$

Proof. We only have to prove (24).

Since every fiber of X over B is a \mathbb{P}^2 we have $(K_X)_{|\mathbb{P}^2} \simeq K_{\mathbb{P}^2} \simeq \mathcal{O}_{\mathbb{P}^2}(-3)$ so we can choose a very ample line bundle $\mathcal{G} \in \operatorname{Pic} X$ such that

(25) Num
$$X \simeq \mathbb{Z}\mathcal{G} \oplus \mathbb{Z}\mathcal{V}, \ \mathcal{G}^2 \cdot \mathcal{V} = 1, \ \mathcal{G} \cdot \mathcal{V}^2 = \mathcal{V}^3 = 0$$

(26)
$$K_X \equiv b\mathcal{V} - 3\mathcal{G}, \ b \in \mathbb{Z}$$

and

(27)
$$\mathcal{H} \equiv a\mathcal{V} + 2\mathcal{G}, \ a \in \mathbb{Z}.$$

The general element $G \in |\mathcal{G}|$ is a smooth ruled surface over B; in particular

$$8(1-g) = K_G^2 = (K_X + \mathcal{G})^2 \cdot \mathcal{G} = (b\mathcal{V} - 2\mathcal{G})^2 \cdot \mathcal{G} = 4\mathcal{G}^3 - 4b,$$

that is

(28)
$$\mathcal{G}^3 = 2(1-g) + b.$$

Let now $S \in |\mathcal{H}|$ be any smooth surface. Clearly (as discussed in the proof of the previous proposition) $K_S^2 = 8(1-g) - k$. We compute, using (25) and (28),

$$K_S^2 = (K_X + \mathcal{H})^2 \cdot \mathcal{H} = ((a+b)\mathcal{V} - \mathcal{G})^2 \cdot (a\mathcal{V} + 2\mathcal{G})$$

= $2\mathcal{G}^3 - 3a - 4b = 2(2(1-g)+b) - 3a - 4b$
= $4(1-g) - 3a - 2b$,

so that

(29)
$$k = 4(1-g) + 3a + 2b.$$

At the same time we have

(30)
$$\mathcal{H}^3 = (a\mathcal{V} + 2\mathcal{G})^3 = 12a + 8\mathcal{G}^3$$
$$= 12a + 8b + 16(1-g) = 4k,$$

proving the equality in (24).

The inequality in (24) we have left to prove is $\mathcal{H}^3 \geq 2h^0(\mathcal{H}) - 12$. We therefore assume, to get a contradiction, that

(31)
$$\mathcal{H}^3 \le 2h^0(\mathcal{H}) - 13$$

Note that \mathcal{H} is nef. Indeed, if $\gamma \cdot \mathcal{H} < 0$ for some irreducible curve γ on X, then clearly γ is contained in the base locus of $|\mathcal{H}|$, so that by assumption (iii) γ has to be a smooth conic in some fiber $V \simeq \mathbb{P}^2$ of f. Hence

$$\gamma \cdot \mathcal{H} = \gamma \cdot \mathcal{H}_{|V} = \mathcal{O}_{\mathbb{P}^2}(2) \cdot \mathcal{O}_{\mathbb{P}^2}(2) = 4,$$

a contradiction. This proves that \mathcal{H} is nef.

Let now $C \in |\mathcal{H}_{|S}|$ be general.

Since the 1-dimensional part of the base locus of $|\mathcal{H}|$ can only consist of smooth conics in the fibers of f, we can write, on S,

$$C \sim C_0 + (f_{|S})^* \mathfrak{v} \equiv C_0 + cF_s$$

for some nonnegative integer c, where \mathfrak{v} is an effective divisor of degree c on B; F denotes the numerical equivalence class of the fiber of $f_{|S} : S \longrightarrow B$; and C_0 is a reduced and irreducible curve (possibly singular). Consider

(32)
$$0 \longrightarrow \mathcal{O}_S(f^*\mathfrak{v}) \longrightarrow \mathcal{O}_S(\mathcal{H}) \longrightarrow \mathcal{O}_{C_0}(\mathcal{H}) \longrightarrow 0.$$

From this sequence and

$$(33) 0 \longrightarrow \mathcal{O}_X \longrightarrow \mathcal{O}_X(\mathcal{H}) \longrightarrow \mathcal{O}_S(\mathcal{H}) \longrightarrow 0$$

we get, using (31):

(34)
$$\begin{aligned} h^{0}(\mathcal{O}_{C_{0}}(\mathcal{H})) &\geq h^{0}(\mathcal{O}_{S}(\mathcal{H})) - h^{0}(\mathcal{O}_{S}(f^{*}\mathfrak{v})) \\ &\geq h^{0}(\mathcal{O}_{X}(\mathcal{H})) - h^{0}(B,\mathfrak{v}) - 1 \\ &\geq \frac{1}{2}(\mathcal{H}^{3} + 13) - c - 2 = \frac{1}{2}\mathcal{H}^{3} - c + \frac{9}{2} \end{aligned}$$

Moreover deg $\mathcal{O}_{C_0}(\mathcal{H}) = \mathcal{H}^2 \cdot (\mathcal{H} - c\mathcal{V}) = \mathcal{H}^3 - c\mathcal{H}^2 \cdot \mathcal{V} = \mathcal{H}^3 - 4c$, so that

deg
$$\mathcal{O}_{C_0}(\mathcal{H}) - 2(h^0(\mathcal{O}_{C_0}(\mathcal{H})) - 1) \le \mathcal{H}^3 - 4c - (\mathcal{H}^3 - c + 7) = -2c - 7 < 0.$$

By Clifford's theorem on singular curves (see the appendix of [E-K-S]) we must therefore have

(35)
$$h^1(\mathcal{O}_{C_0}(\mathcal{H})) = 0.$$

By Riemann-Roch on C_0 and (34) we find

$$\begin{aligned} \mathcal{H}^{3} &= C \cdot \mathcal{H} = (C_{0} + cF) \cdot \mathcal{H} = \deg \mathcal{O}_{C_{0}}(\mathcal{H}) + 4c \\ &= h^{0}(\mathcal{O}_{C_{0}}(\mathcal{H})) + p_{a}(C_{0}) - 1 + 4c \geq h^{0}(\mathcal{O}_{C_{0}}(\mathcal{H})) - 1 + 4c \\ &\geq \frac{1}{2}\mathcal{H}^{3} - c + \frac{9}{2} - 1 + 4c \geq \frac{1}{2}\mathcal{H}^{3} + \frac{7}{2}. \end{aligned}$$

Hence $\mathcal{H}^3 \geq 7$, so in particular \mathcal{H} is big and nef.

By Kawamata-Viehweg vanishing we therefore have $h^i(-\mathcal{H}) = 0$ for i = 0, 1, 2. Since $h^3(-\mathcal{H}) = h^0(K_X + \mathcal{H})$ and $K_X + \mathcal{H} \equiv (a+b)\mathcal{V} - \mathcal{G}$ we have $h^3(-\mathcal{H}) = 0$ as well. From (33) twisted by $-\mathcal{H}$ and the fact that S, being a succession of monoidal transformations of a ruled surface, satisfies $h^1(\mathcal{O}_S) = g$ and $h^2(\mathcal{O}_S) = 0$, we get

(36)
$$h^0(\mathcal{O}_X) = 1, \ h^1(\mathcal{O}_X) = g, \ h^2(\mathcal{O}_X) = h^3(\mathcal{O}_X) = 0.$$

From Riemann-Roch on S and the fact that $h^2(\mathcal{O}_S(f^*\mathfrak{v})) = h^0(K_S - f^*_{|S}\mathfrak{v}) = 0$ (since F is nef with $F.(K_S - f^*\mathfrak{v}) = F.(K_S - cF) = -2$) we find

(37)
$$h^{1}(\mathcal{O}_{S}(f^{*}\mathfrak{v})) = -\chi(\mathcal{O}_{S}(f^{*}\mathfrak{v})) + h^{0}(\mathcal{O}_{S}(f^{*}\mathfrak{v})) + h^{2}(\mathcal{O}_{S}(f^{*}\mathfrak{v}))$$
$$= -\frac{1}{2}cF \cdot (cF - K_{S}) + g - 1 + h^{0}(\mathcal{O}_{S}(f^{*}\mathfrak{v}))$$
$$\leq -c + g - 1 + c + 1 = g.$$

Combining all (32)-(37) we find

$$\begin{aligned} h^{1}(\mathcal{H}) &\leq h^{1}(\mathcal{O}_{X}) + h^{1}(\mathcal{O}_{S}(\mathcal{H})) \\ &\leq h^{1}(\mathcal{O}_{X}) + h^{1}(\mathcal{O}_{S}(f^{*}\mathfrak{v})) + h^{1}(\mathcal{O}_{C_{0}}(\mathcal{H})) \\ &\leq g + g + 0 = 2g, \end{aligned}$$

together with

(39)
$$h^2(\mathcal{H}) = h^3(\mathcal{H}) = 0.$$

We now compute $\chi(\mathcal{H})$.

From

$$0 \longrightarrow \mathcal{T}_G \longrightarrow \mathcal{T}_{X|G} \longrightarrow \mathcal{N}_{G/X} \longrightarrow 0$$

we find, using (25) and (28),

$$c_{2}(X) \cdot \mathcal{G} = c_{2}(G) - K_{G} \cdot \mathcal{N}_{G/X} = 4(1-g) - (K_{X} + \mathcal{G}) \cdot \mathcal{G}^{2}$$

= $4(1-g) - (b\mathcal{V} - 3\mathcal{G}) \cdot \mathcal{G}^{2} - \mathcal{G}^{3} = 4(1-g) - b + 2\mathcal{G}^{3}$
= $4(1-g) - b + 2(2(1-g) + b) = 8(1-g) + b.$

Similarly we find, for any fiber $\mathbb{P}^2 \simeq V \subseteq X$,

$$c_2(X) \cdot \mathcal{V} = c_2(V) - K_V \cdot \mathcal{N}_{V/X} = 3 - (K_X + \mathcal{V}) \cdot \mathcal{V}^2 = 3$$

Hence

(40)
$$c_2(X) \cdot \mathcal{H} = c_2(X) \cdot (2\mathcal{G} + a\mathcal{V}) = 2(8(1-g)+b) + 3a$$

= $16(1-g) + 2b + 3a$.

Now Riemann-Roch on X yields

$$\begin{split} \chi(\mathcal{H}) &= \frac{1}{12} \Big\{ 2\mathcal{H}^3 - 3K_X \cdot \mathcal{H}^2 + K_X^2 \cdot \mathcal{H} + c_2(X) \cdot \mathcal{H} \Big\} + \chi(\mathcal{O}_X) \\ &= \frac{1}{12} \Big\{ 2\Big(12a + 8b + 16(1 - g) \Big) - 3\Big(-12a - 8b - 24(1 - g) \Big) \\ &+ \Big(36(1 - g) + 6b + 9a \Big) + \Big(16(1 - g) + 2b + 3a \Big) \Big\} + 1 - g \\ &= \frac{1}{12} \Big\{ 72a + 156(1 - g) + 48b \Big\} + 1 - g \\ &= 13(1 - g) + 6a + 4b + 1 - g = 14(1 - g) + 6a + 4b. \end{split}$$

Comparing with (30) we see that

$$\mathcal{H}^3 = 2\chi(\mathcal{H}) - 12(1-g),$$

whence, using (38) and (39),

$$\mathcal{H}^{3} = 2 \Big(h^{0}(\mathcal{H}) - h^{1}(\mathcal{H}) + h^{2}(\mathcal{H}) - h^{3}(\mathcal{H}) \Big) - 12(1 - g)$$

$$\geq 2 \Big(h^{0}(\mathcal{H}) - 2g \Big) - 12(1 - g) = 2h^{0}(\mathcal{H}) - 12 + 8g \geq 2h^{0}(\mathcal{H}) - 12,$$

contradicting (31).

This shows that (31) cannot hold, proving (24).

Example 3.4. As in Example 2.8 take $X = \mathbb{P}^2 \times \mathbb{P}^1$ and $\mathcal{H} := p^* \mathcal{O}_{\mathbb{P}^2}(2) \otimes q^* \mathcal{O}_{\mathbb{P}^1}(a)$. Then we have an embedding given by $|\mathcal{H}|$:

$$\mathbb{P}^2\times\mathbb{P}^1 \quad \longrightarrow \quad \mathbb{P}^{6(a+1)-1}$$

A hyperplane section of X in $\mathbb{P}^{6(a+1)-1}$ has equation

$$\sum_{j=0,1,2,0\leq k\leq a} l_{ijk} x_i x_j y_0^k y_1^{a-k} = 0,$$

where $(x_0 : x_1 : x_2)$ are the coordinates on \mathbb{P}^2 and $(y_0 : y_1)$ are the coordinates on \mathbb{P}^1 and l_{ijk} are coefficients. The section is degenerate on some Veronese surface $(\mathbb{P}^2, \mathcal{O}(2))$ if the determinant of the matrix of the coefficients of the $x_i x_j$ is zero. This determinant is a polynomial of degree 3a in y_0, y_1 , hence in general we find 3a distinct zeros. This means that a generic hyperplane section has $3a = \frac{6(a+1)-1-5}{2}$ degenerates fibers, which is the smallest possible number of degenerate fibers for a terminal Veronese fibration as stated in Proposition 3.2.

Proofs of Propositions 0.4 and 2.7. We note that by Proposition 3.2 the only statement left to prove in Proposition 0.4 is a special case of Proposition 2.7.

As in Proposition 2.7 let (X, \mathcal{H}) be a pair consisting of an irreducible terminal \mathbb{Q} -factorial threefold X and a globally generated, big line bundle \mathcal{H} on X, with $d := d(X, \mathcal{L})$ and $n := n(X, \mathcal{L})$.

Assume that a \sharp -minimal model $(X^{\sharp}, \mathcal{H}^{\sharp})$ is of type (II) in Theorem 2.1, i.e. a terminal Veronese fibration over a smooth curve B of genus g.

As we already used during the proof of Lemma 2.2, we can by Lemma 1.4 pick smooth surfaces $S \in |\mathcal{H}|$ and $S^{\sharp} \in |\mathcal{H}^{\sharp}|$ such that we have a commutative diagram

$$\begin{array}{c} X - \stackrel{\phi}{-} \succ X^{\sharp} \\ & & \\ \int & & \\ S \stackrel{f}{\longrightarrow} S^{\sharp} \end{array}$$

where $f := \phi_{|S|}$ is well-defined and is a succession of monoidal transformations. Moreover $n^{\sharp} := \dim |\mathcal{H}^{\sharp}| \ge \dim |\mathcal{H}| = n$. By Proposition 3.2, S^{\sharp} is fibered over B with general fiber a smooth quartic and $k \ge \frac{n^{\sharp}-5}{2}$ fibers being a union of two rational curves intersecting in one point, which are both (-1)-curves. Therefore

(41)
$$K_{S^{\sharp}}^{2} = 8(1-g) - k \le 8(1-g) - \frac{n^{\sharp} - 5}{2} \le 8(1-g) - \frac{n-5}{2}.$$

We want to show that $d \ge 2n - 10$. Assume, to get a contradiction, that

Note that $\rho := \rho(X, \mathcal{H}) = \frac{2}{3}$, so we can apply Lemma 1.4. Let l be the total number of irreducible curves contracted by f. Then $K_S^2 = K_{S^{\sharp}}^2 - l$. Pick any smooth irreducible curve $D \in |\mathcal{O}_S(\mathcal{H})|$. Then by (3), (13) and (41) we have

 $d \le 2n - 11.$

$$0 \leq 4l + (D + 2K_S)^2 = 4l + 4K_S^2 + 4K_S \cdot D + D^2$$

$$\leq 4l + 4\left(8(1-g) - \frac{n-5}{2} - l\right) + 4\left(d - 2n + 2\right) + d$$

$$= 32(1-g) - 2(n-5) + 4d - 8n + 8 + d$$

$$= 32(1-g) + 5d - 10n + 18 \leq 5d - 10n + 40 = 5(d - 2n + 10),$$

contradicting (42).

We have therefore proved that $d \ge 2n - 10$ and this finishes the proofs of Propositions 0.4 and 2.7.

4. FINAL REMARKS

To conclude, we remark that a closer look at the proofs of of Propositions 0.4 and 2.7 shows that if we assume only d < 2n-4 instead of (42), we get g = 0 as the only possibility. This shows that:

A three-dimensional terminal Veronese fibration over a smooth curve of genus g > 0must satisfy $d \ge 2n - 4$.

Consequently:

If a pair (X, \mathcal{H}) consisting of an irreducible terminal Q-factorial threefold X and a globally generated, big line bundle \mathcal{H} on X has a \sharp -minimal model being of type (II) in Theorem 2.1 over a smooth curve of genus g > 0, then $d \ge 2n - 4$.

If now $(X^{\sharp}, \mathcal{H}^{\sharp})$ is a \sharp -minimal model of a pair (X, \mathcal{H}) consisting of an irreducible terminal \mathbb{Q} -factorial threefold X and a globally generated big line bundle, we have seen that \mathcal{H}^{\sharp} is still big and nef, so that $h^1(\mathcal{O}_X) = h^1(\mathcal{O}_S) = h^1(\mathcal{O}_{S^{\sharp}}) = h^1(\mathcal{O}_{X^{\sharp}})$. We have seen that this is zero if X^{\sharp} is of type (I) in Theorem 2.7 and equal to g, the genus of B, if X^{\sharp} is of type (II) in Theorem 2.7.

We have therefore obtained an improvement of [Me2, Thm. 5.8]:

Proposition 4.1. Let (X, \mathcal{H}) be a pair consisting of an irreducible terminal \mathbb{Q} -factorial threefold X and a globally generated big line bundle \mathcal{H} on X. Set $d := \mathcal{H}^3$ and $n := h^0(X, \mathcal{H}) - 1$.

If d < 2n - 10 (resp. d < 2n - 4 and $h^1(\mathcal{O}_X) > 0$), then $(X^{\sharp}, \mathcal{H}^{\sharp})$ is of one of the types (*i*)-(*iv*) (resp. (*ii*)-(*iv*)) below:

- (i) $(\mathbb{P}^3, \mathcal{O}_{\mathbb{P}^3}(3))$ (with (d, n) = (27, 19)),
- (ii) a quadric bundle with at most cA_1 singularities of type $f = x^2 + y^2 + z^2 + t^k$, for $k \ge 2$, and $\mathcal{H}_{\downarrow F}^{\sharp} \sim \mathcal{O}(1)$,
- (iii) $(\mathbb{P}(E), \mathcal{O}(1))$ where E is a rank 3 vector bundle over a smooth curve,
- (iv) $(\mathbb{P}(E), \mathcal{O}(1))$ where E is a rank 2 vector bundle over a surface of negative Kodaira dimension.

Similarly, we have obtained the following improvement of [Me2, Cor. 5.10]:

Proposition 4.2. Let (X, \mathcal{H}) be a pair consisting of an irreducible terminal \mathbb{Q} -factorial variety X of dimension $k \geq 4$ and an ample line bundle \mathcal{H} on X. Set $d := \mathcal{H}^k$ and $n := h^0(X, \mathcal{H}) - 1$.

If d < 2(n-k) - 4 then a \sharp -minimal model $(T^{\sharp}, \mathcal{H}^{\sharp})$ - in adjunction theory language the first reduction - is either a projective bundle over a smooth curve with fibers $(\mathbb{P}^{k-1}, \mathcal{O}(1))$; a quadric bundle with at most cA_1 singularities with fibers $(\mathbb{Q}^{k-1}, \mathcal{O}(1))$; or $(\mathbb{P}(\mathcal{E}), \mathcal{O}(1))$ where \mathcal{E} is a rank (k-1) ample vector bundle on \mathbb{P}^2 or a ruled surface.

We also observe that the two last results slightly improve a result of Ionescu, who in [Io, Theorem I] describes smooth, connected, nondegenerate, complex projective varieties with degree which is small with respect to the codimension.

References

- [A-S] E. Arbarello, E. Sernesi, *Petri's approach to the study of the ideal associated to a special divisor*, Invent. Math. **49**, 99–119 (1978).
- [Ba] W. Barth, Submanifolds of low codimension in projective space, Proceedings of the International Congress of Mathematicians (Vancouver, B.C., 1974), Vol. 1, pp. 409–413. Canad. Math. Congress, Montreal, Que., 1975.
- [C-F] F. Campana, H. Flenner, Projective threefolds containing a smooth rational surface with ample normal bundle, J. Reine Angew. Math. 440, 77–98 (1993).

- [E-K-S] D. Eisenbud, J. Koh, M. Stillman, Determinantal equations for curves of high degree, with an appendix with J. Harris, Amer. J. Math. 110, 513–539 (1988).
- [F1] T. Fujita, Defining equations for certain types of polarized varieties, in "Complex analysis and algebraic geometry", 165–173, (Baily and Shioda, eds.), Iwanami Shoten, Tokyo, 1977.
- [F2] T. Fujita, On the structure of polarized varieties with Δ-genera zero, J. Fac. Sci. Univ. Tokyo Sect. IA Math. 22, 103–115 (1975).
- [F3] T. Fujita, On the structure of polarized manifolds with total deficiency one I., J. Math. Soc. Japan 32, no. 4, 709–725 (1980).
- [F4] T. Fujita, On the structure of polarized manifolds with total deficiency one II., J. Math. Soc. Japan 33, no. 3, 415–434 (1981).
- [F5] T. Fujita, On the structure of polarized manifolds with total deficiency one III., J. Math. Soc. Japan 36, no. 1, 75–89 (1984).
- [G-L-M] L. Giraldo, A. F. Lopez, R. Munoz, On the existence of Enriques-Fano threefolds of index greater than one, J. Alg. Geom. 13, no. 1, 143–166 (2004).
- [Gr] M. Green, Koszul cohomology and the geometry of projective varieties, J. Differ. Geom. 19, 125–171 (1984).
- [G-H] P. Griffiths, J. Harris, Principles of algebraic geometry, Wiley Classics Library, John Wiley & Sons, New York, 1994.
- [Ha] R. Hartshorne, Varieties of small codimension in projective space, Bull. Amer. Math. Soc. 80, 1017–1032 (1974).
- [Ho] T. Horowitz, Varieties of low Δ -genus, Duke Math. J. 50, no. 3, 667–683 (1983).
- [Io] P. Ionescu, On varieties whose degree is small with respect to codimension, Math. Ann. 271, 339–348 (1985).
- [Is] V. A. Iskovskih, Fano threefolds. I., Izv. Akad. Nauk SSSR Ser. Mat. 41, no. 3, 516–562, 717 (1977).
- [Ko] J. Kollar, Rational curves on algebraic varieties, Ergebnisse der Mathematik und ihrer Grenzgebiete. 32, Springer-Verlag, Berlin, 1996.
- [K-M] J. Kollar, S. Mori, Birational geometry of algebraic varieties, Cambridge Tracts in Mathematics, 134, Cambridge University Press, Cambridge, 1998.
- [L1] S. L'vosky, Extension of projective varieties and deformations I, Michigan Math. J. 32, 41–51 (1992).
- [L2] S. L'vosky, Extension of projective varieties and deformations II, Michigan Math. J. 32, 65–70 (1992).
- [Me1] M. Mella, Adjunction theory on terminal varieties, in "Complex analysis and geometry (Trento, 1995)", 153–164, Pitman Res. Notes Math. Ser. 366, Longman, Harlow, 1997.
- [Me2] M. Mella, #-Minimal models of uniruled 3-folds, Math. Z. 242, no. 4, 687–707 (2002).
- [Mi] Y. Miyaoka, On the Kodaira dimension of minimal threefolds, Math. Ann. **281**, no. 2, 325–332 (1988).
- [Re2] M. Reid, Surfaces of small degree, Math. Ann. 275, no. 1, 71–80 (1986).
- [Za] F. L. Zak, Some properties of dual varieties and their applications in projective geometry, Algebraic geometry (Chicago, IL, 1989),273–280, Lecture Notes in Math., 479, Springer, Berlin, 1991.

ANDREAS LEOPOLD KNUTSEN, DEPARTMENT OF MATHEMATICS, UNIVERSITY OF OSLO, PO Box 1053, BLINDERN NO-0316 OSLO, NORWAY. E-MAIL andreas.knutsen@math.uio.no

CARLA NOVELLI, DIPARTIMENTO DI MATEMATICA, UNIVERSITÀ DEGLI STUDI DI TRENTO, VIA SOMMARIVE, 14, I-38050 POVO (TN), ITALY. E-MAIL novelli@science.unitn.it

ALESSANDRA SARTI, FB 17 MATHEMATIK UND INFORMATIK, UNIVERSITÄT MAINZ, STAUDINGERWEG 9, 55099 MAINZ, GERMANY. E-MAIL sarti@mathematik.uni-mainz.de