Heisenberg Model and Rigged Configurations

Pulak Ranjan Giri* and Tetsuo Deguchi†
Department of Physics, Graduate School of Humanities and Sciences,
Ochanomizu University, Ohtsuka 2-1-1, Bunkyo-ku, Tokyo, 112-8610, Japan
(Dated: May 4, 2019)

We show a correspondence of all the solutions of the spin-1/2 isotropic Heisenberg model for $N = 12$ to the rigged configurations based on the comparison of the set of Takahashi quantum numbers in lexicographical order with the set of riggings of the rigged configurations in co-lexicographical order.

PACS numbers: 71.10.Jm, 02.30Ik, 03.65Fd

arXiv:1501.07801v1 [hep-th] 30 Jan 2015

I. INTRODUCTION

The study of the isotropic spin-1/2 Heisenberg model still remains to be very much important in the research field of the integrable models due to its complex structure of solutions, which have not been completely understood till to date. Although the eigenvalue equation was solved several decades ago [1], the completeness issue of the spectrum still remains an open problem. For a deeper understanding of the isotropic spin-1/2 Heisenberg model, its variants and for various approaches to solve these models see refs. [2–16]. Getting the solutions to the Bethe ansatz equations, which produce eigenvalues and their corresponding Bethe eigenstates, are difficult because of their high degree of nonlinearity and multi-variate nature. Numerical method is the only way, where several attempts have been made to obtain the solutions to the Bethe ansatz equations. First complete solutions for $N = 8, 10$ spin-1/2 XXX chains were obtained in ref. [17], where the Bethe ansatz equations are solved by an iteration method. On the other hand in ref. [18] (see supplemental material) solutions up to $N = 14$ are obtained by making use of the homotopy continuation method.

The solutions to the Bethe ansatz equations have a rich and diverse structure. As known to Bethe himself, the complex solutions come in complex conjugate pairs and typically arrange themselves in a set of string like structures. This apparent distribution of the rapidities in the form of strings leads to the *string hypothesis* [19]. The strings together with their deformations are very much useful for the study of the finite length spin chains. Although it is known that the *string hypothesis* does not work for some solutions of relatively large yet finite spin chains due to the collapse of certain numbers to string solutions, it still works well in practical purpose for most of the solutions of the finite length chains. The complex solutions, which are responsible for the formation of bound states, present more challenges in the numerical methods compared to the real solutions. Nonetheless the knowledge of the complex solutions are essential for the understanding of the dynamics of the model and for the evaluations of the correlation functions [20, 21] and other physical quantities. Recently it has been shown [22] that some of the solutions of $N = 12$, which have some odd-length strings with complex centers, do not fit into the standard form of the string solutions. The existence of the complex centered odd-length strings make those strings non-self-conjugate individually, although the solutions as a whole remain self-conjugate. Another interesting solutions are the singular solutions, which, because of their two constituent rapidities of the form $\pm\frac{i}{2}$, make the eigenvalues and their corresponding Bethe eigenstates ill-defined. A suitable regularization scheme [18, 23–25] is necessary to obtain well-defined eigenvalues and their corresponding Bethe eigenstates for these type of solutions.

The different classes of solutions make the counting process, known as the completeness of the spectrum, very difficult. Although *string hypothesis* provides a proof for the completeness, its certain assumptions are not legitimate [26–30] for the finite length chains. One way out is to check the completeness by obtaining all the solutions of the Bethe ansatz equations. On the other hand, there is a nice one-to-one and onto mapping between the solutions of the Bethe ansatz equations and a combinatorial object known as the rigged configuration [31–34], which is helpful to understand the completeness problem. However, there are certain solutions for the large length chains, such as the solutions corresponding to the collapse of the 2-strings, which do not have straight forward mapping to the rigged configurations. Recent conjecture [35] on the rigged configurations has predicted the numbers of singular solutions present in a spin chain. Although, the correspondence between a few solutions of the Bethe ansatz equations for some

*Electronic address: pulakgiri@gmail.com
†Electronic address: deguchi@phys.ocha.ac.jp

lengths of the spin chain to the rigged configurations are known, the complete correspondences of all the solutions of a spin chain has never been shown.

The purpose of this present paper is to provide a complete correspondence between all the solutions of the Bethe ansatz equations of an isotropic spin-1/2 Heisenberg chain for $N = 12$ and the rigged configurations. The reason for choosing $N = 12$ case is the following: For an even-length spin chain, $N = 12$ is the lowest length which has some intriguing features in the solutions of the Bethe ansatz equations. One is, as mentioned above, there are some roots, called non-self-conjugate string solutions, which do not fit in the standard framework of the *string hypothesis*. The other being, which we will show in this paper, there are some solutions which seem to be of the form $\lambda \pm 0.5i$. However, numerical evaluations with higher working precision show that there are small imaginary deviation $\epsilon^N i$ to these solutions, which are usually overlooked in the numerical methods. Note that $N = 12$ can be directly diagonalized to obtain the eigenvalues. Recently it has been completely solved by homotopy continuation method [18], where the above mentioned two types of solutions have not be given proper attention. We alternatively study the $N = 12$ spin chain by an iteration method making use of the deformed strings structures of the solutions and obtain a correspondence among the solutions to the Bethe quantum numbers, Takahashi quantum numbers and the rigged configurations. One advantage of this method is that it enables us to obtain the Bethe quantum numbers and also the Takahashi quantum numbers, which are compared to the riggings of a rigged configuration to obtain the mapping.

We organize this paper in the following fashion: In section II, we review the the algebraic Bethe ansatz method for the spin-1/2 isotropic Heisenberg model. In section III we discuss the string solutions which include non self-conjugate string solutions, *almost singular* string solutions and singular string solutions. In section IV we study the correspondence of the rigged configurations to the $N = 12$ spin-1/2 isotropic Heisenberg model based on a comparison of the Takahashi quantum numbers with the riggings and finally we conclude.

II. ALGEBRAIC BETHE ANSATZ METHOD

In the algebraic Bethe ansatz method the Lax operator for the spin-1/2 isotropic Heisenberg model is given by

$$L_\gamma(\lambda) = \begin{pmatrix} \lambda - iS_\gamma^z & -iS_\gamma^- \\ -iS_\gamma^+ & \lambda + iS_\gamma^z \end{pmatrix}, \tag{1}$$

where $S_\gamma^\pm = S_\gamma^x \pm iS_\gamma^y$, $S_i^j (j = x, y, z)$ is the spin-1/2 operator at the i-th lattice site and in j-direction. Each element of $L_\gamma(\lambda)$ is a matrix of dimension $2^N \times 2^N$, which acts nontrivially on the γ-th lattice site. The monodromy matrix, $T(\lambda)$, is then given by the direct product of the Lax matrices at each site

$$T(\lambda) = L_N(\lambda)L_{N-1}(\lambda)\cdots L_1(\lambda) = \begin{pmatrix} A(\lambda) & B(\lambda) \\ C(\lambda) & D(\lambda) \end{pmatrix}. \tag{2}$$

The transfer matrix is obtained from the monodromy matrix (2) as

$$t(\lambda) = A(\lambda) + D(\lambda). \tag{3}$$

The Hamiltonian of the spin-1/2 isotropic Heisenberg model on a one-dimensional periodic lattice of length N is then obtained by taking the logarithm of $t(\lambda)$ at $\lambda = \frac{i}{2}$ as

$$H = \frac{J}{2}\left(i\left[\frac{d}{d\lambda}\log t(\lambda)\right]_{\lambda=\frac{i}{2}} - N \right) = J\sum_{i=1}^{N}\left(S_i^x S_{i+1}^x + S_i^y S_{i+1}^y + S_i^z S_{i+1}^z - \frac{1}{4} \right). \tag{4}$$

The Bethe states for M down-spins are given by

$$|\lambda_1, \lambda_2, \cdots, \lambda_M\rangle = \prod_{\alpha=1}^{M} B(\lambda_\alpha)|\Omega\rangle, \tag{5}$$

where $|\Omega\rangle$ is the reference eigenstate with all up-spins, $B(\lambda_\alpha)$ is an element of the monodromy matrix $T(\lambda_\alpha)$ obtained from eq. (2) and λ_α are the rapidities. More explicitly the Bethe state (5) can be expressed as [36]

$$\begin{aligned} \prod_{\alpha=1}^{M} B(\lambda_\alpha)|\Omega\rangle = \quad & (-2i)^M \prod_{j<k}^{M} \frac{\lambda_j - \lambda_k + i}{\lambda_j - \lambda_k} \prod_{j=1}^{M} \frac{(\lambda_j - \frac{i}{2})^N}{\lambda_j + \frac{i}{2}} \times \\ & \sum_{1\le x_1<x_2\cdots<x_M\le N}^{N} \sum_{\mathcal{P}\in S_M}^{M!} \prod_{\mathcal{P}j<\mathcal{P}k}^{M} \left(\frac{\lambda_{\mathcal{P}j} - \lambda_{\mathcal{P}k} - i}{\lambda_{\mathcal{P}j} - \lambda_{\mathcal{P}k} + i} \right)^{H(j-k)} \prod_{j=1}^{M} \left(\frac{\lambda_{\mathcal{P}j} + \frac{i}{2}}{\lambda_{\mathcal{P}j} - \frac{i}{2}} \right)^{x_j} \prod_{j=1}^{M} S_{x_j}^- |\Omega\rangle, \end{aligned} \tag{6}$$

where S_M is the permutation group of M numbers with elements $\mathcal{P}$ and the Heaviside step function is defined as $H(x) = 1$ for $x > 0$ and $H(x) = 0$ for $x \leq 0$. Acting the transfer matrix $t(\lambda)$ from the left on the Bethe state (5) we obtain

$$t(\lambda)\prod_{\alpha=1}^{M} B(\lambda_\alpha)|\Omega\rangle = \Lambda\left(\lambda,\{\lambda_\alpha\}\right)\prod_{\alpha=1}^{M} B(\lambda_\alpha)|\Omega\rangle + \sum_{k=1}^{M}\Lambda_k\left(\lambda,\{\lambda_\alpha\}\right)B(\lambda)\prod_{\alpha\neq k}^{M} B(\lambda_\alpha)|\Omega\rangle\,, \tag{7}$$

where eigenvalue of the transfer matrix is given by

$$\Lambda\left(\lambda,\{\lambda_\alpha\}\right) = \left(\lambda+\frac{i}{2}\right)^N\prod_{\alpha=1}^{M}\frac{\lambda-\lambda_\alpha-i}{\lambda-\lambda_\alpha} + \left(\lambda-\frac{i}{2}\right)^N\prod_{\alpha=1}^{M}\frac{\lambda-\lambda_\alpha+i}{\lambda-\lambda_\alpha}\,, \tag{8}$$

and the unwanted terms are given by

$$\Lambda_k\left(\lambda,\{\lambda_\alpha\}\right) = \frac{i}{\lambda-\lambda_k}\left[\left(\lambda_k+\frac{i}{2}\right)^N\prod_{\substack{\alpha=1\\\alpha\neq k}}^{M}\frac{\lambda_k-\lambda_\alpha-i}{\lambda_k-\lambda_\alpha} + \left(\lambda_k-\frac{i}{2}\right)^N\prod_{\substack{\alpha=1\\\alpha\neq k}}^{M}\frac{\lambda_k-\lambda_\alpha+i}{\lambda_k-\lambda_\alpha}\right]\,,\ k=1,2,\cdots,M\,. \tag{9}$$

Eq. (7) reduces to the eigenvalue equation, if the unwanted terms (9) vanish, which enables us to obtain the Bethe ansatz equations

$$\left(\frac{\lambda_\alpha-\frac{i}{2}}{\lambda_\alpha+\frac{i}{2}}\right)^N = \prod_{\substack{\beta=1\\\beta\neq\alpha}}^{M}\frac{\lambda_\alpha-\lambda_\beta-i}{\lambda_\alpha-\lambda_\beta+i}\,,\quad \alpha=1,2,\cdots,M\,. \tag{10}$$

Once the solutions λ_α of the Bethe ansatz equations (10), known as the Bethe roots, are obtained, the eigenvalues of the Hamiltonian H for the M down-spin sector are expressed as

$$E = \frac{J}{2}\left(i\left[\frac{d}{d\lambda}\log\Lambda\left(\lambda,\{\lambda_\alpha\}\right)\right]_{\lambda=\frac{i}{2}} - N\right) = -J\frac{1}{2}\sum_{\alpha=1}^{M}\frac{1}{\left(\lambda_\alpha^2+\frac{1}{4}\right)}\,. \tag{11}$$

The logarithmic form of eq. (10) is expressed as

$$2\arctan(2\lambda_\alpha) = J_\alpha\frac{2\pi}{N} + \frac{2}{N}\sum_{\substack{\beta=1\\\beta\neq\alpha}}^{M}\arctan(\lambda_\alpha-\lambda_\beta)\,,\quad \alpha=1,2,\cdots,M\,,\quad \mod 2\pi\,, \tag{12}$$

where $\{J_\alpha,\alpha=1,2,\cdots,M\}$ are the Bethe quantum numbers, which take integral (half integral) values if $N-M$ is odd (even) respectively. Since the Bethe quantum numbers are repetitive, they are not useful for the process of counting the total number of states. Therefore a strictly non-repetitive quantum numbers are necessary, which are obtained as follows.

In *string hypothesis*, the rapidities of a solution to the Bethe ansatz equations are arranged in form of strings of different lengths as

$$\lambda_{\alpha a}^j = \lambda_\alpha^j + \frac{i}{2}\left(j+1-2a\right) + \Delta_{\alpha a}^j\,,\quad a=1,2,\cdots,j,\quad \alpha=1,2,..,M_j\,, \tag{13}$$

where the j-string of length j has the real center λ_α^j with α being the index to distinguish all the M_j strings of same length and $\Delta_{\alpha a}^j$ are the string deviations. In the limit that these deviations vanish, $\Delta_{\alpha a}^j\to 0$, equations (10) reduce to the convenient form

$$\begin{aligned}\arctan\frac{2\lambda_\alpha^j}{j} &= \pi\frac{I_\alpha^j}{N} + \frac{1}{N}\sum_{k=1}^{N_s}\sum_{\beta}^{M_k}\Theta_{jk}\left(\lambda_\alpha^j-\lambda_\beta^k\right)\,,\quad \mod\pi\,,\\ \Theta_{jk}(\lambda) &= (1-\delta_{jk})\arctan\frac{2\lambda}{|j-k|} + 2\arctan\frac{2\lambda}{|j-k|+2} + \cdots + 2\arctan\frac{2\lambda}{j+k-2} + \arctan\frac{2\lambda}{j+k}\,,\end{aligned} \tag{14}$$

where M down-spins are partitioned into M_k k-stings with the length of the largest string being N_s such that $\sum_k^{N_s} kM_k = M$. We now obtain the strictly non-repetitive quantum numbers I_α^j, known as the Takahashi quantum numbers, from eq. (14), which have the following bounds

$$|\ I_\alpha^j\ | \leq \frac{1}{2}\left(N-1-\sum_{k=1}\left[2\min(j,k)-\delta_{j,k}\right]M_k\right)\,. \tag{15}$$

III. STRING SOLUTIONS

The solutions of the Bethe ansatz equations are usually arranged in a set of strings. In *string hypothesis* language the real solutions are 1-string solutions. Other solutions are composed of strings of different lengths as given in eq. (13). In the numerical iteration method first the centers of the strings λ_α^j are evaluated, which are used as the initial input for the next iteration method to calculate the deviations $\Delta_{\alpha a}^j$ and the centers. For finite but not so large spin chains, the deviations of the strings are of the form

$$\Delta_{\alpha a}^j = \epsilon_{\alpha a}^j + i\delta_{\alpha a}^j \,, \tag{16}$$

where the real $\epsilon_{\alpha a}^j$ and $\delta_{\alpha a}^j$ decreases exponentially with respect the length N of the spin chain. While implementing the iteration scheme, the complex conjugacy condition of the solutions are exploited to simplify the forms of these deviations. One useful way to implement it is to consider the strings to be individually self-conjugate, which implies [17]

$$\Delta_{\alpha a}^j = (\Delta_{\alpha j+1-a}^j)^* \,. \tag{17}$$

The centre for the odd-length strings with these conditions are inevitably real. Since each of the stings in a given solution is self-conjugate, they are not related to each other. For the even-length spin chains up to $N = 10$ all the solutions obey the conditions (17). Even most of the solutions for $N = 12$ given in **Tables** $1 - 6$ also obey these conditions. However a small number of solutions for $N = 12$ do not obey the self-conjugacy conditions (17), which we discuss in the next subsection.

A. Non Self-conjugate String solutions

There are a few number of solutions for $N = 12$ spin-1/2 chain, which do not fall in the standard form of the sting solutions discussed above. Note that in a scheme of small deviations, the self-conjugacy conditions (17) are too restrictive to be valid for all solutions. It is therefor necessary to impose the self conjugacy condition on whole set of the rapidities in a solution

$$\{\lambda_{\alpha a}^j\} = \{(\lambda_{\alpha a}^j)^*\} \,. \tag{18}$$

Note that (18) implies (17), however the reverse is not true always. Relaxing the self-conjugacy condition as (18) allows the centre of the odd-length strings to be complex with small imaginary part in such a way that the solutions remain self-conjugate. These type of complex centered odd-string solutions, we call *non self-conjugate string* solutions, have been observed to appear for even-length spin chains for $N \geq 12$. Here we remark that it is essential to keep the deviations small, so that the $\Delta_{\alpha a}^j \to 0$ limit lead to the Takahashi equations (14) and the Takahashi quantum numbers (15) can be obtained.

The first two examples of such *non self-conjugate string* solutions appear in a set of solutions with two 1-strings and one 3-string in $M = 5$ down-spins sector of the $N = 12$ spin chain. The self-conjugacy conditions (17) allow us to write the rapidities of the solutions in a simple form as

$$\{\lambda_1\}, \{\lambda_2\}, \{\lambda + \epsilon + (1+\delta)i, \lambda, \lambda + \epsilon - (1+\delta)i\} \,, \tag{19}$$

where the real parameters $\lambda_1, \lambda_2, \lambda$ are the centers and ϵ, δ are small deviations. The curly brackets in the above expressions mean a set of rapidities of a given sting. In **Table** 5.3 all solutions expect two are obtained making use of (19) in the iteration process. For the two *non self-conjugate string* solutions we make use of the relaxed self-conjugacy condition (18), which allows us to write the rapidities as

$$\{\lambda_1\}, \{\lambda + i\delta_1\}, \{\lambda + \epsilon + (1+\delta_2)i, \lambda - i\delta_1, \lambda + \epsilon - (1+\delta_2)i\} \,, \tag{20}$$

where the real parameters λ_1, λ are the centers and $\epsilon, \delta_1, \delta_2$ are the deviations. The solutions 171 and 172 in **Table** 5.3 are obtained by making use of (20) in the iteration process. Notice that because of the imaginary term $i\delta_1$ the 1-string $\{\lambda + i\delta_1\}$ and the 3-string $\{\lambda + \epsilon + (1+\delta_2)i, \lambda - i\delta_1, \lambda + \epsilon - (1+\delta_2)i\}$ are individually non self-conjugate although together remain self-conjugate.

The next three examples of such *non self-conjugate string* solutions appear in a set of solutions with one 1-string, one 2-string and one 3-string in $M = 6$ down-spins sector of the $N = 12$ spin chain. The self-conjugacy conditions (17) allow us to write the rapidities of the solutions in a simple form as

$$\{\lambda_2\}, \{\lambda_1 + \frac{i}{2}(1+2\delta), \lambda_1 - \frac{i}{2}(1+2\delta)\}, \{\lambda + \epsilon + (1+\delta_1)i, \lambda, \lambda + \epsilon - (1+\delta_1)i\} \,, \tag{21}$$

where the real parameters $\lambda_1, \lambda_2, \lambda$ are the centers and the real parameters $\delta, \delta_1, \epsilon$ are small deviations. In **Table** 6.8 all solutions expect three are obtained making use of (21) in the iteration process. For the three *non self-conjugate string* solutions we make use of the relaxed self-conjugacy condition (18), which allows us to write the rapidities as

$$\{\lambda + i\delta_1\}, \{\lambda_1 + \frac{i}{2}(1+2\delta), \lambda_1 - \frac{i}{2}(1+2\delta)\}, \{\lambda + \epsilon + (1+\delta_2)i, \lambda - i\delta_1, \lambda + \epsilon - (1+\delta_2)i\}\,, \tag{22}$$

where the real parameters $\lambda, \lambda_1, \delta_2$ are the centers and the real parameters $\delta, \delta_1, \epsilon$ are small deviations. The solutions $105, 118$ and 119 in **Table** 6.8 are obtained by making use of (22) in the iteration process. The presence of the imaginary term $i\delta_1$ makes the 1-string $\{\lambda + i\delta_1\}$ and the 3-string $\{\lambda + \epsilon + (1+\delta_2)i, \lambda - i\delta_1, \lambda + \epsilon - (1+\delta_2)i\}$ non self-conjugate individually although together they remain self-conjugate.

B. Almost singular string solutions

There are some solutions $\{\lambda_1, \lambda_2, \lambda_3, \cdots \lambda_M\}$ for $N = 12$ spin-1/2 chain, in which a pair of rapidities are of the form

$$\lambda_1 = a\epsilon + \frac{i}{2}\left(1 + 2\epsilon^N\right)\,, \quad \lambda_2 = a\epsilon - \frac{i}{2}\left(1 + 2\epsilon^N\right)\,, \tag{23}$$

where a and ϵ are small numbers such that $a\epsilon$ is real in the case of $N = 12$. ϵ^N is so small that in numerical calculation the contribution of $\epsilon^N i$ does not usually appear unless the working precision is increased significantly. Most calculations wrongly produce solutions, in which the above pair takes the form

$$\lambda_1 = a\epsilon + \frac{i}{2}\,, \quad \lambda_2 = a\epsilon - \frac{i}{2}\,, \tag{24}$$

as obtained in the supplements of ref. [18]. However, analytically also it can be argued that there does not exist any solution containing a pair of rapidities of the form (24). Because of the similarity with the two regularized rapidities of the singular solutions with (23), we call such solutions *almost singular*. For $M = 4$ down-spins sector there are two such solutions $257, 258$ with two 2-strings shown in **Table** 4.4. For $M = 5$ down-spins sector there are six such solutions, two solutions $48, 49$ with three 1-strings and one 2-string, which are shown in **Table** 5.2, two solutions $212, 213$ with one 1-string and one 4-string shown in **Table** 5.4 and the last two solutions $242, 243$ with one 1-string and two 2-strings shown in **Table** 5.6. For $M = 6$ there are two such solutions $55, 56$ with two 1-strings and one 4-string shown in **Table** 6.4. Note that *almost singular* solutions obtained for $N = 12$ are all self-conjugate string solutions.

C. Singular string solutions

There are some solutions, known as the singular string solutions, of the form

$$\left\{\lambda_1 = \frac{i}{2}, \lambda_2 = -\frac{i}{2}, \lambda_3, \lambda_4, \cdots, \lambda_M\right\}, \tag{25}$$

which produce ill-defined eigenvalues and the Bethe eigenstates due to the presence of the two rapidities of the form $\lambda_1 = \frac{i}{2}, \lambda_2 = -\frac{i}{2}$. To obtain finite and well-defined eigenvalues and the Bethe eigenstates for these solutions it is imperative to exploit a suitable regularization scheme [10, 23–25, 37, 38]. For the even length spin chains it has been observed that the rapidities and the corresponding Takahashi quantum numbers are distributed symmetrically making the sum of the rapidities to vanish

$$\sum_{\alpha=1}^{M} \lambda_\alpha = 0\,. \tag{26}$$

Note that the condition (26) is not only satisfied by singular string solutions, but also by other solutions, which also are invariant under the negation of their rapidities. The condition (26), noted in [17], forms a part of a conjecture in ref. [35].

The simplest singular string solution, found in $M = 2$ down-spins sector, is of the form

$$\left\{\frac{i}{2}, -\frac{i}{2}\right\}. \tag{27}$$

From condition (26) it clear that there is one singular solution in this sector, which is given as solution 46 with one 2-string in **Table** 2.2. In $M = 3$ down-spins sector also condition (26) gives one solution of the form

$$\left\{\frac{i}{2}, -\frac{i}{2}, 0\right\}. \tag{28}$$

In **Table** 3.2 such solution is given in 85 with one 1-string and one 2-string. In $M = 4$ down-spins sector two class of solutions, compatible with the condition (26), are given by

$$\left\{\frac{i}{2}, -\frac{i}{2}, a_1, -a_1\right\} \quad \text{for} \quad a_1 \in \mathbb{R}, \tag{29}$$

$$\left\{\frac{i}{2}, -\frac{i}{2}, ia_1, -ia_1\right\} \quad \text{for} \quad a_1 \in \mathbb{R}. \tag{30}$$

The solutions $71, 76, 91, 98$ in **Table** 4.2 with two 1-strings and one 2-string are of the form (29) and the solution 271 in **Table** 4.5 with one 4-string is of the form (30). In $M = 5$ down-spins sector there are two classes of singular sting solutions of the form

$$\left\{\frac{i}{2}, -\frac{i}{2}, 0, a_1, -a_1\right\} \quad \text{for} \quad a_1 \in \mathbb{R}, \tag{31}$$

$$\left\{\frac{i}{2}, -\frac{i}{2}, 0, ia_1, -ia_1\right\} \quad \text{for} \quad a_1 \in \mathbb{R}. \tag{32}$$

The solutions $22, 29, 50$ in **Table** 5.2 with three 1-strings and one 2-string are of the form of (31). Whereas the solution 211 in **Table** 5.4 with one 1-string and one 4-string and the solution 283 in **Table** 5.7 with one 2-string and one 3-string are of the form of (32). In $M = 6$ down-spins sector there are four classes of solutions of the form

$$\left\{\frac{i}{2}, -\frac{i}{2}, a_1, -a_1, a_2, -a_2\right\} \quad \text{for} \quad a_1, a_2 \in \mathbb{R}, \tag{33}$$

$$\left\{\frac{i}{2}, -\frac{i}{2}, a_1, -a_1, ia_2, -ia_2\right\} \quad \text{for} \quad a_1, a_2 \in \mathbb{R}, \tag{34}$$

$$\left\{\frac{i}{2}, -\frac{i}{2}, ia_1, -ia_1, ia_2, -ia_2\right\} \quad \text{for} \quad a_1, a_2 \in \mathbb{R}, \tag{35}$$

$$\left\{\frac{i}{2}, -\frac{i}{2}, a_1 \pm ia_2, -a_1 \pm ia_2\right\} \quad \text{for} \quad a_1, a_2 \in \mathbb{R}. \tag{36}$$

The solutions $2, 11, 16$ in **Table** 6.2 with four 1-strings and one 2-string are of the form (33). The solutions $52, 57, 72, 79$ in **Table** 6.4 with two 1-strings and one 4-string are of the form (34). The solution 89 in **Table** 6.6 with one 6-string and the solution 105 in **Table** 6.8 with one 1-string, one 2-string and one 3-string are of the form (35). And finally the solution 126 in **Table** 6.9 with three 2-strings are of the form (36).

IV. RIGGED CONFIGURATIONS

For finite length spin chains with no collapsing strings there is a correspondence between the solutions of the Bethe ansatz equations and a combinatorial object, known as the rigged configurations [35, 37]. Although, this correspondence has been shown for a few solutions of some given length spin-1/2 chains, the complete bijection of all the solutions of the Bethe ansatz equations to the rigged configurations have never been shown. Since this knowledge of correspondence is very much important in the completeness of the solutions, we in this section discuss the the bijection based on the comparison of the Takahashi quantum numbers with the riggings of the rigged configurations.

Before we study a correspondence between the solutions of the Bethe ansatz equations to the rigged configurations let us briefly formulate the rigged configurations first. These are the Young Tableau like objects, which have two sets of integers to label them. The numbers on the left hand sides of the boxes are known as the vacancy numbers $P_k(\nu)$ and the numbers on the right hand sides of the boxes are known as the riggings $J_{k,\alpha}$. In order to have these numbers, first the total numbers of down-spins M in a given solution is divided into s parts as $\nu = \{\nu_1, \nu_2, \cdots, \nu_s\}$, such that the parts ν_i's are positive and satisfy $\sum_{i=1}^{s} \nu_i = M$. For a spin-1/2 chain the vacancy number $P_k(\nu)$ for a string of length k in a specific partition ν is given by

$$P_k(\nu) = N - 2\sum_{i=1}^{s} \min(k, \nu_i)\ , \tag{37}$$

where all the vacancy numbers are non-negative. Given a vacancy number the corresponding riggings $J_{k,\alpha}$ are defined as

$$0 \leq J_{k,1} \leq J_{k,2} \leq \cdots \leq J_{k,M_k} \leq P_k(\nu)\,, \tag{38}$$

The flip map κ among the riggings in a rigged configuration is defined as

$$\kappa(J_{k,\alpha}) = P_k(\nu) - J_{k,M_k-\alpha+1}\,, \tag{39}$$

which plays the same role as the transformation of all the rapidities in a solution under negation. For a correspondence between the solutions of the Bethe ansaz equations and the rigged configurations we need a rule such that a rigged configuration can be assigned to a particular solution. Such assignment can be done by comparing the riggings J with the real parts of the rapidities of the solutions of the Bethe ansatz equations. The higher value of the real part of the solutions to the Bethe equations is assigned to the higher value of the riggings [35]. For such a scheme to work one needs to actually solve the Bethe ansatz equations to obtain the rapidities. Moreover sometimes the rapidities of the solutions of the Bethe ansatz equations are very close to each other, which can make the scheme ineffective. We therefore consider another approach in which the comparison between the riggings with the Takahashi quantum numbers are done.

A. Rigged configurations and Bethe roots correspondence

The mapping f starts from the largest strings to the lowest strings in decreasing order. For example, for $M = 6$ down-spin sectors with one 3-string, one 2-string and one 1-string, $\nu = \{3, 2, 1\}$, first the rigging $\{J_{3,1}\}$ of 3-string is compared with the Takahashi quantum number $\{I_3^1\}$, then the rigging $\{J_{2,1}\}$ of 2-string is compared with the Takahashi quantum number $\{I_2^1\}$ and finally the rigging $\{J_{1,1}\}$ of 1-string is compared with the Takahashi quantum number $\{I_1^1\}$. In this example a specific length of string appear once. There are solutions where a specific length of string may appear more than once. Let us consider such an example in $M = 6$ down-spin sector with one 3-string and three 1-strings, $\nu = \{3, 1, 1, 1\}$. In this case first the rigging $\{J_{3,1}\}$ of 3-string is compared with the Takahashi quantum number $\{I_3^1\}$, then the the riggings $\{J_{1,1}, J_{1,2}, J_{1,3}\}$ of the three 1-strings are compared with the Takahashi quantum numbers $\{I_1^1, I_1^2, I_1^3\}$. In a general perspective we have the following map

$$f : \{J_{k,1}, J_{k,2}, \cdots, J_{k,M_k}\} \to \{I_k^1, I_k^2, \cdots, I_k^{M_k}\}\,. \tag{40}$$

When there is one string of a particular length in a partition, the set of rigging $\{J_{k,1}\}$ is arranged in increasing order

$$\{J_{k,1}\} = \{J_{k,1}^1, J_{k,1}^2, \cdots, J_{k,1}^{2|I_k|+1}\}\,, \tag{41}$$

where $J_{k,1}^i < J_{k,1}^{i+1}$. Similarly the set of Takahashi quantum numbers $\{I_k^1\}$ is also arranged in increasing order

$$\{I_k^1\} = \{I_k^{1,1}, I_k^{1,2}, \cdots, I_k^{1,2|I_k|+1}\}\,, \tag{42}$$

where $I_k^{1,i} < I_k^{1,i+1}$. We then easily obtain a mapping from $\{J_{k,1}\}$ to $\{I_k^1\}$ as

$$f : J_{k,1}^i \to I_k^{1,i} \qquad i = 1, 2, \cdots, 2|I_k| + 1\,. \tag{43}$$

When there are more than one k-strings in a partition, $M_k \neq 1$, then arrange the set of riggings in co-lexicographical order [39] as

$$\left\{ \left(J_{k,1}^1, J_{k,2}^1, \cdots, J_{k,M_k}^1\right), \left(J_{k,1}^2, J_{k,2}^2, \cdots, J_{k,M_k}^2\right), \cdots, \left(J_{k,1}^{{}^{2|I_k|+1}C_{M_k}}, J_{k,2}^{{}^{2|I_k|+1}C_{M_k}}, \cdots, J_{k,M_k}^{{}^{2|I_k|+1}C_{M_k}}\right) \right\}. \tag{44}$$

where any element $\left(J_{k,1}^i, J_{k,2}^i, \cdots, J_{k,M_k}^i\right), i = 1, 2, \cdots, {}^{2|I_k|+1}C_{M_k}$ of the set (44) is arranged in weakly increasing order defined in (38). In co-lexicographical order the elements $i, j (i < j)$ of (44) satisfy the following relation

$$\left(J_{k,1}^i, J_{k,2}^i, \cdots, J_{k,M_k}^i\right) < \left(J_{k,1}^j, J_{k,2}^j, \cdots, J_{k,M_k}^j\right)\,, \tag{45}$$

if and only if the m elements from the right satisfy $J^i_{k,l} = J^j_{k,l}$, $\quad l = M_k, M_k - 1, \cdots, M_k - m + 1$ and $J^i_{k,M_k-m} < J^j_{k,M_k-m}$. The set of Takahashi quantum numbers are arranged in lexicographical order [39]

$$\left\{ \left(I_k^{1,1}, I_k^{2,1}, \cdots, I_k^{M_k,1}\right), \left(I_k^{1,2}, I_k^{2,2}, \cdots, I_k^{M_k,2}\right), \cdots, \left(I_k^{1,{}^{2|I_k|+1}C_{M_k}}, I_k^{2,{}^{2|I_k|+1}C_{M_k}}, \cdots, I_k^{M_k,{}^{2|I_k|+1}C_{M_k}}\right) \right\}. \quad (46)$$

where any element is of the form $\left(I_k^{1,i} < J_k^{2,i} < \cdots < J_k^{M_k,i}\right), i = 1, 2, \cdots, {}^{2|I_k|+1}C_{M_k}$. In lexicographical order the $i, j (i < j)$ elements of (46) satisfy the following relation

$$\left(I_k^{1,i}, I_k^{2,i}, \cdots, I_k^{M_k,i}\right) < \left(I_k^{1,j}, I_k^{2,j}, \cdots, I_k^{M_k,j}\right), \quad (47)$$

if and only if the m elements from the left satisfy $I^{l,i}_k = J^{l,j}_k$, $\quad l = 0, 1, 2, \cdots, m-1$ and $I^{m+1,i}_k < I^{m+1,j}_k$. Now the mapping between the elements of (44) and (46) are given by

$$f : \left(J^i_{k,1}, J^i_{k,2}, \cdots, J^i_{k,M_k}\right) \rightarrow \left(I_k^{1,i}, I_k^{2,i}, \cdots, I_k^{M_k,i}\right), \quad i = 1, 2, \cdots, {}^{2|I_k|+1}C_{M_k}, . \quad (48)$$

On the right most column of the **Tables** $1 - 6$ we have shown the rigged configurations for each of the solutions.

V. CONCLUSIONS

There is a natural correspondence between the solutions of the Bethe ansatz equations for the spin-1/2 isotropic Heisenberg model to the rigged configurations. We in this paper study this correspondence by a comparison between the sets of the rigged configurations in the co-lexicographical order and the corresponding sets of the Takahashi quantum numbers in the lexicographical order. As an example we consider the $N = 12$ case, because the solutions in this case starts to exhibit several interesting structures which are not present for any even length chain for $N < 12$. For example, there are solutions in which some of the individual odd-length strings are not self-conjugate. These solutions, known non self-conjugate string solutions, have been observed in [22] recently. Another type of solutions, we call *almost singular* string solutions, also start to appear from $N = 12$, in which one pair of the rapidities takes the form of eq. (23) with $\epsilon^N \neq 0$. The existence of $\epsilon^N \neq 0$ is very much important theoretically in the calculations of the form factors, scalar product of the Bethe states. We obtained the Bethe quantum numbers and the Takahashi quantum numbers, which are essential for the purpose of obtaining a correspondence between the solutions of the Bethe equations and the rigged configurations.

TABLE 1: Bethe roots for $N = 12$, $M = 1$. There are 11 solutions with one 1-string

	J	I_n	λ	E	Rigged Configuration
1.	0	0_1	0	-2	10 □ 5
2.	-1	-1_1	$-0.133\,974\,596\,215\,561\,4$	$-1.866\,025\,403\,784\,438\,8$	10 □ 4
3.	1	1_1	$0.133\,974\,596\,215\,561\,4$	$-1.866\,025\,403\,784\,438\,8$	10 □ 6
4.	-2	-2_1	$-0.288\,675\,134\,594\,812\,9$	$-1.499\,999\,999\,999\,999\,8$	10 □ 3
5.	2	2_1	$0.288\,675\,134\,594\,812\,9$	$-1.499\,999\,999\,999\,999\,8$	10 □ 7
6.	-3	-3_1	-0.5	-1	10 □ 2
7.	3	3_1	0.5	-1	10 □ 8
8.	-4	-4_1	$-0.866\,025\,403\,784\,438\,6$	$-0.500\,000\,000\,000\,000\,1$	10 □ 1
9.	4	4_1	$0.866\,025\,403\,784\,438\,6$	$-0.500\,000\,000\,000\,000\,1$	10 □ 9
10.	-5	-5_1	$-1.866\,025\,403\,784\,438\,6$	$-0.133\,974\,596\,215\,561\,35$	10 □ 0
11.	5	5_1	$1.866\,025\,403\,784\,438\,6$	$-0.133\,974\,596\,215\,561\,35$	10 □ 10

TABLE 2.1: Bethe roots for $N = 12$, $M = 2$. There are 45 solutions with two 1-strings

	J	I_n	λ	E	Rigged Configuration
1.	$-1/2$ $1/2$	$-1/2_1$ $1/2_1$	$-0.071\,889\,146\,997\,486\,64$ $0.071\,889\,146\,997\,486\,64$	$-3.918\,985\,947\,228\,995$	8 4 8 4
2.	$-1/2$ $-3/2$	$-1/2_1$ $-3/2_1$	$-0.059\,303\,271\,057\,880\,41$ $-0.214\,671\,679\,519\,939\,98$	$-3.660\,965\,635\,573\,501$	8 3 8 3
3.	$1/2$ $3/2$	$1/2_1$ $3/2_1$	$0.059\,303\,271\,057\,880\,41$ $0.214\,671\,679\,519\,939\,98$	$-3.660\,965\,635\,573\,501$	8 5 8 5
4.	$-1/2$ $3/2$	$-1/2_1$ $3/2_1$	$-0.078\,210\,204\,956\,388$ $0.221\,467\,089\,855\,459\,24$	$-3.624\,208\,244\,338\,406\,7$	8 4 8 5
5.	$1/2$ $-3/2$	$1/2_1$ $-3/2_1$	$0.078\,210\,204\,956\,388$ $-0.221\,467\,089\,855\,459\,24$	$-3.624\,208\,244\,338\,406\,7$	8 3 8 4
6.	$-3/2$ $3/2$	$-3/2_1$ $3/2_1$	$-0.228\,342\,348\,951\,777\,63$ $0.228\,342\,348\,951\,777\,63$	$-3.309\,721\,467\,890\,570\,4$	8 3 8 5
7.	$-1/2$ $-5/2$	$-1/2_1$ $-5/2_1$	$-0.051\,402\,449\,314\,441\,295$ $-0.406\,778\,706\,952\,879\,93$	$-3.182\,542\,835\,560\,352$	8 2 8 3
8.	$1/2$ $5/2$	$1/2_1$ $5/2_1$	$0.051\,402\,449\,314\,441\,295$ $0.406\,778\,706\,952\,879\,93$	$-3.182\,542\,835\,560\,352$	8 5 8 6
9.	$-1/2$ $5/2$	$-1/2_1$ $5/2_1$	$-0.085\,624\,082\,624\,851\,87$ $0.415\,366\,583\,756\,170\,4$	$-3.126\,368\,759\,905\,621$	8 4 8 6
10.	$1/2$ $-5/2$	$1/2_1$ $-5/2_1$	$0.085\,624\,082\,624\,851\,87$ $-0.415\,366\,583\,756\,170\,4$	$-3.126\,368\,759\,905\,621$	8 2 8 4
11.	$-3/2$ $-5/2$	$-3/2_1$ $-5/2_1$	$-0.197\,568\,325\,447\,185$ $-0.396\,852\,508\,912\,294\,9$	$-2.956\,923\,031\,168\,023$	8 2 8 2
12.	$3/2$ $5/2$	$3/2_1$ $5/2_1$	$0.197\,568\,325\,447\,185$ $0.396\,852\,508\,912\,294\,9$	$-2.956\,923\,031\,168\,023$	8 6 8 6
13.	$-3/2$ $5/2$	$-3/2_1$ $5/2_1$	$-0.236\,193\,259\,309\,289\,4$ $0.423\,812\,123\,484\,788\,4$	$-2.798\,951\,821\,172\,531\,5$	8 3 8 6
14.	$3/2$ $-5/2$	$3/2_1$ $-5/2_1$	$0.236\,193\,259\,309\,289\,4$ $-0.423\,812\,123\,484\,788\,4$	$-2.798\,951\,821\,172\,531\,5$	8 2 8 5
15.	$-1/2$ $-7/2$	$-1/2_1$ $-7/2_1$	$-0.040\,565\,366\,870\,240\,37$ $-0.723\,755\,996\,599\,763\,2$	$-2.633\,064\,500\,320\,520\,6$	8 1 8 3
16.	$1/2$ $7/2$	$1/2_1$ $7/2_1$	$0.040\,565\,366\,870\,240\,37$ $0.723\,755\,996\,599\,763\,2$	$-2.633\,064\,500\,320\,520\,6$	8 5 8 7
17.	$-1/2$ $7/2$	$-1/2_1$ $7/2_1$	$-0.095\,489\,597\,777\,047\,73$ $0.736\,062\,156\,256\,780\,7$	$-2.561\,103\,401\,577\,635\,3$	8 4 8 7
18.	$1/2$ $-7/2$	$1/2_1$ $-7/2_1$	$0.095\,489\,597\,777\,047\,73$ $-0.736\,062\,156\,256\,780\,7$	$-2.561\,103\,401\,577\,635\,3$	8 1 8 4
19.	$-3/2$ $-7/2$	$-3/2_1$ $-7/2_1$	$-0.183\,876\,440\,152\,279\,55$ $-0.709\,027\,822\,442\,693\,1$	$-2.425\,995\,851\,844\,449$	8 1 8 2
20.	$3/2$ $7/2$	$3/2_1$ $7/2_1$	$0.183\,876\,440\,152\,279\,55$ $0.709\,027\,822\,442\,693\,1$	$-2.425\,995\,851\,844\,449$	8 6 8 7
21.	$-5/2$ $5/2$	$-5/2_1$ $5/2_1$	$-0.433\,252\,466\,271\,531\,47$ $0.433\,252\,466\,271\,531\,47$	$-2.284\,629\,676\,546\,57$	8 2 8 6

TABLE 2.1: Continued

	J	I_n	λ	E	Rigged Configuration
22.	$-3/2$	$-3/2_1$	$-0.246\,425\,883\,072\,302\,43$	$-2.226\,889\,335\,969\,610\,3$	8 3
	$7/2$	$7/2_1$	$0.747\,920\,324\,983\,477\,2$		8 7
23.	$3/2$	$3/2_1$	$0.246\,425\,883\,072\,302\,43$	$-2.226\,889\,335\,969\,610\,3$	8 1
	$-7/2$	$-7/2_1$	$-0.747\,920\,324\,983\,477\,2$		8 5
24.	$-1/2$	$-1/2_1$	$-0.024\,044\,035\,897\,572\,35$	$-2.181\,333\,529\,746\,500\,4$	8 0
	$-9/2$	$-9/2_1$	$-1.561\,706\,405\,751\,878$		8 3
25.	$1/2$	$1/2_1$	$0.024\,044\,035\,897\,572\,35$	$-2.181\,333\,529\,746\,500\,4$	8 5
	$9/2$	$9/2_1$	$1.561\,706\,405\,751\,878$		8 8
26.	$-1/2$	$-1/2_1$	$-0.110\,395\,723\,142\,193\,33$	$-2.088\,871\,196\,044\,063$	8 4
	$9/2$	$9/2_1$	$1.581\,049\,084\,356\,412\,7$		8 8
27.	$1/2$	$1/2_1$	$0.110\,395\,723\,142\,193\,33$	$-2.088\,871\,196\,044\,063$	8 0
	$-9/2$	$-9/2_1$	$-1.581\,049\,084\,356\,412\,7$		8 4
28.	$-3/2$	$-3/2_1$	$-0.162\,459\,848\,116\,453\,14$	$-2.000\,000\,000\,000\,000\,4$	8 0
	$-9/2$	$-9/2_1$	$-1.538\,841\,768\,587\,626\,3$		8 2
29.	$3/2$	$3/2_1$	$0.162\,459\,848\,116\,453\,14$	$-2.000\,000\,000\,000\,000\,4$	8 6
	$9/2$	$9/2_1$	$1.538\,841\,768\,587\,626\,3$		8 8
30.	$-5/2$	$-5/2_1$	$-0.363\,271\,264\,002\,680\,45$	-2	8 1
	$-7/2$	$-7/2_1$	$-0.688\,190\,960\,235\,586\,9$		8 1
31.	$5/2$	$5/2_1$	$0.363\,271\,264\,002\,680\,45$	-2	8 7
	$7/2$	$7/2_1$	$0.688\,190\,960\,235\,586\,9$		8 7
32.	$-3/2$	$-3/2_1$	$-0.261\,913\,936\,464\,225\,1$	$-1.747\,290\,891\,392\,078\,4$	8 3
	$9/2$	$9/2_1$	$1.600\,080\,922\,732\,673\,3$		8 8
33.	$3/2$	$3/2_1$	$0.261\,913\,936\,464\,225\,1$	$-1.747\,290\,891\,392\,078\,4$	8 0
	$-9/2$	$-9/2_1$	$-1.600\,080\,922\,732\,673\,3$		8 5
34.	$-5/2$	$-5/2_1$	$-0.445\,412\,809\,044\,188\,8$	$-1.718\,091\,604\,756\,593$	8 2
	$7/2$	$7/2_1$	$0.761\,046\,059\,179\,227\,1$		8 7
35.	$5/2$	$5/2_1$	$0.445\,412\,809\,044\,188\,8$	$-1.718\,091\,604\,756\,593$	8 1
	$-7/2$	$-7/2_1$	$-0.761\,046\,059\,179\,227\,1$		8 6
36.	$-5/2$	$-5/2_1$	$-0.329\,218\,332\,697\,263\,5$	$-1.593\,631\,338\,530\,421$	8 0
	$-9/2$	$-9/2_1$	$-1.506\,357\,635\,280\,347\,4$		8 1
37.	$5/2$	$5/2_1$	$0.329\,218\,332\,697\,263\,5$	$-1.593\,631\,338\,530\,421$	8 7
	$9/2$	$9/2_1$	$1.506\,357\,635\,280\,347\,4$		8 8
38.	$-5/2$	$-5/2_1$	$-0.464\,068\,181\,135\,093\,07$	$-1.248\,035\,299\,706\,594\,2$	8 2
	$9/2$	$9/2_1$	$1.621\,801\,518\,217\,078\,4$		8 8
39.	$5/2$	$5/2_1$	$0.464\,068\,181\,135\,093\,07$	$-1.248\,035\,299\,706\,594\,2$	8 0
	$-9/2$	$-9/2_1$	$-1.621\,801\,518\,217\,078\,4$		8 6
40.	$-7/2$	$-7/2_1$	$-0.778\,015\,186\,487\,720\,9$	$-1.169\,169\,973\,996\,227$	8 1
	$7/2$	$7/2_1$	$0.778\,015\,186\,487\,720\,9$		8 7
41.	$-7/2$	$-7/2_1$	$-0.576\,944\,816\,958\,061$	$-1.071\,686\,873\,924\,573\,5$	8 0
	$-9/2$	$-9/2_1$	$-1.444\,999\,762\,979\,773$		8 0
42.	$7/2$	$7/2_1$	$0.576\,944\,816\,958\,061$	$-1.071\,686\,873\,924\,573\,5$	8 8
	$9/2$	$9/2_1$	$1.444\,999\,762\,979\,773$		8 8

TABLE 2.1: Continued

	J	I_n	λ	E	Rigged Configuration
43.	$-7/2$ $9/2$	$-7/2_1$ $9/2_1$	$-0.804\,972\,647\,332\,509\,8$ $1.651\,283\,971\,150\,451\,2$	$-0.724\,773\,733\,516\,906\,8$	8 ☐ 1 8 ☐ 8
44.	$7/2$ $-9/2$	$7/2_1$ $-9/2_1$	$0.804\,972\,647\,332\,509\,8$ $-1.651\,283\,971\,150\,451\,2$	$-0.724\,773\,733\,516\,906\,8$	8 ☐ 0 8 ☐ 7
45.	$-9/2$ $9/2$	$-9/2_1$ $9/2_1$	$-1.702\,843\,619\,444\,624\,4$ $1.702\,843\,619\,444\,624\,4$	$-0.317\,492\,934\,337\,637\,87$	8 ☐ 0 8 ☐ 8

TABLE 2.2: Bethe roots for $N = 12, M = 2$. There are 9 solutions with one 2-string

	J	I_n	λ	E	Rigged Configuration
46.	$5/2$ $7/2$	0_2	$0.5\mathrm{i}$ $-0.5\mathrm{i}$	-1	8 ☐☐ 4
47.	$-7/2$ $-7/2$	-1_2	$-0.267\,949\,529\,647\,180\,94 + 0.499\,999\,909\,643\,107\,53\mathrm{i}$ $-0.267\,949\,529\,647\,180\,94 - 0.499\,999\,909\,643\,107\,53\mathrm{i}$	$-0.933\,013\,876\,094\,191\,1$	8 ☐☐ 3
48.	$7/2$ $7/2$	1_2	$0.267\,949\,529\,647\,180\,94 + 0.499\,999\,909\,643\,107\,53\mathrm{i}$ $0.267\,949\,529\,647\,180\,94 - 0.499\,999\,909\,643\,107\,53\mathrm{i}$	$-0.933\,013\,876\,094\,191\,1$	8 ☐☐ 5
49.	$-9/2$ $-7/2$	-2_2	$-0.576\,930\,570\,309\,821\,9 + 0.500\,242\,078\,512\,077\,5\mathrm{i}$ $-0.576\,930\,570\,309\,821\,9 - 0.500\,242\,078\,512\,077\,5\mathrm{i}$	$-0.749\,454\,398\,542\,820\,1$	8 ☐☐ 2
50.	$7/2$ $9/2$	2_2	$0.576\,930\,570\,309\,821\,9 + 0.500\,242\,078\,512\,077\,5\mathrm{i}$ $0.576\,930\,570\,309\,821\,9 - 0.500\,242\,078\,512\,077\,5\mathrm{i}$	$-0.749\,454\,398\,542\,820\,1$	8 ☐☐ 6
51.	$-9/2$ $-9/2$	-3_2	$-1.018\,460\,350\,507\,751\,4 + 0.480\,831\,430\,910\,438\,3\mathrm{i}$ $-1.018\,460\,350\,507\,751\,4 - 0.480\,831\,430\,910\,438\,3\mathrm{i}$	$-0.509\,062\,871\,469\,934$	8 ☐☐ 1
52.	$9/2$ $9/2$	3_2	$1.018\,460\,350\,507\,751\,4 + 0.480\,831\,430\,910\,438\,3\mathrm{i}$ $1.018\,460\,350\,507\,751\,4 - 0.480\,831\,430\,910\,438\,3\mathrm{i}$	$-0.509\,062\,871\,469\,934$	8 ☐☐ 7
53.	$-11/2$ $-9/2$	-4_2	$-1.651\,087\,857\,621\,812 + 0.619\,416\,615\,514\,017\,7\mathrm{i}$ $-1.651\,087\,857\,621\,812 - 0.619\,416\,615\,514\,017\,7\mathrm{i}$	$-0.237\,740\,968\,844\,674\,27$	8 ☐☐ 0
54.	$9/2$ $11/2$	4_2	$1.651\,087\,857\,621\,812 + 0.619\,416\,615\,514\,017\,7\mathrm{i}$ $1.651\,087\,857\,621\,812 - 0.619\,416\,615\,514\,017\,7\mathrm{i}$	$-0.237\,740\,968\,844\,674\,27$	8 ☐☐ 8

TABLE 3.1: Bethe roots for $N = 12$, $M = 3$. There are 84 solutions with three 1-strings

	J	I_n	λ	E	Rigged Configuration
	-1	-1_1	$-0.154\,408\,760\,090\,807\,2$		6 | | 3
1.	0	0_1	0	$-5.651\,739\,915\,472\,87$	6 | | 3
	1	1_1	$0.154\,408\,760\,090\,807\,2$		6 | | 3
	0	0_1	$-0.019\,876\,862\,739\,478\,456$		6 | | 4
2.	1	1_1	$0.132\,557\,452\,875\,909\,23$	$-5.290\,394\,017\,821\,336\,4$	6 | | 4
	2	2_1	$0.317\,654\,266\,727\,129\,7$		6 | | 4
	0	0_1	$0.019\,876\,862\,739\,478\,456$		6 | | 2
3.	-1	-1_1	$-0.132\,557\,452\,875\,909\,23$	$-5.290\,394\,017\,821\,336\,4$	6 | | 2
	-2	-2_1	$-0.317\,654\,266\,727\,129\,7$		6 | | 2
	-1	-1_1	$-0.161\,791\,630\,856\,993\,66$		6 | | 3
4.	0	0_1	$-0.007\,334\,095\,801\,957\,396$	$-5.192\,009\,590\,192\,171$	6 | | 3
	2	2_1	$0.334\,355\,446\,451\,846\,1$		6 | | 4
	1	1_1	$0.161\,791\,630\,856\,993\,66$		6 | | 2
5.	0	0_1	$0.007\,334\,095\,801\,957\,396$	$-5.192\,009\,590\,192\,171$	6 | | 3
	-2	-2_1	$-0.334\,355\,446\,451\,846\,1$		6 | | 3
	-2	-2_1	$-0.325\,588\,040\,519\,351\,5$		6 | | 2
6.	-1	-1_1	$-0.139\,075\,224\,733\,376\,1$	$-5.057\,051\,169\,243\,651\,5$	6 | | 2
	1	1_1	$0.168\,415\,733\,782\,663\,06$		6 | | 3
	2	2_1	$0.325\,588\,040\,519\,351\,5$		6 | | 3
7.	1	1_1	$0.139\,075\,224\,733\,376\,1$	$-5.057\,051\,169\,243\,651\,5$	6 | | 4
	-1	-1_1	$-0.168\,415\,733\,782\,663\,06$		6 | | 4
	-2	-2_1	$-0.342\,975\,953\,318\,317\,6$		6 | | 2
8.	0	0_1	0	$-4.720\,107\,682\,566\,079$	6 | | 3
	2	2_1	$0.342\,975\,953\,318\,317\,6$		6 | | 4
	-3	-3_1	$-0.590\,518\,759\,456\,407\,3$		6 | | 1
9.	-1	-1_1	$-0.121\,127\,682\,053\,442\,33$	$-4.717\,375\,116\,381\,275$	6 | | 2
	0	0_1	$0.029\,379\,949\,139\,027\,015$		6 | | 2
	3	3_1	$0.590\,518\,759\,456\,407\,3$		6 | | 4
10.	1	1_1	$0.121\,127\,682\,053\,442\,33$	$-4.717\,375\,116\,381\,275$	6 | | 4
	0	0_1	$-0.029\,379\,949\,139\,027\,015$		6 | | 5
	-3	-3_1	$-0.614\,600\,300\,588\,192\,4$		6 | | 1
11.	0	0_1	$0.017\,107\,851\,570\,284\,396$	$-4.584\,103\,152\,541\,902$	6 | | 3
	1	1_1	$0.171\,292\,823\,282\,074\,54$		6 | | 3
	3	3_1	$0.614\,600\,300\,588\,192\,4$		6 | | 3
12.	0	0_1	$-0.017\,107\,851\,570\,284\,396$	$-4.584\,103\,152\,541\,902$	6 | | 3
	-1	-1_1	$-0.171\,292\,823\,282\,074\,54$		6 | | 5

TABLE 3.1: Continued

	J	I_n	λ	E	Rigged Configuration
	-2	-2_1	$-0.334\,144\,948\,677\,143\,7$		6 | | 2
13.	-1	-1_1	$-0.146\,377\,779\,648\,210\,47$	$-4.564\,315\,266\,954\,211$	6 | | 2
	2	2_1	$0.351\,042\,175\,117\,664\,7$		6 | | 4
	2	2_1	$0.334\,144\,948\,677\,143\,7$		6 | | 2
14.	1	1_1	$0.146\,377\,779\,648\,210\,47$	$-4.564\,315\,266\,954\,211$	6 | | 4
	-2	-2_1	$-0.351\,042\,175\,117\,664\,7$		6 | | 4
	-3	-3_1	$-0.601\,741\,237\,848\,486\,5$		6 | | 1
15.	-1	-1_1	$-0.127\,448\,775\,633\,087\,12$	$-4.470\,323\,684\,755\,352\,5$	6 | | 2
	1	1_1	$0.177\,807\,056\,456\,694\,12$		6 | | 3
	3	3_1	$0.601\,741\,237\,848\,486\,5$		6 | | 3
16.	1	1_1	$0.127\,448\,775\,633\,087\,12$	$-4.470\,323\,684\,755\,352\,5$	6 | | 4
	-1	-1_1	$-0.177\,807\,056\,456\,694\,12$		6 | | 5
	-3	-3_1	$-0.573\,784\,479\,009\,160\,2$		6 | | 1
17.	-2	-2_1	$-0.290\,921\,102\,343\,012\,7$	$-4.347\,040\,700\,070\,675$	6 | | 1
	0	0_1	$0.036\,046\,744\,837\,336\,77$		6 | | 2
	3	3_1	$0.573\,784\,479\,009\,160\,2$		6 | | 4
18.	2	2_1	$0.290\,921\,102\,343\,012\,7$	$-4.347\,040\,700\,070\,675$	6 | | 5
	0	0_1	$-0.036\,046\,744\,837\,336\,77$		6 | | 5
	-3	-3_1	$-0.561\,847\,825\,463\,704\,2$		6 | | 1
19.	-2	-2_1	$-0.283\,273\,650\,424\,620\,66$	$-4.309\,583\,305\,132\,393$	6 | | 1
	-1	-1_1	$-0.107\,491\,429\,444\,830\,99$		6 | | 1
	3	3_1	$0.561\,847\,825\,463\,704\,2$		6 | | 5
20.	2	2_1	$0.283\,273\,650\,424\,620\,66$	$-4.309\,583\,305\,132\,393$	6 | | 5
	1	1_1	$0.107\,491\,429\,444\,830\,99$		6 | | 5
	-4	-4_1	$-1.270\,250\,941\,653\,191\,7$		6 | | 0
21.	-1	-1_1	$-0.102\,434\,782\,227\,626\,13$	$-4.171\,988\,850\,279\,963$	6 | | 2
	0	0_1	$0.044\,555\,321\,532\,485\,29$		6 | | 2
	4	4_1	$1.270\,250\,941\,653\,191\,7$		6 | | 4
22.	1	1_1	$0.102\,434\,782\,227\,626\,13$	$-4.171\,988\,850\,279\,963$	6 | | 4
	0	0_1	$-0.044\,555\,321\,532\,485\,29$		6 | | 6
	-3	-3_1	$-0.626\,528\,950\,391\,678\,2$		6 | | 1
23.	0	0_1	$0.009\,808\,890\,235\,589\,751$	$-4.110\,062\,470\,524\,515\,5$	6 | | 3
	2	2_1	$0.353\,817\,886\,232\,494\,5$		6 | | 4
	3	3_1	$0.626\,528\,950\,391\,678\,2$		6 | | 2
24.	0	0_1	$-0.009\,808\,890\,235\,589\,751$	$-4.110\,062\,470\,524\,515\,5$	6 | | 3
	-2	-2_1	$-0.353\,817\,886\,232\,494\,5$		6 | | 5
	-3	-3_1	$-0.584\,662\,078\,340\,337\,1$		6 | | 1
25.	-2	-2_1	$-0.298\,255\,974\,879\,823\,64$	$-4.079\,685\,034\,143\,173$	6 | | 1
	1	1_1	$0.184\,754\,152\,488\,552\,3$		6 | | 3

TABLE 3.1: Continued

	J	I_n	λ	E	Rigged Configuration
	3	3_1	0.584 662 078 340 337 1		6 | | 3
26.	2	2_1	0.298 255 974 879 823 64	−4.079 685 034 143 173	6 | | 5
	−1	-1_1	−0.184 754 152 488 552 3		6 | | 5
	−4	-4_1	−1.311 827 881 287 336 5		6 | | 0
27.	0	0_1	0.032 495 554 413 341 22	−4.001 880 584 025 997	6 | | 3
	1	1_1	0.186 120 105 098 452 3		6 | | 3
	4	4_1	1.311 827 881 287 336 5		6 | | 3
28.	0	0_1	−0.032 495 554 413 341 22	−4.001 880 584 025 997	6 | | 3
	−1	-1_1	−0.186 120 105 098 452 3		6 | | 6
	−3	-3_1	−0.613 568 258 175 450 2		6 | | 1
29.	−1	-1_1	−0.134 604 516 890 914 52	−3.975 623 944 926 232 5	6 | | 2
	2	2_1	0.361 814 037 501 779 2		6 | | 4
	3	3_1	0.613 568 258 175 450 2		6 | | 2
30.	1	1_1	0.134 604 516 890 914 52	−3.975 623 944 926 232 5	6 | | 4
	−2	-2_1	−0.361 814 037 501 779 2		6 | | 5
	−3	-3_1	−0.637 956 999 674 407 8		6 | | 1
31.	1	1_1	0.155 839 645 579 207 38	−3.939 030 711 074 389 4	6 | | 4
	2	2_1	0.344 942 149 778 882 5		6 | | 4
	3	3_1	0.637 956 999 674 407 8		6 | | 2
32.	−1	-1_1	−0.155 839 645 579 207 38	−3.939 030 711 074 389 4	6 | | 2
	−2	-2_1	−0.344 942 149 778 882 5		6 | | 5
	−4	-4_1	−1.289 917 587 767 413 6		6 | | 0
33.	−1	-1_1	−0.108 565 276 846 615 07	−3.912 871 576 704 407 8	6 | | 2
	1	1_1	0.192 564 048 399 086 42		6 | | 3
	4	4_1	1.289 917 587 767 413 6		6 | | 3
34.	1	1_1	0.108 565 276 846 615 07	−3.912 871 576 704 407 8	6 | | 4
	−1	-1_1	−0.192 564 048 399 086 42		6 | | 6
	−4	-4_1	−1.240 648 576 216 096		6 | | 0
35.	−2	-2_1	−0.263 140 067 295 405 4	−3.825 187 397 383 059	6 | | 1
	0	0_1	0.050 847 803 755 786 06		6 | | 2
	4	4_1	1.240 648 576 216 096		6 | | 4
36.	2	2_1	0.263 140 067 295 405 4	−3.825 187 397 383 059	6 | | 5
	0	0_1	−0.050 847 803 755 786 06		6 | | 6
	−4	-4_1	−1.219 102 327 280 982 4		6 | | 0
37.	−2	-2_1	−0.256 167 624 252 202 3	−3.809 771 141 943 782 5	6 | | 1
	−1	-1_1	−0.089 718 513 423 449 87		6 | | 1
	4	4_1	1.219 102 327 280 982 4		6 | | 5
38.	2	2_1	0.256 167 624 252 202 3	−3.809 771 141 943 782 5	6 | | 5
	1	1_1	0.089 718 513 423 449 87		6 | | 6

TABLE 3.1: Continued

	J	I_n	λ	E	Rigged Configuration
	-3	-3_1	$-0.596\,201\,065\,848\,491\,9$		6 ☐ 1
39.	-2	-2_1	$-0.306\,307\,961\,183\,980\,46$	$-3.572\,170\,658\,557\,103\,4$	6 ☐ 1
	2	2_1	$0.370\,083\,821\,082\,206\,3$		6 ☐ 4
	3	3_1	$0.596\,201\,065\,848\,491\,9$		6 ☐ 2
40.	2	2_1	$0.306\,307\,961\,183\,980\,46$	$-3.572\,170\,658\,557\,103\,4$	6 ☐ 5
	-2	-2_1	$-0.370\,083\,821\,082\,206\,3$		6 ☐ 5
	-4	-4_1	$-1.260\,165\,827\,203\,477\,7$		6 ☐ 0
41.	-2	-2_1	$-0.269\,992\,435\,762\,342\,7$	$-3.546\,456\,963\,102\,619$	6 ☐ 1
	1	1_1	$0.199\,242\,346\,470\,738\,77$		6 ☐ 3
	4	4_1	$1.260\,165\,827\,203\,477\,7$		6 ☐ 3
42.	2	2_1	$0.269\,992\,435\,762\,342\,7$	$-3.546\,456\,963\,102\,619$	6 ☐ 5
	-1	-1_1	$-0.199\,242\,346\,470\,738\,77$		6 ☐ 6
	-4	-4_1	$-1.332\,660\,126\,911\,343\,4$		6 ☐ 0
43.	0	0_1	$0.025\,158\,806\,024\,745\,184$	$-3.532\,315\,366\,481\,095$	6 ☐ 3
	2	2_1	$0.370\,708\,717\,178\,512\,6$		6 ☐ 4
	4	4_1	$1.332\,660\,126\,911\,343\,4$		6 ☐ 2
44.	0	0_1	$-0.025\,158\,806\,024\,745\,184$	$-3.532\,315\,366\,481\,095$	6 ☐ 3
	-2	-2_1	$-0.370\,708\,717\,178\,512\,6$		6 ☐ 6
	-3	-3_1	$-0.641\,386\,740\,986\,834\,6$		6 ☐ 1
45.	0	0_1	0	$-3.511\,997\,050\,564\,388\,3$	6 ☐ 3
	3	3_1	$0.641\,386\,740\,986\,834\,6$		6 ☐ 5
	-4	-4_1	$-1.310\,877\,579\,843\,754\,4$		6 ☐ 0
46.	-1	-1_1	$-0.115\,602\,701\,448\,855\,51$	$-3.423\,453\,107\,469\,425\,7$	6 ☐ 2
	2	2_1	$0.378\,700\,118\,926\,924\,07$		6 ☐ 4
	4	4_1	$1.310\,877\,579\,843\,754\,4$		6 ☐ 2
47.	1	1_1	$0.115\,602\,701\,448\,855\,51$	$-3.423\,453\,107\,469\,425\,7$	6 ☐ 4
	-2	-2_1	$-0.378\,700\,118\,926\,924\,07$		6 ☐ 6
	-3	-3_1	$-0.628\,344\,452\,543\,747\,3$		6 ☐ 1
48.	-1	-1_1	$-0.143\,920\,466\,661\,249\,22$	$-3.361\,976\,094\,603\,215\,3$	6 ☐ 2
	3	3_1	$0.652\,726\,496\,085\,118\,7$		6 ☐ 5
	3	3_1	$0.628\,344\,452\,543\,747\,3$		6 ☐ 1
49.	1	1_1	$0.143\,920\,466\,661\,249\,22$	$-3.361\,976\,094\,603\,215\,3$	6 ☐ 4
	-3	-3_1	$-0.652\,726\,496\,085\,118\,7$		6 ☐ 5
	-4	-4_1	$-1.351\,868\,014\,727\,561\,7$		6 ☐ 0
50.	1	1_1	$0.170\,435\,234\,684\,253\,76$	$-3.345\,474\,283\,910\,374\,6$	6 ☐ 4
	2	2_1	$0.361\,672\,727\,638\,394\,2$		6 ☐ 4
	4	4_1	$1.351\,868\,014\,727\,561\,7$		6 ☐ 2
51.	-1	-1_1	$-0.170\,435\,234\,684\,253\,76$	$-3.345\,474\,283\,910\,374\,6$	6 ☐ 2
	-2	-2_1	$-0.361\,672\,727\,638\,394\,2$		6 ☐ 6

TABLE 3.1: Continued

	J	I_n	λ	E	Rigged Configuration
	-4	-4_1	$-1.167\,515\,076\,943\,359\,8$		6 | 0
52.	-3	-3_1	$-0.482\,011\,524\,202\,503$	$-3.295\,099\,959\,901\,812$	6 | 0
	-1	-1_1	$-0.081\,277\,351\,869\,554\,81$		6 | 1
	4	4_1	$1.167\,515\,076\,943\,359\,8$		6 | 5
53.	3	3_1	$0.482\,011\,524\,202\,503$	$-3.295\,099\,959\,901\,812$	6 | 6
	1	1_1	$0.081\,277\,351\,869\,554\,81$		6 | 6
	-4	-4_1	$-1.188\,199\,863\,980\,823$		6 | 0
54.	-3	-3_1	$-0.491\,239\,910\,821\,029\,14$	$-3.291\,550\,064\,391\,320\,3$	6 | 0
	0	0_1	$0.058\,489\,487\,610\,478\,876$		6 | 2
	4	4_1	$1.188\,199\,863\,980\,823$		6 | 4
55.	3	3_1	$0.491\,239\,910\,821\,029\,14$	$-3.291\,550\,064\,391\,320\,3$	6 | 6
	0	0_1	$-0.058\,489\,487\,610\,478\,876$		6 | 6
	-4	-4_1	$-1.281\,066\,802\,529\,148$		6 | 0
56.	-2	-2_1	$-0.277\,630\,526\,002\,252\,3$	$-3.044\,435\,126\,038\,153\,2$	6 | 1
	2	2_1	$0.386\,737\,025\,428\,629\,03$		6 | 4
	4	4_1	$1.281\,066\,802\,529\,148$		6 | 2
57.	2	2_1	$0.277\,630\,526\,002\,252\,3$	$-3.044\,435\,126\,038\,153\,2$	6 | 5
	-2	-2_1	$-0.386\,737\,025\,428\,629\,03$		6 | 6
	-4	-4_1	$-1.140\,293\,580\,462\,339\,3$		6 | 0
58.	-3	-3_1	$-0.470\,815\,016\,272\,277\,45$	$-3.014\,662\,473\,101\,304$	6 | 0
	-2	-2_1	$-0.237\,402\,363\,339\,228\,54$		6 | 0
	4	4_1	$1.140\,293\,580\,462\,339\,3$		6 | 6
59.	3	3_1	$0.470\,815\,016\,272\,277\,45$	$-3.014\,662\,473\,101\,304$	6 | 6
	2	2_1	$0.237\,402\,363\,339\,228\,54$		6 | 6
	-4	-4_1	$-1.207\,106\,781\,186\,546\,6$		6 | 0
60.	-3	-3_1	$-0.500\,000\,000\,000\,000\,1$	-3	6 | 0
	1	1_1	$0.207\,106\,781\,186\,547\,5$		6 | 3
	4	4_1	$1.207\,106\,781\,186\,546\,6$		6 | 3
61.	3	3_1	$0.500\,000\,000\,000\,000\,1$	-3	6 | 6
	-1	-1_1	$-0.207\,106\,781\,186\,547\,5$		6 | 6
	-4	-4_1	$-1.359\,438\,258\,109\,048\,7$		6 | 0
62.	0	0_1	$0.015\,242\,128\,140\,831\,025$	$-2.958\,791\,998\,798\,551$	6 | 3
	3	3_1	$0.664\,981\,002\,835\,520\,5$		6 | 5
	4	4_1	$1.359\,438\,258\,109\,048\,7$		6 | 1
63.	0	0_1	$-0.015\,242\,128\,140\,831\,025$	$-2.958\,791\,998\,798\,551$	6 | 3
	-3	-3_1	$-0.664\,981\,002\,835\,520\,5$		6 | 6
	-3	-3_1	$-0.610\,660\,152\,331\,662$		6 | 1
64.	-2	-2_1	$-0.316\,548\,802\,846\,994\,2$	$-2.953\,866\,792\,145\,488\,4$	6 | 1
	3	3_1	$0.664\,189\,423\,136\,772\,5$		6 | 5

TABLE 3.1: Continued

	J	I_n	λ	E	Rigged Configuration
	3	3_1	0.610 660 152 331 662		6 | 1
65.	2	2_1	0.316 548 802 846 994 2	−2.953 866 792 145 488 4	6 | 5
	−3	-3_1	−0.664 189 423 136 772 5		6 | 5
	−4	-4_1	−1.337 879 687 105 139 3		6 | 0
66.	−1	-1_1	−0.124 818 834 207 233 79	−2.834 585 148 235 627 5	6 | 2
	3	3_1	0.676 320 685 217 44		6 | 5
	4	4_1	1.337 879 687 105 139 3		6 | 1
67.	1	1_1	0.124 818 834 207 233 79	−2.834 585 148 235 627 5	6 | 4
	−3	-3_1	−0.676 320 685 217 44		6 | 6
	−4	-4_1	−1.378 189 899 169 260 7		6 | 0
68.	1	1_1	0.158 188 607 776 838 82	−2.791 717 112 375 56	6 | 4
	3	3_1	0.651 690 678 133 730 3		6 | 5
	4	4_1	1.378 189 899 169 260 7		6 | 1
69.	−1	-1_1	−0.158 188 607 776 838 82	−2.791 717 112 375 56	6 | 2
	−3	-3_1	−0.651 690 678 133 730 3		6 | 6
	−4	-4_1	−1.227 483 959 152 033 5		6 | 0
70.	−3	-3_1	−0.509 520 199 350 553	−2.494 881 303 931 63	6 | 0
	2	2_1	0.395 974 193 994 311 4		6 | 4
	4	4_1	1.227 483 959 152 033 5		6 | 2
71.	3	3_1	0.509 520 199 350 553	−2.494 881 303 931 63	6 | 6
	−2	-2_1	−0.395 974 193 994 311 4		6 | 6
	−4	-4_1	−1.308 051 555 822 170 1		6 | 0
72.	−2	-2_1	−0.287 401 789 803 973 46	−2.450 219 893 729 233 4	6 | 1
	3	3_1	0.687 463 789 784 299 9		6 | 5
	4	4_1	1.308 051 555 822 170 1		6 | 1
73.	2	2_1	0.287 401 789 803 973 46	−2.450 219 893 729 233 4	6 | 5
	−3	-3_1	−0.687 463 789 784 299 9		6 | 6
	−4	-4_1	−1.405 328 730 450 156		6 | 0
74.	0	0_1	0	−2.449 448 536 406 551 5	6 | 3
	4	4_1	1.405 328 730 450 156		6 | 6
	−4	-4_1	−1.397 394 675 727 140 7		6 | 0
75.	2	2_1	0.332 202 905 323 683 9	−2.382 341 863 557 089 7	6 | 5
	3	3_1	0.633 383 718 909 047 5		6 | 5
	4	4_1	1.397 394 675 727 140 7		6 | 1
76.	−2	-2_1	−0.332 202 905 323 683 9	−2.382 341 863 557 089 7	6 | 1
	−3	-3_1	−0.633 383 718 909 047 5		6 | 6

TABLE 3.1: Continued

	J	I_n	λ	E	Rigged Configuration
	-4	-4_1	$-1.383\,913\,544\,385\,300\,3$		6 | 0
77.	-1	-1_1	$-0.138\,778\,087\,235\,477\,94$	$-2.307\,486\,473\,704\,967$	6 | 2
	4	4_1	$1.423\,618\,803\,603\,170\,3$		6 | 6
	4	4_1	$1.383\,913\,544\,385\,300\,3$		6 | 0
78.	1	1_1	$0.138\,778\,087\,235\,477\,94$	$-2.307\,486\,473\,704\,967$	6 | 4
	-4	-4_1	$-1.423\,618\,803\,603\,170\,3$		6 | 6
	-4	-4_1	$-1.441\,793\,106\,197\,187\,1$		6 | 0
79.	2	2_1	$0.302\,140\,383\,861\,589\,1$	$-1.919\,784\,150\,431\,347$	6 | 5
	4	4_1	$1.353\,867\,144\,791\,787\,8$		6 | 6
	4	4_1	$1.441\,793\,106\,197\,187\,1$		6 | 0
80.	-2	-2_1	$-0.302\,140\,383\,861\,589\,1$	$-1.919\,784\,150\,431\,347$	6 | 1
	-4	-4_1	$-1.353\,867\,144\,791\,787\,8$		6 | 6
	-3	-3_1	$-0.700\,099\,822\,230\,256\,1$		6 | 1
81.	3	3_1	$0.521\,515\,660\,556\,467\,5$	$-1.907\,837\,438\,934\,218$	6 | 6
	4	4_1	$1.253\,868\,551\,558\,427\,1$		6 | 6
	3	3_1	$0.700\,099\,822\,230\,256\,1$		6 | 0
82.	-3	-3_1	$-0.521\,515\,660\,556\,467\,5$	$-1.907\,837\,438\,934\,218$	6 | 0
	-4	-4_1	$-1.253\,868\,551\,558\,427\,1$		6 | 5
	-4	-4_1	$-1.462\,861\,851\,605\,930\,4$		6 | 0
83.	3	3_1	$0.539\,755\,984\,370\,505\,9$	$-1.391\,103\,848\,492\,371\,7$	6 | 6
	4	4_1	$1.298\,485\,438\,265\,125\,9$		6 | 6
	4	4_1	$1.462\,861\,851\,605\,930\,4$		6 | 0
84.	-3	-3_1	$-0.539\,755\,984\,370\,505\,9$	$-1.391\,103\,848\,492\,371\,7$	6 | 0
	-4	-4_1	$-1.298\,485\,438\,265\,125\,9$		6 | 6

TABLE 3.2: Bethe roots for $N = 12$, $M = 3$. There are 63 solutions with one 1-string and one 2-string

	J	I_n	λ	E	Rigged Configuration
	0	0_1	0		6 □□ 3
85.	3	0_2	0.5i	−3.0	
	3		−0.5i		8 □ 4
	0	0_1	0.038 271 692 128 007 27		6 □□ 2
86.	−4	-1_2	−0.351 693 612 836 238 2 + 0.500 004 347 347 132 7i	−2.878 238 735 839 165 2	
	−3		−0.351 693 612 836 238 2 − 0.500 004 347 347 132 7i		8 □ 4
	0	0_1	−0.038 271 692 128 007 27		6 □□ 4
87.	3	1_2	0.351 693 612 836 238 2 + 0.500 004 347 347 132 7i	−2.878 238 735 839 165 2	
	4		0.351 693 612 836 238 2 − 0.500 004 347 347 132 7i		8 □ 4
	−1	-1_1	−0.157 158 412 930 173 5		6 □□ 3
88.	3	0_2	0.042 765 853 096 237 44 + 0.499 999 999 999 999 9i	−2.818 350 047 593 622	
	3		0.042 765 853 096 237 44 − 0.499 999 999 999 999 9i		8 □ 3
	1	1_1	0.157 158 412 930 173 5		6 □□ 3
89.	−3	0_2	−0.042 765 853 096 237 44 + 0.499 999 999 999 999 9i	−2.818 350 047 593 622	
	−3		−0.042 765 853 096 237 44 − 0.499 999 999 999 999 9i		8 □ 5
	−1	-1_1	−0.110 846 397 611 163 19		6 □□ 2
90.	−4	-1_2	−0.315 295 887 503 140 2 + 0.500 001 531 789 139 8i	−2.815 870 277 438 67	
	−3		−0.315 295 887 503 140 2 − 0.500 001 531 789 139 8i		8 □ 3
	1	1_1	0.110 846 397 611 163 19		6 □□ 4
91.	3	1_2	0.315 295 887 503 140 2 + 0.500 001 531 789 139 8i	−2.815 870 277 438 67	
	4		0.315 295 887 503 140 2 − 0.500 001 531 789 139 8i		8 □ 5
	1	1_1	0.189 860 088 024 105 7		6 □□ 2
92.	−4	-1_2	−0.379 697 861 850 364 7 + 0.500 008 472 581 426 4i	−2.621 896 727 738 912 7	
	−3		−0.379 697 861 850 364 7 − 0.500 008 472 581 426 4i		8 □ 5
	−1	-1_1	−0.189 860 088 024 105 7		6 □□ 4
93.	3	1_2	0.379 697 861 850 364 7 + 0.500 008 472 581 426 4i	−2.621 896 727 738 912 7	
	4		0.379 697 861 850 364 7 − 0.500 008 472 581 426 4i		8 □ 3
	−1	-1_1	−0.075 465 724 211 211 17		6 □□ 1
94.	−4	-2_2	−0.743 196 716 925 800 8 + 0.495 915 234 376 104 13i	−2.607 793 380 345 87	
	−4		−0.743 196 716 925 800 8 − 0.495 915 234 376 104 13i		8 □ 3
	1	1_1	0.075 465 724 211 211 17		6 □□ 5
95.	4	2_2	0.743 196 716 925 800 8 + 0.495 915 234 376 104 13i	−2.607 793 380 345 87	
	4		0.743 196 716 925 800 8 − 0.495 915 234 376 104 13i		8 □ 5
	0	0_1	0.064 276 479 479 506 72		6 □□ 1
96.	−4	-2_2	−0.768 657 930 841 412 + 0.495 240 721 726 644 35i	−2.604 906 246 244 853	
	−4		−0.768 657 930 841 412 − 0.495 240 721 726 644 35i		8 □ 4
	0	0_1	−0.064 276 479 479 506 72		6 □□ 5
97.	4	2_2	0.768 657 930 841 412 + 0.495 240 721 726 644 35i	−2.604 906 246 244 853	
	4		0.768 657 930 841 412 − 0.495 240 721 726 644 35i		8 □ 4
	−2	-2_1	−0.293 692 402 667 953 77		6 □□ 2
98.	−4	-1_2	−0.259 933 204 776 076 1 + 0.500 000 192 405 476 6i	−2.423 673 601 788 128 6	
	−3		−0.259 933 204 776 076 1 − 0.500 000 192 405 476 6i		8 □ 2
	2	2_1	0.293 692 402 667 953 77		6 □□ 4
99.	3	1_2	0.259 933 204 776 076 1 + 0.500 000 192 405 476 6i	−2.423 673 601 788 128 6	
	4		0.259 933 204 776 076 1 − 0.500 000 192 405 476 6i		8 □ 6

TABLE 3.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	2	2_1	0.346 408 430 776 481		6 ☐☐ 3
100.	−3	0_2	−0.082 476 255 138 984 12 + 0.499 999 999 999 774 72i	−2.344 599 357 264 179	
	−3		−0.082 476 255 138 984 12 − 0.499 999 999 999 774 72i		8 ☐ 6
	−2	-2_1	−0.346 408 430 776 481		6 ☐☐ 3
101.	3	0_2	0.082 476 255 138 984 12 + 0.499 999 999 999 774 72i	−2.344 599 357 264 179	
	3		0.082 476 255 138 984 12 − 0.499 999 999 999 774 72i		8 ☐ 2
	−2	-2_1	−0.232 373 231 080 862 47		6 ☐☐ 1
102.	−4	-2_2	−0.706 589 084 012 254 + 0.496 833 215 075 027i	−2.318 790 131 868 355 7	
	−4		−0.706 589 084 012 254 − 0.496 833 215 075 027i		8 ☐ 2
	2	2_1	0.232 373 231 080 862 47		6 ☐☐ 5
103.	4	2_2	0.706 589 084 012 254 + 0.496 833 215 075 027i	−2.318 790 131 868 355 7	
	4		0.706 589 084 012 254 − 0.496 833 215 075 027i		8 ☐ 6
	1	1_1	0.213 246 052 567 645 28		6 ☐☐ 1
104.	−4	-2_2	−0.790 806 439 451 243 6 + 0.494 620 103 332 588 9i	−2.316 798 876 050 018	
	−4		−0.790 806 439 451 243 6 − 0.494 620 103 332 588 9i		8 ☐ 5
	−1	-1_1	−0.213 246 052 567 645 28		6 ☐☐ 5
105.	4	2_2	0.790 806 439 451 243 6 + 0.494 620 103 332 588 9i	−2.316 798 876 050 018	
	4		0.790 806 439 451 243 6 − 0.494 620 103 332 588 9i		8 ☐ 3
	1	1_1	0.050 679 526 239 855 14		6 ☐☐ 6
106.	4	3_2	1.323 257 615 724 008 1 + 0.578 414 231 504 331 1i	−2.305 117 980 835 631 5	
	5		1.323 257 615 724 008 1 − 0.578 414 231 504 331 1i		8 ☐ 5
	−1	-1_1	−0.050 679 526 239 855 14		6 ☐☐ 0
107.	−5	-3_2	−1.323 257 615 724 008 1 + 0.578 414 231 504 331 1i	−2.305 117 980 835 631 5	
	−4		−1.323 257 615 724 008 1 − 0.578 414 231 504 331 1i		8 ☐ 3
	0	0_1	0.085 015 148 216 597 75		6 ☐☐ 0
108.	−5	-3_2	−1.345 643 397 675 310 4 + 0.579 856 035 211 711 7i	−2.262 609 698 250 132 7	
	−4		−1.345 643 397 675 310 4 − 0.579 856 035 211 711 7i		8 ☐ 4
	0	0_1	−0.085 015 148 216 597 75		6 ☐☐ 6
109.	4	3_2	1.345 643 397 675 310 4 + 0.579 856 035 211 711 7i	−2.262 609 698 250 132 7	
	5		1.345 643 397 675 310 4 − 0.579 856 035 211 711 7i		8 ☐ 4
	2	2_1	0.377 976 974 445 826 8		6 ☐☐ 2
110.	−4	-1_2	−0.405 770 027 648 132 6 + 0.500 014 531 849 414 2i	−2.131 227 008 697 911	
	−3		−0.405 770 027 648 132 6 + 0.500 014 531 849 414 2i		8 ☐ 6
	−2	-2_1	−0.377 976 974 445 826 8		6 ☐☐ 4
111.	3	1_2	0.405 770 027 648 132 6 + 0.500 014 531 849 414 2i	−2.131 227 008 697 911	
	4		0.405 770 027 648 132 6 + 0.500 014 531 849 414 2i		8 ☐ 2
	2	2_1	0.195 403 011 342 513 4		6 ☐☐ 6
112.	4	3_2	1.295 282 222 381 655 6 + 0.576 716 841 736 983 9i	−2.068 963 128 808 165	
	5		1.295 282 222 381 655 6 − 0.576 716 841 736 983 9i		8 ☐ 6
	−2	-2_1	−0.195 403 011 342 513 4		6 ☐☐ 0
113.	−5	-3_2	−1.295 282 222 381 655 6 + 0.576 716 841 736 983 9i	−2.068 963 128 808 165	
	−4		−1.295 282 222 381 655 6 − 0.576 716 841 736 983 9i		8 ☐ 2
	−1	-1_1	−0.233 764 253 567 107 8		6 ☐☐ 6
114.	4	3_2	1.366 862 772 923 233 4 + 0.581 325 103 891 998 2i	−1.953 858 282 623 037	
	5		1.366 862 772 923 233 4 − 0.581 325 103 891 998 2i		8 ☐ 3
	1	1_1	0.233 764 253 567 107 8		6 ☐☐ 0
115.	−5	-3_2	−1.366 862 772 923 233 4 + 0.581 325 103 891 998 2i	−1.953 858 282 623 037	
	−4		−1.366 862 772 923 233 4 − 0.581 325 103 891 998 2i		8 ☐ 5

TABLE 3.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-2	-2_1	$-0.403\,194\,808\,046\,544\,56$		6 □□ 5
116.	4	2_2	$0.813\,808\,766\,495\,708\,1 + 0.493\,925\,328\,731\,376\,57\mathrm{i}$	$-1.823\,415\,034\,724\,090\,5$	
	4		$0.813\,808\,766\,495\,708\,1 - 0.493\,925\,328\,731\,376\,57\mathrm{i}$		8 □ 2
	2	2_1	$0.403\,194\,808\,046\,544\,56$		6 □□ 1
117.	-4	-2_2	$-0.813\,808\,766\,495\,708\,1 + 0.493\,925\,328\,731\,376\,57\mathrm{i}$	$-1.823\,415\,034\,724\,090\,5$	
	-4		$-0.813\,808\,766\,495\,708\,1 - 0.493\,925\,328\,731\,376\,57\mathrm{i}$		8 □ 6
	-3	-3_1	$-0.584\,380\,069\,058\,626\,3$		6 □□ 2
118.	-4	-1_2	$-0.186\,251\,674\,550\,665\,2 + 0.500\,000\,003\,448\,387\,4\mathrm{i}$	$-1.811\,781\,684\,989\,938\,4$	
	-3		$-0.186\,251\,674\,550\,665\,2 - 0.500\,000\,003\,448\,387\,4\mathrm{i}$		8 □ 1
	3	3_1	$0.584\,380\,069\,058\,626\,3$		6 □□ 4
119.	3	1_2	$0.186\,251\,674\,550\,665\,2 + 0.500\,000\,003\,448\,387\,4\mathrm{i}$	$-1.811\,781\,684\,989\,938\,4$	
	4		$0.186\,251\,674\,550\,665\,2 - 0.500\,000\,003\,448\,387\,4\mathrm{i}$		8 □ 7
	-3	-3_1	$-0.466\,457\,838\,547\,994\,16$		6 □□ 1
120.	-4	-2_2	$-0.626\,896\,405\,054\,252\,3 + 0.498\,540\,407\,947\,212\,94\mathrm{i}$	$-1.791\,375\,017\,392\,5$	
	-4		$-0.626\,896\,405\,054\,252\,3 - 0.498\,540\,407\,947\,212\,94\mathrm{i}$		8 □ 1
	3	3_1	$0.466\,457\,838\,547\,994\,16$		6 □□ 5
121.	4	2_2	$0.626\,896\,405\,054\,252\,3 + 0.498\,540\,407\,947\,212\,94\mathrm{i}$	$-1.791\,375\,017\,392\,5$	
	4		$0.626\,896\,405\,054\,252\,3 - 0.498\,540\,407\,947\,212\,94\mathrm{i}$		8 □ 7
	3	3_1	$0.639\,252\,867\,459\,767\,7$		6 □□ 3
122.	-3	0_2	$-0.122\,231\,746\,447\,479\,08 + 0.499\,999\,999\,981\,209\,2\mathrm{i}$	$-1.744\,414\,509\,398\,464$	
	-3		$-0.122\,231\,746\,447\,479\,08 - 0.499\,999\,999\,981\,209\,2\mathrm{i}$		8 □ 7
	-3	-3_1	$-0.639\,252\,867\,459\,767\,7$		6 □□ 3
123.	3	0_2	$0.122\,231\,746\,447\,479\,08 + 0.499\,999\,999\,981\,209\,2\mathrm{i}$	$-1.744\,414\,509\,398\,464$	
	3		$0.122\,231\,746\,447\,479\,08 - 0.499\,999\,999\,981\,209\,2\mathrm{i}$		8 □ 1
	-3	-3_1	$-0.380\,347\,430\,383\,257\,7$		6 □□ 0
124.	-5	-3_2	$-1.250\,988\,613\,184\,529\,8 + 0.574\,074\,521\,960\,677\,2\mathrm{i}$	$-1.614\,814\,937\,938\,361$	
	-4		$-1.250\,988\,613\,184\,529\,8 - 0.574\,074\,521\,960\,677\,2\mathrm{i}$		8 □ 1
	3	3_1	$0.380\,347\,430\,383\,257\,7$		6 □□ 6
125.	4	3_2	$1.250\,988\,613\,184\,529\,8 + 0.574\,074\,521\,960\,677\,2\mathrm{i}$	$-1.614\,814\,937\,938\,361$	
	5		$1.250\,988\,613\,184\,529\,8 - 0.574\,074\,521\,960\,677\,2\mathrm{i}$		8 □ 7
	3	3_1	$0.676\,385\,717\,215\,081\,9$		6 □□ 2
126.	-4	-1_2	$-0.435\,322\,140\,937\,383\,25 + 0.500\,025\,038\,211\,793\,1\mathrm{i}$	$-1.547\,255\,246\,179\,131\,1$	
	-3		$-0.435\,322\,140\,937\,383\,25 - 0.500\,025\,038\,211\,793\,1\mathrm{i}$		8 □ 7
	-3	-3_1	$-0.676\,385\,717\,215\,081\,9$		6 □□ 4
127.	3	1_2	$0.435\,322\,140\,937\,383\,25 + 0.500\,025\,038\,211\,793\,1\mathrm{i}$	$-1.547\,255\,246\,179\,131\,1$	
	4		$0.435\,322\,140\,937\,383\,25 - 0.500\,025\,038\,211\,793\,1\mathrm{i}$		8 □ 1
	2	2_1	$0.427\,069\,071\,508\,971\,55$		6 □□ 0
128.	-5	-3_2	$-1.390\,378\,522\,124\,467 + 0.583\,099\,352\,907\,743\,1\mathrm{i}$	$-1.462\,218\,550\,539\,458\,5$	
	-4		$-1.390\,378\,522\,124\,467 - 0.583\,099\,352\,907\,743\,1\mathrm{i}$		8 □ 6
	-2	-2_1	$-0.427\,069\,071\,508\,971\,55$		6 □□ 6
129.	4	3_2	$1.390\,378\,522\,124\,467 + 0.583\,099\,352\,907\,743\,1\mathrm{i}$	$-1.462\,218\,550\,539\,458\,5$	
	5		$1.390\,378\,522\,124\,467 - 0.583\,099\,352\,907\,743\,1\mathrm{i}$		8 □ 2
	3	3_1	$0.709\,727\,964\,973\,265\,1$		6 □□ 1
130.	-4	-2_2	$-0.842\,524\,604\,557\,163\,9 + 0.492\,952\,136\,341\,317\,7\mathrm{i}$	$-1.258\,845\,333\,682\,500\,3$	
	-4		$-0.842\,524\,604\,557\,163\,9 - 0.492\,952\,136\,341\,317\,7\mathrm{i}$		8 □ 7
	-3	-3_1	$-0.709\,727\,964\,973\,265\,1$		6 □□ 5
131.	4	2_2	$0.842\,524\,604\,557\,163\,9 + 0.492\,952\,136\,341\,317\,7\mathrm{i}$	$-1.258\,845\,333\,682\,500\,3$	
	4		$0.842\,524\,604\,557\,163\,9 - 0.492\,952\,136\,341\,317\,7\mathrm{i}$		8 □ 1

TABLE 3.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	4	4_1	1.286 309 799 044 657 7		6 ☐☐ 4
132.	3	1_2	0.109 368 467 748 656 74 + 0.500 000 000 004 066 3i	−1.250 703 216 466 408	
	4		0.109 368 467 748 656 74 − 0.500 000 000 004 066 3i		8 ☐ 8
	−4	-4_1	−1.286 309 799 044 657 7		6 ☐☐ 2
133.	−4	-1_2	−0.109 368 467 748 656 74 + 0.500 000 000 004 066 3i	−1.250 703 216 466 408	
	−3		−0.109 368 467 748 656 74 − 0.500 000 000 004 066 3i		8 ☐ 0
	4	4_1	1.358 332 521 211 853		6 ☐☐ 3
134.	−3	0_2	−0.172 575 794 168 839 47 + 0.499 999 999 221 232 3i	−1.209 734 785 940 611 3	
	−3		−0.172 575 794 168 839 47 − 0.499 999 999 221 232 3i		8 ☐ 8
	−4	-4_1	−1.358 332 521 211 853		6 ☐☐ 3
135.	3	0_2	0.172 575 794 168 839 47 + 0.499 999 999 221 232 3i	−1.209 734 785 940 611 3	
	3		0.172 575 794 168 839 47 − 0.499 999 999 221 232 3i		8 ☐ 0
	4	4_1	1.170 473 924 122 085 6		6 ☐☐ 5
136.	4	2_2	0.427 236 566 389 941 56 + 0.499 974 718 514 364 4i	−1.154 437 238 611 690 1	
	4		0.427 236 566 389 941 56 − 0.499 974 718 514 364 4i		8 ☐ 8
	−4	-4_1	−1.170 473 924 122 085 6		6 ☐☐ 1
137.	−4	-2_2	−0.427 236 566 389 941 56 + 0.499 974 718 514 364 4i	−1.154 437 238 611 690 1	
	−4		−0.427 236 566 389 941 56 − 0.499 974 718 514 364 4i		8 ☐ 0
	−4	-4_1	−0.721 256 290 720 140 4		6 ☐☐ 0
138.	−5	-3_2	−1.120 846 069 540 421 2 + 0.562 861 663 437 434 9i	−1.044 755 629 266 676 6	
	−4		−1.120 846 069 540 421 2 − 0.562 861 663 437 434 9i		8 ☐ 0
	4	4_1	0.721 256 290 720 140 4		6 ☐☐ 6
139.	4	3_2	1.120 846 069 540 421 2 + 0.562 861 663 437 434 9i	−1.044 755 629 266 676 6	
	5		1.120 846 069 540 421 2 − 0.562 861 663 437 434 9i		8 ☐ 8
	4	4_1	1.417 735 396 007 869 6		6 ☐☐ 2
140.	−4	-1_2	−0.478 444 032 506 571 6 + 0.500 051 475 815 675 4i	−1.034 720 465 818 465 7	
	−3		−0.478 444 032 506 571 6 − 0.500 051 475 815 675 4i		8 ☐ 8
	−4	-4_1	−1.417 735 396 007 869 6		6 ☐☐ 4
141.	3	1_2	0.478 444 032 506 571 6 + 0.500 051 475 815 675 4i	−1.034 720 465 818 465 7	
	4		0.478 444 032 506 571 6 − 0.500 051 475 815 675 4i		8 ☐ 0
	3	3_1	0.743 486 494 754 437 7		6 ☐☐ 0
142.	−5	-3_2	−1.421 494 374 918 37 + 0.585 728 164 183 566 8i	−0.919 917 535 021 547 3	
	−4		−1.421 494 374 918 37 − 0.585 728 164 183 566 8i		8 ☐ 7
	−3	-3_1	−0.743 486 494 754 437 7		6 ☐☐ 6
143.	4	3_2	1.421 494 374 918 37 + 0.585 728 164 183 566 8i	−0.919 917 535 021 547 3	
	5		1.421 494 374 918 37 − 0.585 728 164 183 566 8i		8 ☐ 1
	4	4_1	1.477 491 186 450 785 4		6 ☐☐ 1
144.	−4	-2_2	−0.888 649 667 211 854 2 + 0.491 017 548 929 263 97i	−0.776 206 338 147 090 1	
	−4		−0.888 649 667 211 854 2 + 0.491 017 548 929 263 97i		8 ☐ 8
	−4	-4_1	−1.477 491 186 450 785 4		6 ☐☐ 5
145.	4	2_2	0.888 649 667 211 854 2 + 0.491 017 548 929 263 97i	−0.776 206 338 147 090 1	
	4		0.888 649 667 211 854 2 + 0.491 017 548 929 263 97i		8 ☐ 0
	4	4_1	1.542 494 303 035 646 4		6 ☐☐ 0
146.	−5	-3_2	−1.474 805 324 841 298 + 0.591 113 188 891 948 4i	−0.472 632 423 877 329 34	
	−4		−1.474 805 324 841 298 − 0.591 113 188 891 948 4i		8 ☐ 8
	−4	-4_1	−1.542 494 303 035 646 4		6 ☐☐ 6
147.	4	3_2	1.474 805 324 841 298 + 0.591 113 188 891 948 4i	−0.472 632 423 877 329 34	
	5		1.474 805 324 841 298 − 0.591 113 188 891 948 4i		8 ☐ 0

TABLE 3.3: Bethe roots for $N = 12$, $M = 3$. There are 7 solutions with one 3-string

	J	I_n	λ	E	Rigged Configuration
	5		1.000 011 291 992 232 8i		
148.	0	0_3	0	−0.666 706 814 990 114	6 □□□ 3
	−5		−1.000 011 291 992 232 8i		
	−6		−0.401 594 365 441 908 85 + 1.000 039 160 426 166 7i		
149.	−2	-1_3	−0.401 736 852 514 627 15	−0.621 744 965 821 160 9	6 □□□ 2
	−5		−0.401 594 365 441 908 85 − 1.000 039 160 426 166 7i		
	5		0.401 594 365 441 908 85 + 1.000 039 160 426 166 7i		
150.	2	1_3	0.401 736 852 514 627 15	−0.621 744 965 821 160 9	6 □□□ 4
	6		0.401 594 365 441 908 85 − 1.000 039 160 426 166 7i		
	−6		−0.856 724 634 385 481 + 1.007 660 285 292 203i		
151.	−3	-2_3	−0.857 138 248 092 619 5	−0.497 245 692 360 124	6 □□□ 1
	−5		−0.856 724 634 385 481 − 1.007 660 285 292 203i		
	5		0.856 724 634 385 481 + 1.007 660 285 292 203i		
152.	3	2_3	0.857 138 248 092 619 5	−0.497 245 692 360 124	6 □□□ 5
	6		0.856 724 634 385 481 − 1.007 660 285 292 203i		
	−6		−1.389 953 638 156 064 4 + 1.069 924 193 039 014 6i		
153.	−4	-3_3	−1.467 425 475 886 72	−0.312 580 076 446 819 3	6 □□□ 0
	−5		−1.389 953 638 156 064 4 − 1.069 924 193 039 014 6i		
	5		1.389 953 638 156 064 4 + 1.069 924 193 039 014 6i		
154.	4	3_3	1.467 425 475 886 72	−0.312 580 076 446 819 3	6 □□□ 6
	6		1.389 953 638 156 064 4 − 1.069 924 193 039 014 6i		

TABLE 4.1: Bethe roots for $N = 12$, $M = 4$. There are 70 solutions with four 1-strings

	J	I_n	λ	E	Rigged Configuration
1.	$-3/2$	$-3/2_1$	$-0.256\,361\,638\,081\,398\,17$	$-7.070\,529\,325\,963\,522$	4 | 2
	$-1/2$	$-1/2_1$	$-0.078\,749\,184\,995\,911\,91$		4 | 2
	$1/2$	$1/2_1$	$0.078\,749\,184\,995\,911\,91$		4 | 2
	$3/2$	$3/2_1$	$0.256\,361\,638\,081\,398\,17$		4 | 2
2.	$-5/2$	$-5/2_1$	$-0.467\,017\,635\,093\,445\,07$	$-6.637\,406\,425\,177\,382\,6$	4 | 1
	$-3/2$	$-3/2_1$	$-0.219\,039\,779\,300\,706\,34$		4 | 1
	$-1/2$	$-1/2_1$	$-0.048\,544\,097\,369\,606\,99$		4 | 1
	$1/2$	$1/2_1$	$0.108\,552\,961\,921\,750\,57$		4 | 1
3.	$5/2$	$5/2_1$	$0.467\,017\,635\,093\,445\,07$	$-6.637\,406\,425\,177\,382\,6$	4 | 3
	$3/2$	$3/2_1$	$0.219\,039\,779\,300\,706\,34$		4 | 3
	$1/2$	$1/2_1$	$0.048\,544\,097\,369\,606\,99$		4 | 3
	$-1/2$	$-1/2_1$	$-0.108\,552\,961\,921\,750\,57$		4 | 3
4.	$-5/2$	$-5/2_1$	$-0.502\,181\,830\,867\,052\,9$	$-6.457\,726\,819\,034\,906$	4 | 1
	$-1/2$	$-1/2_1$	$-0.068\,761\,940\,483\,504\,36$		4 | 2
	$1/2$	$1/2_1$	$0.087\,646\,568\,496\,994\,73$		4 | 2
	$3/2$	$3/2_1$	$0.265\,995\,949\,008\,026\,87$		4 | 2
5.	$5/2$	$5/2_1$	$0.502\,181\,830\,867\,052\,9$	$-6.457\,726\,819\,034\,906$	4 | 2
	$1/2$	$1/2_1$	$0.068\,761\,940\,483\,504\,36$		4 | 2
	$-1/2$	$-1/2_1$	$-0.087\,646\,568\,496\,994\,73$		4 | 2
	$-3/2$	$-3/2_1$	$-0.265\,995\,949\,008\,026\,87$		4 | 3
6.	$-5/2$	$-5/2_1$	$-0.477\,486\,688\,993\,278\,56$	$-6.198\,915\,340\,794\,833$	4 | 1
	$-3/2$	$-3/2_1$	$-0.226\,608\,490\,447\,498\,28$		4 | 1
	$-1/2$	$-1/2_1$	$-0.055\,533\,009\,150\,816\,87$		4 | 1
	$3/2$	$3/2_1$	$0.281\,725\,021\,990\,446\,9$		4 | 2
7.	$5/2$	$5/2_1$	$0.477\,486\,688\,993\,278\,56$	$-6.198\,915\,340\,794\,833$	4 | 2
	$3/2$	$3/2_1$	$0.226\,608\,490\,447\,498\,28$		4 | 3
	$1/2$	$1/2_1$	$0.055\,533\,009\,150\,816\,87$		4 | 3
	$-3/2$	$-3/2_1$	$-0.281\,725\,021\,990\,446\,9$		4 | 3
8.	$-5/2$	$-5/2_1$	$-0.488\,211\,152\,617\,607\,84$	$-6.134\,871\,920\,109\,453$	4 | 1
	$-3/2$	$-3/2_1$	$-0.233\,874\,429\,389\,185\,57$		4 | 1
	$1/2$	$1/2_1$	$0.094\,343\,376\,626\,656\,51$		4 | 2
	$3/2$	$3/2_1$	$0.273\,730\,486\,668\,311\,85$		4 | 2
9.	$5/2$	$5/2_1$	$0.488\,211\,152\,617\,607\,84$	$-6.134\,871\,920\,109\,453$	4 | 2
	$3/2$	$3/2_1$	$0.233\,874\,429\,389\,185\,57$		4 | 2
	$-1/2$	$-1/2_1$	$-0.094\,343\,376\,626\,656\,51$		4 | 3
	$-3/2$	$-3/2_1$	$-0.273\,730\,486\,668\,311\,85$		4 | 3
10.	$-7/2$	$-7/2_1$	$-0.999\,290\,781\,411\,042\,8$	$-6.009\,716\,905\,612\,676\,5$	4 | 0
	$-3/2$	$-3/2_1$	$-0.197\,206\,877\,954\,945\,74$		4 | 1
	$-1/2$	$-1/2_1$	$-0.033\,136\,102\,575\,553\,72$		4 | 1
	$1/2$	$1/2_1$	$0.122\,212\,499\,746\,281\,26$		4 | 1

TABLE 4.1: (Continued)

	J	I_n	λ	E	Rigged Configuration
11.	$7/2$	$7/2_1$	0.999 290 781 411 042 8	$-6.009\,716\,905\,612\,676\,5$	4 | 3
	$3/2$	$3/2_1$	0.197 206 877 954 945 74		4 | 3
	$1/2$	$1/2_1$	0.033 136 102 575 553 72		4 | 3
	$-1/2$	$-1/2_1$	$-0.122\,212\,499\,746\,281\,26$		4 | 4
12.	$-5/2$	$-5/2_1$	$-0.514\,927\,486\,065\,714\,8$	$-5.847\,128\,730\,476\,953$	4 | 1
	$-1/2$	$-1/2_1$	$-0.077\,587\,437\,023\,312\,21$		4 | 2
	$1/2$	$1/2_1$	0.077 587 437 023 312 21		4 | 2
	$5/2$	$5/2_1$	0.514 927 486 065 714 8		4 | 3
13.	$-3/2$	$-3/2_1$	$-0.280\,951\,340\,278\,844\,44$	$-5.780\,220\,319\,272\,923$	4 | 2
	$-1/2$	$-1/2_1$	$-0.101\,721\,878\,311\,582\,3$		4 | 2
	$1/2$	$1/2_1$	0.052 445 512 735 203 03		4 | 2
	$7/2$	$7/2_1$	1.064 644 750 241 250 2		4 | 4
14.	$3/2$	$3/2_1$	0.280 951 340 278 844 44	$-5.780\,220\,319\,272\,923$	4 | 0
	$1/2$	$1/2_1$	0.101 721 878 311 582 3		4 | 2
	$-1/2$	$-1/2_1$	$-0.052\,445\,512\,735\,203\,03$		4 | 2
	$-7/2$	$-7/2_1$	$-1.064\,644\,750\,241\,250\,2$		4 | 2
15.	$-3/2$	$-3/2_1$	$-0.296\,433\,914\,299\,530\,7$	$-5.569\,090\,347\,031\,953$	4 | 2
	$1/2$	$1/2_1$	0.039 991 373 716 008 714		4 | 3
	$3/2$	$3/2_1$	0.204 367 130 941 470 5		4 | 3
	$7/2$	$7/2_1$	1.018 730 815 243 228 8		4 | 4
16.	$3/2$	$3/2_1$	0.296 433 914 299 530 7	$-5.569\,090\,347\,031\,953$	4 | 0
	$-1/2$	$-1/2_1$	$-0.039\,991\,373\,716\,008\,714$		4 | 1
	$-3/2$	$-3/2_1$	$-0.204\,367\,130\,941\,470\,5$		4 | 1
	$-7/2$	$-7/2_1$	$-1.018\,730\,815\,243\,228\,8$		4 | 2
17.	$-5/2$	$-5/2_1$	$-0.536\,950\,252\,750\,891\,5$	$-5.551\,910\,694\,350\,528\,5$	4 | 1
	$1/2$	$1/2_1$	0.064 531 247 175 400 44		4 | 3
	$3/2$	$3/2_1$	0.235 971 236 501 411 9		4 | 3
	$5/2$	$5/2_1$	0.490 013 989 121 495 46		4 | 3
18.	$5/2$	$5/2_1$	0.536 950 252 750 891 5	$-5.551\,910\,694\,350\,528\,5$	4 | 1
	$-1/2$	$-1/2_1$	$-0.064\,531\,247\,175\,400\,44$		4 | 1
	$-3/2$	$-3/2_1$	$-0.235\,971\,236\,501\,411\,9$		4 | 1
	$-5/2$	$-5/2_1$	$-0.490\,013\,989\,121\,495\,46$		4 | 3
19.	$-5/2$	$-5/2_1$	$-0.500\,740\,618\,122\,867\,9$	$-5.511\,120\,988\,613\,792$	4 | 1
	$-3/2$	$-3/2_1$	$-0.243\,173\,399\,294\,887\,27$		4 | 1
	$1/2$	$1/2_1$	0.084 143 214 221 938 74		4 | 2
	$5/2$	$5/2_1$	0.525 522 256 719 708 3		4 | 3
20.	$5/2$	$5/2_1$	0.500 740 618 122 867 9	$-5.511\,120\,988\,613\,792$	4 | 1
	$3/2$	$3/2_1$	0.243 173 399 294 887 27		4 | 2
	$-1/2$	$-1/2_1$	$-0.084\,143\,214\,221\,938\,74$		4 | 3
	$-5/2$	$-5/2_1$	$-0.525\,522\,256\,719\,708\,3$		4 | 3
21.	$-7/2$	$-7/2_1$	$-0.957\,799\,083\,543\,751\,7$	$-5.498\,295\,943\,848\,788$	4 | 0
	$-5/2$	$-5/2_1$	$-0.407\,748\,833\,499\,992\,6$		4 | 0
	$-1/2$	$-1/2_1$	$-0.025\,397\,195\,602\,596\,99$		4 | 1
	$1/2$	$1/2_1$	0.129 672 444 573 980 4		4 | 1

TABLE 4.1: (Continued)

	J	I_n	λ	E	Rigged Configuration
22.	$7/2$	$7/2_1$	0.957 799 083 543 751 7	$-5.498\,295\,943\,848\,788$	4 ☐ 3
	$5/2$	$5/2_1$	0.407 748 833 499 992 6		4 ☐ 3
	$1/2$	$1/2_1$	0.025 397 195 602 596 99		4 ☐ 4
	$-1/2$	$-1/2_1$	$-0.129\,672\,444\,573\,980\,4$		4 ☐ 4
23.	$-7/2$	$-7/2_1$	$-0.915\,744\,489\,868\,171\,9$	$-5.486\,250\,405\,908\,474$	4 ☐ 0
	$-5/2$	$-5/2_1$	$-0.389\,493\,692\,368\,427\,3$		4 ☐ 0
	$-3/2$	$-3/2_1$	$-0.174\,141\,212\,301\,247\,5$		4 ☐ 0
	$-1/2$	$-1/2_1$	$-0.013\,217\,308\,642\,999\,005$		4 ☐ 0
24.	$7/2$	$7/2_1$	0.915 744 489 868 171 9	$-5.486\,250\,405\,908\,474$	4 ☐ 4
	$5/2$	$5/2_1$	0.389 493 692 368 427 3		4 ☐ 4
	$3/2$	$3/2_1$	0.174 141 212 301 247 5		4 ☐ 4
	$1/2$	$1/2_1$	0.013 217 308 642 999 005		4 ☐ 4
25.	$-7/2$	$-7/2_1$	$-1.038\,610\,125\,734\,371\,2$	$-5.485\,101\,232\,956\,318$	4 ☐ 0
	$-3/2$	$-3/2_1$	$-0.211\,066\,563\,492\,126\,3$		4 ☐ 1
	$1/2$	$1/2_1$	0.108 093 774 193 255 04		4 ☐ 2
	$3/2$	$3/2_1$	0.288 449 098 044 520 9		4 ☐ 2
26.	$7/2$	$7/2_1$	1.038 610 125 734 371 2	$-5.485\,101\,232\,956\,318$	4 ☐ 2
	$3/2$	$3/2_1$	0.211 066 563 492 126 3		4 ☐ 2
	$-1/2$	$-1/2_1$	$-0.108\,093\,774\,193\,255\,04$		4 ☐ 3
	$-3/2$	$-3/2_1$	$-0.288\,449\,098\,044\,520\,9$		4 ☐ 4
27.	$-7/2$	$-7/2_1$	$-0.934\,336\,838\,456\,369\,6$	$-5.301\,190\,668\,138\,283$	4 ☐ 0
	$-5/2$	$-5/2_1$	$-0.397\,892\,522\,030\,195\,65$		4 ☐ 0
	$-3/2$	$-3/2_1$	$-0.180\,586\,720\,900\,882\,18$		4 ☐ 0
	$1/2$	$1/2_1$	0.136 012 443 295 538 44		4 ☐ 1
28.	$7/2$	$7/2_1$	0.934 336 838 456 369 6	$-5.301\,190\,668\,138\,283$	4 ☐ 3
	$5/2$	$5/2_1$	0.397 892 522 030 195 65		4 ☐ 4
	$3/2$	$3/2_1$	0.180 586 720 900 882 18		4 ☐ 4
	$-1/2$	$-1/2_1$	$-0.136\,012\,443\,295\,538\,44$		4 ☐ 4
29.	$-7/2$	$-7/2_1$	$-1.088\,012\,000\,948\,082\,3$	$-5.187\,380\,070\,174\,413$	4 ☐ 0
	$-1/2$	$-1/2_1$	$-0.061\,181\,389\,983\,140\,155$		4 ☐ 2
	$1/2$	$1/2_1$	0.091 534 984 938 378 65		4 ☐ 2
	$5/2$	$5/2_1$	0.534 697 029 254 894 7		4 ☐ 3
30.	$7/2$	$7/2_1$	1.088 012 000 948 082 3	$-5.187\,380\,070\,174\,413$	4 ☐ 1
	$1/2$	$1/2_1$	0.061 181 389 983 140 155		4 ☐ 2
	$-1/2$	$-1/2_1$	$-0.091\,534\,984\,938\,378\,65$		4 ☐ 2
	$-5/2$	$-5/2_1$	$-0.534\,697\,029\,254\,894\,7$		4 ☐ 4
31.	$-5/2$	$-5/2_1$	$-0.511\,064\,275\,090\,219\,1$	$-5.153\,853\,093\,221\,243$	4 ☐ 1
	$-3/2$	$-3/2_1$	$-0.250\,464\,633\,149\,513\,4$		4 ☐ 1
	$3/2$	$3/2_1$	0.250 464 633 149 513 4		4 ☐ 3
	$5/2$	$5/2_1$	0.511 064 275 090 219 1		4 ☐ 3
32.	$-7/2$	$-7/2_1$	$-0.976\,513\,393\,814\,290\,8$	$-5.045\,674\,270\,205\,21$	4 ☐ 0
	$-5/2$	$-5/2_1$	$-0.416\,566\,546\,628\,706\,5$		4 ☐ 0
	$-1/2$	$-1/2_1$	$-0.032\,220\,801\,507\,225\,505$		4 ☐ 1
	$3/2$	$3/2_1$	0.304 869 822 286 483 5		4 ☐ 2

TABLE 4.1: (Continued)

	J	I_n	λ	E	Rigged Configuration
33.	$7/2$	$7/2_1$	0.976 513 393 814 290 8	$-5.045\,674\,270\,205\,21$	4 ☐ 2
	$5/2$	$5/2_1$	0.416 566 546 628 706 5		4 ☐ 3
	$1/2$	$1/2_1$	0.032 220 801 507 225 505		4 ☐ 4
	$-3/2$	$-3/2_1$	$-0.304\,869\,822\,286\,483\,5$		4 ☐ 4
34.	$-7/2$	$-7/2_1$	$-0.995\,486\,267\,699\,310\,1$	$-4.940\,909\,527\,053\,6$	4 ☐ 0
	$-5/2$	$-5/2_1$	$-0.425\,205\,253\,160\,431\,4$		4 ☐ 0
	$1/2$	$1/2_1$	0.115 537 899 301 146 65		4 ☐ 2
	$3/2$	$3/2_1$	0.296 854 938 679 267 6		4 ☐ 2
35.	$7/2$	$7/2_1$	$0.995\,486\,267\,699\,310\,1$	$-4.940\,909\,527\,053\,6$	4 ☐ 2
	$5/2$	$5/2_1$	$0.425\,205\,253\,160\,431\,4$		4 ☐ 2
	$-1/2$	$-1/2_1$	$-0.115\,537\,899\,301\,146\,65$		4 ☐ 4
	$-3/2$	$-3/2_1$	$-0.296\,854\,938\,679\,267\,6$		4 ☐ 4
36.	$-7/2$	$-7/2_1$	$-1.042\,145\,398\,632\,154\,5$	$-4.940\,533\,675\,755\,969$	4 ☐ 0
	$-3/2$	$-3/2_1$	$-0.213\,333\,627\,425\,643\,13$		4 ☐ 1
	$-1/2$	$-1/2_1$	$-0.048\,915\,832\,913\,027\,2$		4 ☐ 1
	$5/2$	$5/2_1$	0.556 539 163 672 947 4		4 ☐ 3
37.	$7/2$	$7/2_1$	$1.042\,145\,398\,632\,154\,5$	$-4.940\,533\,675\,755\,969$	4 ☐ 1
	$3/2$	$3/2_1$	$0.213\,333\,627\,425\,643\,13$		4 ☐ 3
	$1/2$	$1/2_1$	$0.048\,915\,832\,913\,027\,2$		4 ☐ 3
	$-5/2$	$-5/2_1$	$-0.556\,539\,163\,672\,947\,4$		4 ☐ 4
38.	$-7/2$	$-7/2_1$	$-1.061\,858\,359\,991\,521\,7$	$-4.878\,969\,506\,211\,776$	4 ☐ 0
	$-3/2$	$-3/2_1$	$-0.219\,960\,583\,049\,266\,58$		4 ☐ 1
	$1/2$	$1/2_1$	0.097 759 849 236 119 38		4 ☐ 2
	$5/2$	$5/2_1$	0.545 049 617 969 748 8		4 ☐ 3
39.	$7/2$	$7/2_1$	$1.061\,858\,359\,991\,521\,7$	$-4.878\,969\,506\,211\,776$	4 ☐ 1
	$3/2$	$3/2_1$	$0.219\,960\,583\,049\,266\,58$		4 ☐ 2
	$-1/2$	$-1/2_1$	$-0.097\,759\,849\,236\,119\,38$		4 ☐ 3
	$-5/2$	$-5/2_1$	$-0.545\,049\,617\,969\,748\,8$		4 ☐ 4
40.	$-7/2$	$-7/2_1$	$-1.127\,090\,977\,955\,592$	$-4.860\,885\,303\,893\,672$	4 ☐ 0
	$1/2$	$1/2_1$	0.078 654 951 893 123 05		4 ☐ 3
	$3/2$	$3/2_1$	0.250 427 630 874 622 6		4 ☐ 3
	$5/2$	$5/2_1$	0.509 386 716 277 907 3		4 ☐ 3
41.	$7/2$	$7/2_1$	$1.127\,090\,977\,955\,592$	$-4.860\,885\,303\,893\,672$	4 ☐ 1
	$-1/2$	$-1/2_1$	$-0.078\,654\,951\,893\,123\,05$		4 ☐ 1
	$-3/2$	$-3/2_1$	$-0.250\,427\,630\,874\,622\,6$		4 ☐ 1
	$-5/2$	$-5/2_1$	$-0.509\,386\,716\,277\,907\,3$		4 ☐ 4
42.	$-5/2$	$-5/2_1$	$-0.520\,153\,922\,573\,216\,9$	$-4.844\,113\,134\,026\,346$	4 ☐ 1
	$-3/2$	$-3/2_1$	$-0.257\,574\,157\,838\,231\,34$		4 ☐ 1
	$1/2$	$1/2_1$	0.067 565 125 368 143 94		4 ☐ 2
	$7/2$	$7/2_1$	1.106 922 964 753 728 4		4 ☐ 4
43.	$5/2$	$5/2_1$	$0.520\,153\,922\,573\,216\,9$	$-4.844\,113\,134\,026\,346$	4 ☐ 0
	$3/2$	$3/2_1$	$0.257\,574\,157\,838\,231\,34$		4 ☐ 2
	$-1/2$	$-1/2_1$	$-0.067\,565\,125\,368\,143\,94$		4 ☐ 3
	$-7/2$	$-7/2_1$	$-1.106\,922\,964\,753\,728\,4$		4 ☐ 3

TABLE 4.1: (Continued)

	J	I_n	λ	E	Rigged Configuration
44.	$-7/2$	$-7/2_1$	$-0.952\,866\,954\,429\,991\,8$	$-4.827\,340\,110\,342\,111$	4 ☐ 0
	$-5/2$	$-5/2_1$	$-0.406\,609\,544\,398\,292\,83$		4 ☐ 0
	$-3/2$	$-3/2_1$	$-0.187\,593\,228\,629\,085\,3$		4 ☐ 0
	$3/2$	$3/2_1$	$0.312\,393\,834\,458\,14$		4 ☐ 2
45.	$7/2$	$7/2_1$	$0.952\,866\,954\,429\,991\,8$	$-4.827\,340\,110\,342\,111$	4 ☐ 2
	$5/2$	$5/2_1$	$0.406\,609\,544\,398\,292\,83$		4 ☐ 4
	$3/2$	$3/2_1$	$0.187\,593\,228\,629\,085\,3$		4 ☐ 4
	$-3/2$	$-3/2_1$	$-0.312\,393\,834\,458\,14$		4 ☐ 4
46.	$-7/2$	$-7/2_1$	$-1.126\,140\,698\,664\,805\,3$	$-4.570\,746\,557\,876\,212\,5$	4 ☐ 0
	$-1/2$	$-1/2_1$	$-0.074\,961\,534\,073\,366\,18$		4 ☐ 2
	$1/2$	$1/2_1$	$0.074\,961\,534\,073\,366\,18$		4 ☐ 2
	$7/2$	$7/2_1$	$1.126\,140\,698\,664\,805\,3$		4 ☐ 4
47.	$-7/2$	$-7/2_1$	$-1.080\,571\,616\,469\,936\,4$	$-4.515\,127\,608\,957\,875$	4 ☐ 0
	$-3/2$	$-3/2_1$	$-0.226\,818\,325\,881\,082\,5$		4 ☐ 1
	$3/2$	$3/2_1$	$0.264\,614\,306\,440\,171\,6$		4 ☐ 3
	$5/2$	$5/2_1$	$0.530\,232\,473\,576\,976\,7$		4 ☐ 3
48.	$7/2$	$7/2_1$	$1.080\,571\,616\,469\,936\,4$	$-4.515\,127\,608\,957\,875$	4 ☐ 1
	$3/2$	$3/2_1$	$0.226\,818\,325\,881\,082\,5$		4 ☐ 1
	$-3/2$	$-3/2_1$	$-0.264\,614\,306\,440\,171\,6$		4 ☐ 3
	$-5/2$	$-5/2_1$	$-0.530\,232\,473\,576\,976\,7$		4 ☐ 4
49.	$-5/2$	$-5/2_1$	$-0.567\,910\,117\,679\,958\,7$	$-4.416\,222\,723\,321\,762$	4 ☐ 1
	$1/2$	$1/2_1$	$0.041\,149\,506\,754\,491\,98$		4 ☐ 3
	$5/2$	$5/2_1$	$0.427\,308\,785\,437\,028\,7$		4 ☐ 4
	$7/2$	$7/2_1$	$0.999\,176\,618\,803\,151\,9$		4 ☐ 4
50.	$5/2$	$5/2_1$	$0.567\,910\,117\,679\,958\,7$	$-4.416\,222\,723\,321\,762$	4 ☐ 0
	$-1/2$	$-1/2_1$	$-0.041\,149\,506\,754\,491\,98$		4 ☐ 0
	$-5/2$	$-5/2_1$	$-0.427\,308\,785\,437\,028\,7$		4 ☐ 1
	$-7/2$	$-7/2_1$	$-0.999\,176\,618\,803\,151\,9$		4 ☐ 3
51.	$-5/2$	$-5/2_1$	$-0.556\,349\,450\,426\,524\,5$	$-4.334\,027\,335\,647\,141$	4 ☐ 1
	$-1/2$	$-1/2_1$	$-0.105\,096\,344\,066\,134\,69$		4 ☐ 2
	$5/2$	$5/2_1$	$0.435\,905\,691\,227\,639\,1$		4 ☐ 4
	$7/2$	$7/2_1$	$1.017\,996\,221\,028\,974\,1$		4 ☐ 4
52.	$5/2$	$5/2_1$	$0.556\,349\,450\,426\,524\,5$	$-4.334\,027\,335\,647\,141$	4 ☐ 0
	$1/2$	$1/2_1$	$0.105\,096\,344\,066\,134\,69$		4 ☐ 0
	$-5/2$	$-5/2_1$	$-0.435\,905\,691\,227\,639\,1$		4 ☐ 2
	$-7/2$	$-7/2_1$	$-1.017\,996\,221\,028\,974\,1$		4 ☐ 3
53.	$-7/2$	$-7/2_1$	$-1.164\,264\,340\,158\,823\,3$	$-4.291\,096\,466\,852\,001$	4 ☐ 0
	$1/2$	$1/2_1$	$0.062\,871\,264\,109\,051\,18$		4 ☐ 3
	$3/2$	$3/2_1$	$0.227\,121\,286\,734\,739\,75$		4 ☐ 3
	$7/2$	$7/2_1$	$1.080\,224\,242\,111\,973\,2$		4 ☐ 4
54.	$7/2$	$7/2_1$	$1.164\,264\,340\,158\,823\,3$	$-4.291\,096\,466\,852\,001$	4 ☐ 0
	$-1/2$	$-1/2_1$	$-0.062\,871\,264\,109\,051\,18$		4 ☐ 1
	$-3/2$	$-3/2_1$	$-0.227\,121\,286\,734\,739\,75$		4 ☐ 1
	$-7/2$	$-7/2_1$	$-1.080\,224\,242\,111\,973\,2$		4 ☐ 4

TABLE 4.1: (Continued)

	J	I_n	λ	E	Rigged Configuration
55.	$-7/2$	$-7/2_1$	$-1.144\,323\,344\,693\,534\,6$	$-4.253\,476\,227\,520\,393$	4 0
	$-1/2$	$-1/2_1$	$-0.081\,020\,222\,426\,845\,94$		4 2
	$3/2$	$3/2_1$	$0.233\,691\,524\,843\,679\,83$		4 3
	$7/2$	$7/2_1$	$1.099\,754\,504\,856\,643\,7$		4 4
56.	$7/2$	$7/2_1$	$1.144\,323\,344\,693\,534\,6$	$-4.253\,476\,227\,520\,393$	4 0
	$1/2$	$1/2_1$	$0.081\,020\,222\,426\,845\,94$		4 1
	$-3/2$	$-3/2_1$	$-0.233\,691\,524\,843\,679\,83$		4 2
	$-7/2$	$-7/2_1$	$-1.099\,754\,504\,856\,643\,7$		4 4
57.	$-7/2$	$-7/2_1$	$-0.975\,401\,229\,517\,959\,6$	$-4.183\,053\,373\,296\,603\,5$	4 0
	$-5/2$	$-5/2_1$	$-0.417\,275\,126\,418\,245\,6$		4 0
	$-3/2$	$-3/2_1$	$-0.196\,451\,395\,939\,095\,77$		4 0
	$5/2$	$5/2_1$	$0.578\,369\,014\,575\,494\,2$		4 3
58.	$7/2$	$7/2_1$	$0.975\,401\,229\,517\,959\,6$	$-4.183\,053\,373\,296\,603\,5$	4 1
	$5/2$	$5/2_1$	$0.417\,275\,126\,418\,245\,6$		4 4
	$3/2$	$3/2_1$	$0.196\,451\,395\,939\,095\,77$		4 4
	$-5/2$	$-5/2_1$	$-0.578\,369\,014\,575\,494\,2$		4 4
59.	$-7/2$	$-7/2_1$	$-1.036\,015\,821\,980\,062\,6$	$-3.957\,464\,218\,777\,586\,6$	4 0
	$-5/2$	$-5/2_1$	$-0.444\,477\,966\,218\,229\,8$		4 0
	$3/2$	$3/2_1$	$0.272\,628\,501\,750\,363\,57$		4 3
	$5/2$	$5/2_1$	$0.541\,297\,694\,438\,982\,7$		4 3
60.	$7/2$	$7/2_1$	$1.036\,015\,821\,980\,062\,6$	$-3.957\,464\,218\,777\,586\,6$	4 1
	$5/2$	$5/2_1$	$0.444\,477\,966\,218\,229\,8$		4 1
	$-3/2$	$-3/2_1$	$-0.272\,628\,501\,750\,363\,57$		4 4
	$-5/2$	$-5/2_1$	$-0.541\,297\,694\,438\,982\,7$		4 4
61.	$-7/2$	$-7/2_1$	$-1.117\,763\,179\,151\,264\,6$	$-3.916\,336\,243\,694\,565\,2$	4 0
	$-3/2$	$-3/2_1$	$-0.240\,310\,399\,362\,340\,25$		4 1
	$3/2$	$3/2_1$	$0.240\,310\,399\,362\,340\,25$		4 3
	$7/2$	$7/2_1$	$1.117\,763\,179\,151\,264\,6$		4 4
62.	$-7/2$	$-7/2_1$	$-1.035\,975\,791\,677\,395\,7$	$-3.775\,430\,361\,088\,430\,3$	4 0
	$-5/2$	$-5/2_1$	$-0.443\,710\,042\,696\,144\,9$		4 0
	$-1/2$	$-1/2_1$	$-0.055\,059\,988\,554\,038\,19$		4 1
	$7/2$	$7/2_1$	$1.184\,064\,658\,587\,257\,2$		4 4
63.	$7/2$	$7/2_1$	$1.035\,975\,791\,677\,395\,7$	$-3.775\,430\,361\,088\,430\,3$	4 0
	$5/2$	$5/2_1$	$0.443\,710\,042\,696\,144\,9$		4 3
	$1/2$	$1/2_1$	$0.055\,059\,988\,554\,038\,19$		4 4
	$-7/2$	$-7/2_1$	$-1.184\,064\,658\,587\,257\,2$		4 4
64.	$-7/2$	$-7/2_1$	$-1.054\,650\,840\,499\,136\,6$	$-3.717\,986\,650\,391\,954\,3$	4 0
	$-5/2$	$-5/2_1$	$-0.452\,298\,920\,943\,261\,2$		4 0
	$1/2$	$1/2_1$	$0.088\,247\,841\,699\,728\,8$		4 2
	$7/2$	$7/2_1$	$1.164\,222\,025\,836\,331$		4 4
65.	$7/2$	$7/2_1$	$1.054\,650\,840\,499\,136\,6$	$-3.717\,986\,650\,391\,954\,3$	4 0
	$5/2$	$5/2_1$	$0.452\,298\,920\,943\,261\,2$		4 2
	$-1/2$	$-1/2_1$	$-0.088\,247\,841\,699\,728\,8$		4 4
	$-7/2$	$-7/2_1$	$-1.164\,222\,025\,836\,331$		4 4

TABLE 4.1: (Continued)

	J	I_n	λ	E	Rigged Configuration
66.	$-7/2$	$-7/2_1$	$-1.201\,834\,722\,449\,146\,4$	$-3.529\,462\,943\,614\,059\,4$	4 | 0
	$3/2$	$3/2_1$	$0.209\,977\,394\,003\,744\,54$		4 | 4
	$5/2$	$5/2_1$	$0.433\,508\,215\,064\,659\,4$		4 | 4
	$7/2$	$7/2_1$	$1.011\,902\,837\,954\,899$		4 | 4
67.	$7/2$	$7/2_1$	$1.201\,834\,722\,449\,146\,4$	$-3.529\,462\,943\,614\,059\,4$	4 | 0
	$-3/2$	$-3/2_1$	$-0.209\,977\,394\,003\,744\,54$		4 | 0
	$-5/2$	$-5/2_1$	$-0.433\,508\,215\,064\,659\,4$		4 | 0
	$-7/2$	$-7/2_1$	$-1.011\,902\,837\,954\,899$		4 | 4
68.	$-7/2$	$-7/2_1$	$-1.137\,556\,597\,517\,831\,2$	$-3.368\,227\,142\,753\,162$	4 | 0
	$-3/2$	$-3/2_1$	$-0.247\,945\,562\,989\,801\,25$		4 | 1
	$5/2$	$5/2_1$	$0.460\,640\,823\,080\,063\,43$		4 | 4
	$7/2$	$7/2_1$	$1.072\,022\,029\,786\,937\,2$		4 | 4
69.	$7/2$	$7/2_1$	$1.137\,556\,597\,517\,831\,2$	$-3.368\,227\,142\,753\,162$	4 | 0
	$3/2$	$3/2_1$	$0.247\,945\,562\,989\,801\,25$		4 | 0
	$-5/2$	$-5/2_1$	$-0.460\,640\,823\,080\,063\,43$		4 | 3
	$-7/2$	$-7/2_1$	$-1.072\,022\,029\,786\,937\,2$		4 | 4
70.	$-7/2$	$-7/2_1$	$-1.091\,220\,984\,225\,221\,6$	$-2.817\,696\,043\,731\,182\,4$	4 | 0
	$-5/2$	$-5/2_1$	$-0.469\,993\,782\,194\,207\,73$		4 | 0
	$5/2$	$5/2_1$	$0.469\,993\,782\,194\,207\,73$		4 | 4
	$7/2$	$7/2_1$	$1.091\,220\,984\,225\,221\,6$		4 | 4

TABLE 4.2: Bethe roots for $N = 12$, $M = 4$. There are 140 solutions with two 1-strings and one 2-string

	J	I_n	λ	E	Rigged Configuration
71.	$-1/2$	$-1/2_1$	$-0.081\,993\,566\,340\,084\,53$	$-4.895\,249\,800\,546\,962$	4 | | 2
	$1/2$	$1/2_1$	$0.081\,993\,566\,340\,084\,53$		6 | 3
	$5/2$	0_2	$0.5\mathrm{i}$		6 | 3
	$7/2$		$-0.5\mathrm{i}$		
72.	$-3/2$	$-3/2_1$	$-0.261\,855\,175\,162\,658\,94$	$-4.506\,357\,797\,368\,622$	4 | | 2
	$-1/2$	$-1/2_1$	$-0.079\,701\,533\,042\,306\,4$		6 | 2
	$5/2$	0_2	$0.117\,445\,435\,259\,230\,92 + 0.500\,000\,000\,044\,022\,2\mathrm{i}$		6 | 2
	$7/2$		$0.117\,445\,435\,259\,230\,92 - 0.500\,000\,000\,044\,022\,2\mathrm{i}$		
73.	$3/2$	$3/2_1$	$0.261\,855\,175\,162\,658\,94$	$-4.506\,357\,797\,368\,622$	4 | | 2
	$1/2$	$1/2_1$	$0.079\,701\,533\,042\,306\,4$		6 | 4
	$-7/2$	0_2	$-0.117\,445\,435\,259\,230\,92 + 0.500\,000\,000\,044\,022\,2\mathrm{i}$		6 | 4
	$-5/2$		$-0.117\,445\,435\,259\,230\,92 - 0.500\,000\,000\,044\,022\,2\mathrm{i}$		

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
74.	$-3/2$	$-3/2_1$	$-0.264\,426\,551\,506\,821\,7$	$-4.506\,202\,917\,280\,661$	4 | | 2
	$1/2$	$1/2_1$	$0.082\,441\,772\,748\,852\,05$		6 | 2
	$5/2$	0_2	$0.061\,326\,844\,509\,566\,5 + 0.500\,000\,000\,000\,021\,3\mathrm{i}$		6 | 3
	$7/2$		$0.061\,326\,844\,509\,566\,5 - 0.500\,000\,000\,000\,021\,3\mathrm{i}$		
75.	$3/2$	$3/2_1$	$0.264\,426\,551\,506\,821\,7$	$-4.506\,202\,917\,280\,661$	4 | | 2
	$-1/2$	$-1/2_1$	$-0.082\,441\,772\,748\,852\,05$		6 | 3
	$-5/2$	0_2	$-0.061\,326\,844\,509\,566\,5 + 0.500\,000\,000\,000\,021\,3\mathrm{i}$		6 | 4
	$-7/2$		$-0.061\,326\,844\,509\,566\,5 - 0.500\,000\,000\,000\,021\,3\mathrm{i}$		
76.	$-3/2$	$-3/2_1$	$-0.265\,913\,728\,595\,608\,4$	$-4.118\,080\,676\,373\,112$	4 | | 2
	$3/2$	$3/2_1$	$0.265\,913\,728\,595\,608\,4$		6 | 2
	$5/2$	0_2	$0.5\mathrm{i}$		6 | 4
	$7/2$		$-0.5\mathrm{i}$		
77.	$-5/2$	$-5/2_1$	$-0.518\,251\,964\,069\,893\,2$	$-3.894\,747\,084\,323\,258$	4 | | 2
	$-1/2$	$-1/2_1$	$-0.073\,781\,033\,336\,673\,93$		6 | 1
	$5/2$	0_2	$0.165\,925\,733\,062\,843\,67 + 0.500\,000\,001\,972\,005\,3\mathrm{i}$		6 | 2
	$7/2$		$0.165\,925\,733\,062\,843\,67 - 0.500\,000\,001\,972\,005\,3\mathrm{i}$		
78.	$5/2$	$5/2_1$	$0.518\,251\,964\,069\,893\,2$	$-3.894\,747\,084\,323\,258$	4 | | 2
	$1/2$	$1/2_1$	$0.073\,781\,033\,336\,673\,93$		6 | 4
	$-7/2$	0_2	$-0.165\,925\,733\,062\,843\,67 + 0.500\,000\,001\,972\,005\,3\mathrm{i}$		6 | 5
	$-5/2$		$-0.165\,925\,733\,062\,843\,67 - 0.500\,000\,001\,972\,005\,3\mathrm{i}$		
79.	$-5/2$	$-5/2_1$	$-0.524\,803\,433\,146\,561\,1$	$-3.881\,141\,255\,600\,948$	4 | | 2
	$1/2$	$1/2_1$	$0.085\,639\,862\,027\,524\,55$		6 | 1
	$5/2$	0_2	$0.116\,892\,177\,402\,562\,58 + 0.500\,000\,000\,036\,029\,7\mathrm{i}$		6 | 3
	$7/2$		$0.116\,892\,177\,402\,562\,58 - 0.500\,000\,000\,036\,029\,7\mathrm{i}$		
80.	$5/2$	$5/2_1$	$0.524\,803\,433\,146\,561\,1$	$-3.881\,141\,255\,600\,948$	4 | | 2
	$-1/2$	$-1/2_1$	$-0.085\,639\,862\,027\,524\,55$		6 | 3
	$-7/2$	0_2	$-0.116\,892\,177\,402\,562\,58 + 0.500\,000\,000\,036\,029\,7\mathrm{i}$		6 | 5
	$-5/2$		$-0.116\,892\,177\,402\,562\,58 - 0.500\,000\,000\,036\,029\,7\mathrm{i}$		
81.	$-5/2$	$-5/2_1$	$-0.507\,333\,594\,031\,431\,7$	$-3.555\,837\,901\,218\,317$	4 | | 2
	$-3/2$	$-3/2_1$	$-0.245\,778\,472\,936\,751\,4$		6 | 1
	$5/2$	0_2	$0.205\,158\,790\,248\,817\,09 + 0.500\,000\,019\,268\,643\,3\mathrm{i}$		6 | 1
	$7/2$		$0.205\,158\,790\,248\,817\,09 - 0.500\,000\,019\,268\,643\,3\mathrm{i}$		
82.	$5/2$	$5/2_1$	$0.507\,333\,594\,031\,431\,7$	$-3.555\,837\,901\,218\,317$	4 | | 2
	$3/2$	$3/2_1$	$0.245\,778\,472\,936\,751\,4$		6 | 5
	$-7/2$	0_2	$-0.205\,158\,790\,248\,817\,09 + 0.500\,000\,019\,268\,643\,3\mathrm{i}$		6 | 5
	$-5/2$		$-0.205\,158\,790\,248\,817\,09 - 0.500\,000\,019\,268\,643\,3\mathrm{i}$		
83.	$-5/2$	$-5/2_1$	$-0.529\,398\,040\,181\,016\,7$	$-3.490\,411\,441\,746\,672\,5$	4 | | 2
	$3/2$	$3/2_1$	$0.269\,061\,560\,371\,040\,06$		6 | 1
	$5/2$	0_2	$0.058\,537\,236\,104\,191\,32 + 0.500\,000\,000\,000\,009\,2\mathrm{i}$		6 | 4
	$7/2$		$0.058\,537\,236\,104\,191\,32 - 0.500\,000\,000\,000\,009\,2\mathrm{i}$		
84.	$5/2$	$5/2_1$	$0.529\,398\,040\,181\,016\,7$	$-3.490\,411\,441\,746\,672\,5$	4 | | 2
	$-3/2$	$-3/2_1$	$-0.269\,061\,560\,371\,040\,06$		6 | 2
	$-7/2$	0_2	$-0.058\,537\,236\,104\,191\,32 + 0.500\,000\,000\,000\,009\,2\mathrm{i}$		6 | 5
	$-5/2$		$-0.058\,537\,236\,104\,191\,32 - 0.500\,000\,000\,000\,009\,2\mathrm{i}$		
85.	$-7/2$	$-7/2_1$	$-1.100\,781\,870\,785\,362\,3$	$-3.264\,492\,174\,951\,462$	4 | | 2
	$-1/2$	$-1/2_1$	$-0.061\,666\,249\,715\,500\,845$		6 | 0
	$5/2$	0_2	$0.223\,568\,512\,764\,222\,15 + 0.500\,000\,043\,630\,766\,3\mathrm{i}$		6 | 2
	$7/2$		$0.223\,568\,512\,764\,222\,15 - 0.500\,000\,043\,630\,766\,3\mathrm{i}$		
86.	$7/2$	$7/2_1$	$1.100\,781\,870\,785\,362\,3$	$-3.264\,492\,174\,951\,462$	4 | | 2
	$1/2$	$1/2_1$	$0.061\,666\,249\,715\,500\,845$		6 | 4
	$-7/2$	0_2	$-0.223\,568\,512\,764\,222\,15 + 0.500\,000\,043\,630\,766\,3\mathrm{i}$		6 | 6
	$-5/2$		$-0.223\,568\,512\,764\,222\,15 - 0.500\,000\,043\,630\,766\,3\mathrm{i}$		

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
87.	$-7/2$	$-7/2_1$	$-1.114\,701\,645\,612\,063\,3$	$-3.235\,722\,045\,413\,663\,5$	4 | | 2
	$1/2$	$1/2_1$	$0.093\,552\,351\,797\,026\,35$		6 | 0
	$5/2$	0_2	$0.180\,713\,755\,467\,183\,1 + 0.500\,000\,004\,227\,036\mathrm{i}$		6 | 3
	$7/2$		$0.180\,713\,755\,467\,183\,1 - 0.500\,000\,004\,227\,036\mathrm{i}$		
88.	$7/2$	$7/2_1$	$1.114\,701\,645\,612\,063\,3$	$-3.235\,722\,045\,413\,663\,5$	4 | | 2
	$-1/2$	$-1/2_1$	$-0.093\,552\,351\,797\,026\,35$		6 | 3
	$-7/2$	0_2	$-0.180\,713\,755\,467\,183\,1 + 0.500\,000\,004\,227\,036\mathrm{i}$		6 | 6
	$-5/2$		$-0.180\,713\,755\,467\,183\,1 - 0.500\,000\,004\,227\,036\mathrm{i}$		
89.	$-7/2$	$-7/2_1$	$-1.079\,030\,329\,296\,615\,5$	$-2.953\,428\,146\,493\,379$	4 | | 2
	$-3/2$	$-3/2_1$	$-0.225\,529\,405\,702\,084\,66$		6 | 0
	$5/2$	0_2	$0.257\,056\,292\,606\,396\,2 + 0.500\,000\,181\,047\,422\,3\mathrm{i}$		6 | 1
	$7/2$		$0.257\,056\,292\,606\,396\,2 - 0.500\,000\,181\,047\,422\,3\mathrm{i}$		
90.	$7/2$	$7/2_1$	$1.079\,030\,329\,296\,615\,5$	$-2.953\,428\,146\,493\,379$	4 | | 2
	$3/2$	$3/2_1$	$0.225\,529\,405\,702\,084\,66$		6 | 5
	$-7/2$	0_2	$-0.257\,056\,292\,606\,396\,2 + 0.500\,000\,181\,047\,422\,3\mathrm{i}$		6 | 6
	$-5/2$		$-0.257\,056\,292\,606\,396\,2 - 0.500\,000\,181\,047\,422\,3\mathrm{i}$		
91.	$-5/2$	$-5/2_1$	$-0.535\,523\,144\,483\,441$	$-2.862\,943\,131\,218\,868\,2$	4 | | 2
	$5/2$	$5/2_1$	$0.535\,523\,144\,483\,441$		6 | 1
	$5/2$	0_2	$0.5\mathrm{i}$		6 | 5
	$7/2$		$-0.5\mathrm{i}$		
92.	$-7/2$	$-7/2_1$	$-1.125\,207\,771\,557\,059\,9$	$-2.846\,556\,205\,932\,528$	4 | | 2
	$3/2$	$3/2_1$	$0.276\,312\,539\,449\,944\,3$		6 | 0
	$5/2$	0_2	$0.124\,827\,720\,101\,201\,02 + 0.500\,000\,000\,054\,595\,7\mathrm{i}$		6 | 4
	$7/2$		$0.124\,827\,720\,101\,201\,02 - 0.500\,000\,000\,054\,595\,7\mathrm{i}$		
93.	$7/2$	$7/2_1$	$1.125\,207\,771\,557\,059\,9$	$-2.846\,556\,205\,932\,528$	4 | | 2
	$-3/2$	$-3/2_1$	$-0.276\,312\,539\,449\,944\,3$		6 | 2
	$-7/2$	0_2	$-0.124\,827\,720\,101\,201\,02 + 0.500\,000\,000\,054\,595\,7\mathrm{i}$		6 | 6
	$-5/2$		$-0.124\,827\,720\,101\,201\,02 - 0.500\,000\,000\,054\,595\,7\mathrm{i}$		
94.	$-7/2$	$-7/2_1$	$-1.038\,272\,366\,809\,306$	$-2.412\,587\,743\,374\,817\,5$	4 | | 2
	$-5/2$	$-5/2_1$	$-0.446\,553\,901\,035\,271\,65$		6 | 0
	$5/2$	0_2	$0.287\,768\,622\,437\,898 + 0.500\,000\,531\,380\,506\,3\mathrm{i}$		6 | 0
	$7/2$		$0.287\,768\,622\,437\,898 - 0.500\,000\,531\,380\,506\,3\mathrm{i}$		
95.	$7/2$	$7/2_1$	$1.038\,272\,366\,809\,306$	$-2.412\,587\,743\,374\,817\,5$	4 | | 2
	$5/2$	$5/2_1$	$0.446\,553\,901\,035\,271\,65$		6 | 6
	$-7/2$	0_2	$-0.287\,768\,622\,437\,898 + 0.500\,000\,531\,380\,506\,3\mathrm{i}$		6 | 6
	$-5/2$		$-0.287\,768\,622\,437\,898 - 0.500\,000\,531\,380\,506\,3\mathrm{i}$		
96.	$-7/2$	$-7/2_1$	$-1.138\,544\,601\,143\,157\,3$	$-2.228\,609\,888\,400\,622$	4 | | 2
	$5/2$	$5/2_1$	$0.547\,551\,736\,735\,578\,6$		6 | 0
	$5/2$	0_2	$0.064\,525\,520\,610\,379\,61 + 0.500\,000\,000\,000\,017\mathrm{i}$		6 | 5
	$7/2$		$0.064\,525\,520\,610\,379\,61 - 0.500\,000\,000\,000\,017\mathrm{i}$		
97.	$7/2$	$7/2_1$	$1.138\,544\,601\,143\,157\,3$	$-2.228\,609\,888\,400\,622$	4 | | 2
	$-5/2$	$-5/2_1$	$-0.547\,551\,736\,735\,578\,6$		6 | 1
	$-7/2$	0_2	$-0.064\,525\,520\,610\,379\,61 + 0.500\,000\,000\,000\,017\mathrm{i}$		6 | 6
	$-5/2$		$-0.064\,525\,520\,610\,379\,61 - 0.500\,000\,000\,000\,017\mathrm{i}$		
98.	$-7/2$	$-7/2_1$	$-1.165\,764\,074\,178\,209\,8$	$-1.621\,501\,769\,829\,082\,6$	4 | | 2
	$7/2$	$7/2_1$	$1.165\,764\,074\,178\,209\,8$		6 | 0
	$5/2$	0_2	$0.5\mathrm{i}$		6 | 6
	$7/2$		$-0.5\mathrm{i}$		

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
99.	$-1/2$	$-1/2_1$	$-0.128\,028\,230\,432\,785\,05$	$-4.677\,654\,794\,255\,555$	4 ☐☐ 3
	$1/2$	$1/2_1$	$0.028\,410\,190\,328\,398\,373$		6 ☐ 3
	$7/2$	1_2	$0.490\,629\,643\,453\,609\,27 + 0.499\,748\,863\,503\,344\,4\mathrm{i}$		6 ☐ 3
	$7/2$		$0.490\,629\,643\,453\,609\,27 - 0.499\,748\,863\,503\,344\,4\mathrm{i}$		6 ☐ 3
100.	$1/2$	$1/2_1$	$0.128\,028\,230\,432\,785\,05$	$-4.677\,654\,794\,255\,555$	4 ☐☐ 1
	$-1/2$	$-1/2_1$	$-0.028\,410\,190\,328\,398\,373$		6 ☐ 3
	$-7/2$	-1_2	$-0.490\,629\,643\,453\,609\,27 + 0.499\,748\,863\,503\,344\,4\mathrm{i}$		6 ☐ 3
	$-7/2$		$-0.490\,629\,643\,453\,609\,27 - 0.499\,748\,863\,503\,344\,4\mathrm{i}$		6 ☐ 3
101.	$1/2$	$1/2_1$	$0.021\,045\,178\,849\,778\,894$	$-4.607\,873\,690\,097\,687$	4 ☐☐ 3
	$3/2$	$3/2_1$	$0.188\,905\,715\,754\,498\,3$		6 ☐ 4
	$7/2$	1_2	$0.401\,972\,852\,840\,514\,2 + 0.499\,950\,260\,410\,298\,2\mathrm{i}$		6 ☐ 4
	$7/2$		$0.401\,972\,852\,840\,514\,2 - 0.499\,950\,260\,410\,298\,2\mathrm{i}$		6 ☐ 4
102.	$-1/2$	$-1/2_1$	$-0.021\,045\,178\,849\,778\,894$	$-4.607\,873\,690\,097\,687$	4 ☐☐ 1
	$-3/2$	$-3/2_1$	$-0.188\,905\,715\,754\,498\,3$		6 ☐ 2
	$-7/2$	-1_2	$-0.401\,972\,852\,840\,514\,2 + 0.499\,950\,260\,410\,298\,2\mathrm{i}$		6 ☐ 2
	$-7/2$		$-0.401\,972\,852\,840\,514\,2 - 0.499\,950\,260\,410\,298\,2\mathrm{i}$		6 ☐ 2
103.	$-1/2$	$-1/2_1$	$-0.132\,299\,573\,166\,072\,27$	$-4.449\,678\,153\,134\,991$	4 ☐☐ 3
	$3/2$	$3/2_1$	$0.191\,888\,015\,156\,294\,75$		6 ☐ 3
	$7/2$	1_2	$0.441\,823\,868\,054\,631\,03 + 0.499\,891\,000\,704\,214\,44\mathrm{i}$		6 ☐ 4
	$7/2$		$0.441\,823\,868\,054\,631\,03 - 0.499\,891\,000\,704\,214\,44\mathrm{i}$		6 ☐ 4
104.	$1/2$	$1/2_1$	$0.132\,299\,573\,166\,072\,27$	$-4.449\,678\,153\,134\,991$	4 ☐☐ 1
	$-3/2$	$-3/2_1$	$-0.191\,888\,015\,156\,294\,75$		6 ☐ 2
	$-7/2$	-1_2	$-0.441\,823\,868\,054\,631\,03 + 0.499\,891\,000\,704\,214\,44\mathrm{i}$		6 ☐ 3
	$-7/2$		$-0.441\,823\,868\,054\,631\,03 - 0.499\,891\,000\,704\,214\,44\mathrm{i}$		6 ☐ 3
105.	$-3/2$	$-3/2_1$	$-0.304\,732\,687\,804\,506\,35$	$-4.237\,249\,802\,667\,565$	4 ☐☐ 3
	$1/2$	$1/2_1$	$0.033\,847\,684\,680\,57$		6 ☐ 2
	$7/2$	1_2	$0.521\,033\,300\,522\,185\,9 + 0.499\,619\,521\,255\,342\,6\mathrm{i}$		6 ☐ 3
	$7/2$		$0.521\,033\,300\,522\,185\,9 - 0.499\,619\,521\,255\,342\,6\mathrm{i}$		6 ☐ 3
106.	$3/2$	$3/2_1$	$0.304\,732\,687\,804\,506\,35$	$-4.237\,249\,802\,667\,565$	4 ☐☐ 1
	$-1/2$	$-1/2_1$	$-0.033\,847\,684\,680\,57$		6 ☐ 3
	$-7/2$	-1_2	$-0.521\,033\,300\,522\,185\,9 + 0.499\,619\,521\,255\,342\,6\mathrm{i}$		6 ☐ 4
	$-7/2$		$-0.521\,033\,300\,522\,185\,9 - 0.499\,619\,521\,255\,342\,6\mathrm{i}$		6 ☐ 4
107.	$-3/2$	$-3/2_1$	$-0.297\,799\,729\,546\,939\,73$	$-4.142\,557\,221\,167\,858$	4 ☐☐ 3
	$-1/2$	$-1/2_1$	$-0.116\,100\,926\,301\,533\,94$		6 ☐ 2
	$7/2$	1_2	$0.551\,916\,652\,812\,846\,1 + 0.499\,440\,606\,095\,065\,74\mathrm{i}$		6 ☐ 2
	$7/2$		$0.551\,916\,652\,812\,846\,1 - 0.499\,440\,606\,095\,065\,74\mathrm{i}$		6 ☐ 2
108.	$3/2$	$3/2_1$	$0.297\,799\,729\,546\,939\,73$	$-4.142\,557\,221\,167\,858$	4 ☐☐ 1
	$1/2$	$1/2_1$	$0.116\,100\,926\,301\,533\,94$		6 ☐ 4
	$-7/2$	-1_2	$-0.551\,916\,652\,812\,846\,1 + 0.499\,440\,606\,095\,065\,74\mathrm{i}$		6 ☐ 4
	$-7/2$		$-0.551\,916\,652\,812\,846\,1 - 0.499\,440\,606\,095\,065\,74\mathrm{i}$		6 ☐ 4
109.	$1/2$	$1/2_1$	$0.020\,374\,539\,800\,331\,423$	$-4.050\,473\,212\,735\,036$	4 ☐☐ 3
	$5/2$	$5/2_1$	$0.436\,577\,542\,470\,918\,57$		6 ☐ 4
	$7/2$	1_2	$0.296\,990\,674\,922\,217 + 0.499\,997\,803\,377\,326\,4\mathrm{i}$		6 ☐ 5
	$7/2$		$0.296\,990\,674\,922\,217 - 0.499\,997\,803\,377\,326\,4\mathrm{i}$		6 ☐ 5
110.	$-1/2$	$-1/2_1$	$-0.020\,374\,539\,800\,331\,423$	$-4.050\,473\,212\,735\,036$	4 ☐☐ 1
	$-5/2$	$-5/2_1$	$-0.436\,577\,542\,470\,918\,57$		6 ☐ 1
	$-7/2$	-1_2	$-0.296\,990\,674\,922\,217 + 0.499\,997\,803\,377\,326\,4\mathrm{i}$		6 ☐ 2
	$-7/2$		$-0.296\,990\,674\,922\,217 - 0.499\,997\,803\,377\,326\,4\mathrm{i}$		6 ☐ 2

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
111.	$-3/2$	$-3/2_1$	$-0.310\,464\,803\,336\,907\,35$	$-3.993\,080\,437\,860\,716\,5$	4 ☐☐ 3
	$3/2$	$3/2_1$	$0.196\,255\,351\,802\,545\,7$		
	$7/2$	1_2	$0.475\,381\,100\,274\,126\,1 + 0.499\,809\,779\,882\,590\,5\mathrm{i}$		6 ☐ 2
	$7/2$		$0.475\,381\,100\,274\,126\,1 - 0.499\,809\,779\,882\,590\,5\mathrm{i}$		6 ☐ 4
112.	$3/2$	$3/2_1$	$0.310\,464\,803\,336\,907\,35$	$-3.993\,080\,437\,860\,716\,5$	4 ☐☐ 1
	$-3/2$	$-3/2_1$	$-0.196\,255\,351\,802\,545\,7$		
	$-7/2$	-1_2	$-0.475\,381\,100\,274\,126\,1 + 0.499\,809\,779\,882\,590\,5\mathrm{i}$		6 ☐ 2
	$-7/2$		$-0.475\,381\,100\,274\,126\,1 - 0.499\,809\,779\,882\,590\,5\mathrm{i}$		6 ☐ 4
113.	$-1/2$	$-1/2_1$	$-0.134\,856\,294\,459\,379\,4$	$-3.892\,465\,647\,642\,262\,5$	4 ☐☐ 3
	$5/2$	$5/2_1$	$0.437\,314\,193\,363\,043\,8$		
	$7/2$	1_2	$0.342\,800\,131\,033\,901\,5 + 0.499\,990\,908\,446\,223\,57\mathrm{i}$		6 ☐ 3
	$7/2$		$0.342\,800\,131\,033\,901\,5 - 0.499\,990\,908\,446\,223\,57\mathrm{i}$		6 ☐ 5
114.	$1/2$	$1/2_1$	$0.134\,856\,294\,459\,379\,4$	$-3.892\,465\,647\,642\,262\,5$	4 ☐☐ 1
	$-5/2$	$-5/2_1$	$-0.437\,314\,193\,363\,043\,8$		
	$-7/2$	-1_2	$-0.342\,800\,131\,033\,901\,5 + 0.499\,990\,908\,446\,223\,57\mathrm{i}$		6 ☐ 1
	$-7/2$		$-0.342\,800\,131\,033\,901\,5 - 0.499\,990\,908\,446\,223\,57\mathrm{i}$		6 ☐ 3
115.	$3/2$	$3/2_1$	$0.190\,225\,212\,779\,672\,4$	$-3.829\,406\,382\,947\,878$	4 ☐☐ 3
	$5/2$	$5/2_1$	$0.437\,483\,401\,686\,810\,2$		
	$7/2$	1_2	$0.230\,608\,006\,883\,020\,58 + 0.499\,999\,861\,246\,774\,15\mathrm{i}$		6 ☐ 5
	$7/2$		$0.230\,608\,006\,883\,020\,58 - 0.499\,999\,861\,246\,774\,15\mathrm{i}$		6 ☐ 5
116.	$-3/2$	$-3/2_1$	$-0.190\,225\,212\,779\,672\,4$	$-3.829\,406\,382\,947\,878$	4 ☐☐ 1
	$-5/2$	$-5/2_1$	$-0.437\,483\,401\,686\,810\,2$		
	$-7/2$	-1_2	$-0.230\,608\,006\,883\,020\,58 + 0.499\,999\,861\,246\,774\,15\mathrm{i}$		6 ☐ 1
	$-7/2$		$-0.230\,608\,006\,883\,020\,58 - 0.499\,999\,861\,246\,774\,15\mathrm{i}$		6 ☐ 1
117.	$-5/2$	$-5/2_1$	$-0.568\,798\,003\,074\,846\,1$	$-3.625\,317\,201\,111\,031$	4 ☐☐ 3
	$1/2$	$1/2_1$	$0.041\,420\,915\,017\,789\,47$		
	$7/2$	1_2	$0.554\,134\,802\,636\,860\,9 + 0.499\,430\,865\,556\,576\,8\mathrm{i}$		6 ☐ 1
	$7/2$		$0.554\,134\,802\,636\,860\,9 - 0.499\,430\,865\,556\,576\,8\mathrm{i}$		6 ☐ 3
118.	$5/2$	$5/2_1$	$0.568\,798\,003\,074\,846\,1$	$-3.625\,317\,201\,111\,031$	4 ☐☐ 1
	$-1/2$	$-1/2_1$	$-0.041\,420\,915\,017\,789\,47$		
	$-7/2$	-1_2	$-0.554\,134\,802\,636\,860\,9 + 0.499\,430\,865\,556\,576\,8\mathrm{i}$		6 ☐ 3
	$-7/2$		$-0.554\,134\,802\,636\,860\,9 - 0.499\,430\,865\,556\,576\,8\mathrm{i}$		6 ☐ 5
119.	$-5/2$	$-5/2_1$	$-0.558\,436\,126\,412\,392\,5$	$-3.551\,749\,156\,450\,013$	4 ☐☐ 3
	$-1/2$	$-1/2_1$	$-0.106\,593\,867\,237\,293\,43$		
	$7/2$	1_2	$0.583\,238\,770\,856\,151\,1 + 0.499\,212\,498\,408\,256\,04\mathrm{i}$		6 ☐ 1
	$7/2$		$0.583\,238\,770\,856\,151\,1 - 0.499\,212\,498\,408\,256\,04\mathrm{i}$		6 ☐ 2
120.	$5/2$	$5/2_1$	$0.558\,436\,126\,412\,392\,5$	$-3.551\,749\,156\,450\,013$	4 ☐☐ 1
	$1/2$	$1/2_1$	$0.106\,593\,867\,237\,293\,43$		
	$-7/2$	-1_2	$-0.583\,238\,770\,856\,151\,1 + 0.499\,212\,498\,408\,256\,04\mathrm{i}$		6 ☐ 4
	$-7/2$		$-0.583\,238\,770\,856\,151\,1 - 0.499\,212\,498\,408\,256\,04\mathrm{i}$		6 ☐ 5
121.	$-3/2$	$-3/2_1$	$-0.314\,666\,218\,881\,712\,1$	$-3.433\,739\,046\,154\,319$	4 ☐☐ 3
	$5/2$	$5/2_1$	$0.439\,754\,003\,263\,134\,3$		
	$7/2$	1_2	$0.380\,958\,902\,015\,123\,67 + 0.499\,976\,148\,576\,344\,87\mathrm{i}$		6 ☐ 2
	$7/2$		$0.380\,958\,902\,015\,123\,67 - 0.499\,976\,148\,576\,344\,87\mathrm{i}$		6 ☐ 5
122.	$3/2$	$3/2_1$	$0.314\,666\,218\,881\,712\,1$	$-3.433\,739\,046\,154\,319$	4 ☐☐ 1
	$-5/2$	$-5/2_1$	$-0.439\,754\,003\,263\,134\,3$		
	$-7/2$	-1_2	$-0.380\,958\,902\,015\,123\,67 + 0.499\,976\,148\,576\,344\,87\mathrm{i}$		6 ☐ 1
	$-7/2$		$-0.380\,958\,902\,015\,123\,67 - 0.499\,976\,148\,576\,344\,87\mathrm{i}$		6 ☐ 4

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
123.	$-5/2$	$-5/2_1$	$-0.577\,277\,596\,744\,202\,6$	$-3.369\,467\,618\,447\,652$	4 | | 3
	$3/2$	$3/2_1$	$0.202\,558\,925\,425\,447\,84$		
	$7/2$	1_2	$0.511\,234\,658\,104\,592\,1 + 0.499\,680\,292\,552\,011\,85\mathrm{i}$		6 | 1
	$7/2$		$0.511\,234\,658\,104\,592\,1 - 0.499\,680\,292\,552\,011\,85\mathrm{i}$		6 | 4
124.	$5/2$	$5/2_1$	$0.577\,277\,596\,744\,202\,6$	$-3.369\,467\,618\,447\,652$	4 | | 1
	$-3/2$	$-3/2_1$	$-0.202\,558\,925\,425\,447\,84$		
	$-7/2$	-1_2	$-0.511\,234\,658\,104\,592\,1 + 0.499\,680\,292\,552\,011\,85\mathrm{i}$		6 | 2
	$-7/2$		$-0.511\,234\,658\,104\,592\,1 - 0.499\,680\,292\,552\,011\,85\mathrm{i}$		6 | 5
125.	$1/2$	$1/2_1$	$0.016\,534\,134\,275\,418\,097$	$-3.365\,921\,112\,826\,858\,7$	4 | | 3
	$7/2$	$7/2_1$	$1.007\,283\,971\,638\,434\,7$		
	$7/2$	1_2	$0.167\,434\,134\,136\,205\,9 + 0.499\,999\,997\,912\,218\,3\mathrm{i}$		6 | 4
	$7/2$		$0.167\,434\,134\,136\,205\,9 + 0.499\,999\,997\,912\,218\,3\mathrm{i}$		6 | 6
126.	$-1/2$	$-1/2_1$	$-0.016\,534\,134\,275\,418\,097$	$-3.365\,921\,112\,826\,858\,7$	4 | | 1
	$-7/2$	$-7/2_1$	$-1.007\,283\,971\,638\,434\,7$		
	$-7/2$	-1_2	$-0.167\,434\,134\,136\,205\,9 + 0.499\,999\,997\,912\,218\,3\mathrm{i}$		6 | 0
	$-7/2$		$-0.167\,434\,134\,136\,205\,9 + 0.499\,999\,997\,912\,218\,3\mathrm{i}$		6 | 2
127.	$-1/2$	$-1/2_1$	$-0.139\,473\,944\,559\,005\,5$	$-3.203\,577\,045\,998\,985\,6$	4 | | 3
	$7/2$	$7/2_1$	$1.016\,494\,668\,107\,987\,4$		
	$7/2$	1_2	$0.208\,515\,437\,242\,482\,1 + 0.499\,999\,976\,281\,020\,33\mathrm{i}$		6 | 3
	$7/2$		$0.208\,515\,437\,242\,482\,1 - 0.499\,999\,976\,281\,020\,33\mathrm{i}$		6 | 6
128.	$1/2$	$1/2_1$	$0.139\,473\,944\,559\,005\,5$	$-3.203\,577\,045\,998\,985\,6$	4 | | 1
	$-7/2$	$-7/2_1$	$-1.016\,494\,668\,107\,987\,4$		
	$-7/2$	-1_2	$-0.208\,515\,437\,242\,482\,1 + 0.499\,999\,976\,281\,020\,33\mathrm{i}$		6 | 0
	$-7/2$		$-0.208\,515\,437\,242\,482\,1 - 0.499\,999\,976\,281\,020\,33\mathrm{i}$		6 | 3
129.	$-5/2$	$-5/2_1$	$-0.544\,279\,795\,525\,648\,5$	$-3.183\,223\,238\,542\,611\,4$	4 | | 3
	$-3/2$	$-3/2_1$	$-0.275\,170\,862\,475\,097\,03$		
	$7/2$	1_2	$0.608\,567\,959\,800\,013\,1 + 0.498\,987\,900\,172\,517\,93\mathrm{i}$		6 | 1
	$7/2$		$0.608\,567\,959\,800\,013\,1 - 0.498\,987\,900\,172\,517\,93\mathrm{i}$		6 | 1
130.	$5/2$	$5/2_1$	$0.544\,279\,795\,525\,648\,5$	$-3.183\,223\,238\,542\,611\,4$	4 | | 1
	$3/2$	$3/2_1$	$0.275\,170\,862\,475\,097\,03$		
	$-7/2$	-1_2	$-0.608\,567\,959\,800\,013\,1 + 0.498\,987\,900\,172\,517\,93\mathrm{i}$		6 | 5
	$-7/2$		$-0.608\,567\,959\,800\,013\,1 - 0.498\,987\,900\,172\,517\,93\mathrm{i}$		6 | 5
131.	$3/2$	$3/2_1$	$0.182\,984\,825\,814\,217\,6$	$-3.153\,814\,893\,439\,909\,7$	4 | | 3
	$7/2$	$7/2_1$	$0.995\,084\,962\,974\,886$		
	$7/2$	1_2	$0.115\,298\,010\,625\,850\,39 + 0.499\,999\,999\,973\,926\mathrm{i}$		6 | 5
	$7/2$		$0.115\,298\,010\,625\,850\,39 - 0.499\,999\,999\,973\,926\mathrm{i}$		6 | 6
132.	$-3/2$	$-3/2_1$	$-0.182\,984\,825\,814\,217\,6$	$-3.153\,814\,893\,439\,909\,7$	4 | | 1
	$-7/2$	$-7/2_1$	$-0.995\,084\,962\,974\,886$		
	$-7/2$	-1_2	$-0.115\,298\,010\,625\,850\,39 + 0.499\,999\,999\,973\,926\mathrm{i}$		6 | 0
	$-7/2$		$-0.115\,298\,010\,625\,850\,39 - 0.499\,999\,999\,973\,926\mathrm{i}$		6 | 1
133.	$-7/2$	$-7/2_1$	$-1.184\,808\,635\,254\,385\,4$	$-3.016\,239\,519\,985\,608\,5$	4 | | 3
	$1/2$	$1/2_1$	$0.053\,531\,144\,577\,224\,39$		
	$7/2$	1_2	$0.602\,684\,515\,085\,560\,8 + 0.499\,026\,874\,964\,849\,27\mathrm{i}$		6 | 0
	$7/2$		$0.602\,684\,515\,085\,560\,8 - 0.499\,026\,874\,964\,849\,27\mathrm{i}$		6 | 3
134.	$7/2$	$7/2_1$	$1.184\,808\,635\,254\,385\,4$	$-3.016\,239\,519\,985\,608\,5$	4 | | 1
	$-1/2$	$-1/2_1$	$-0.053\,531\,144\,577\,224\,39$		
	$-7/2$	-1_2	$-0.602\,684\,515\,085\,560\,8 + 0.499\,026\,874\,964\,849\,27\mathrm{i}$		6 | 3
	$-7/2$		$-0.602\,684\,515\,085\,560\,8 - 0.499\,026\,874\,964\,849\,27\mathrm{i}$		6 | 6

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
135.	$-7/2$	$-7/2_1$	$-1.166\,931\,539\,668\,738$	$-2.965\,672\,760\,601\,510\,7$	4 | | 3
	$-1/2$	$-1/2_1$	$-0.090\,995\,838\,553\,987\,37$		6 | 0
	$7/2$	1_2	$0.629\,795\,574\,272\,442 + 0.498\,741\,380\,477\,408\,46\mathrm{i}$		6 | 2
	$7/2$		$0.629\,795\,574\,272\,442 - 0.498\,741\,380\,477\,408\,46\mathrm{i}$		
136.	$7/2$	$7/2_1$	$1.166\,931\,539\,668\,738$	$-2.965\,672\,760\,601\,510\,7$	4 | | 1
	$1/2$	$1/2_1$	$0.090\,995\,838\,553\,987\,37$		6 | 4
	$-7/2$	-1_2	$-0.629\,795\,574\,272\,442 + 0.498\,741\,380\,477\,408\,46\mathrm{i}$		6 | 6
	$-7/2$		$-0.629\,795\,574\,272\,442 - 0.498\,741\,380\,477\,408\,46\mathrm{i}$		
137.	$-5/2$	$-5/2_1$	$-0.583\,968\,264\,027\,797$	$-2.813\,866\,863\,945\,063$	4 | | 3
	$5/2$	$5/2_1$	$0.444\,107\,782\,014\,857\,7$		6 | 1
	$7/2$	1_2	$0.420\,854\,134\,346\,613\,23 + 0.499\,944\,029\,443\,988\,97\mathrm{i}$		6 | 5
	$7/2$		$0.420\,854\,134\,346\,613\,23 - 0.499\,944\,029\,443\,988\,97\mathrm{i}$		
138.	$5/2$	$5/2_1$	$0.583\,968\,264\,027\,797$	$-2.813\,866\,863\,945\,063$	4 | | 1
	$-5/2$	$-5/2_1$	$-0.444\,107\,782\,014\,857\,7$		6 | 1
	$-7/2$	-1_2	$-0.420\,854\,134\,346\,613\,23 + 0.499\,944\,029\,443\,988\,97\mathrm{i}$		6 | 5
	$-7/2$		$-0.420\,854\,134\,346\,613\,23 - 0.499\,944\,029\,443\,988\,97\mathrm{i}$		
139.	$-7/2$	$-7/2_1$	$-1.199\,418\,462\,642\,950\,7$	$-2.751\,192\,707\,558\,865\,4$	4 | | 3
	$3/2$	$3/2_1$	$0.212\,752\,706\,488\,666\,82$		6 | 0
	$7/2$	1_2	$0.562\,738\,714\,748\,318\,4 + 0.499\,380\,668\,572\,240\,8\mathrm{i}$		6 | 4
	$7/2$		$0.562\,738\,714\,748\,318\,4 - 0.499\,380\,668\,572\,240\,8\mathrm{i}$		
140.	$7/2$	$7/2_1$	$1.199\,418\,462\,642\,950\,7$	$-2.751\,192\,707\,558\,865\,4$	4 | | 1
	$-3/2$	$-3/2_1$	$-0.212\,752\,706\,488\,666\,82$		6 | 2
	$-7/2$	-1_2	$-0.562\,738\,714\,748\,318\,4 + 0.499\,380\,668\,572\,240\,8\mathrm{i}$		6 | 6
	$-7/2$		$-0.562\,738\,714\,748\,318\,4 - 0.499\,380\,668\,572\,240\,8\mathrm{i}$		
141.	$-3/2$	$-3/2_1$	$-0.321\,102\,292\,971\,533\,64$	$-2.743\,389\,509\,474\,255$	4 | | 3
	$7/2$	$7/2_1$	$1.026\,999\,519\,621\,639\,3$		6 | 2
	$7/2$	1_2	$0.243\,185\,106\,038\,595\,83 + 0.499\,999\,882\,729\,123\mathrm{i}$		6 | 6
	$7/2$		$0.243\,185\,106\,038\,595\,83 - 0.499\,999\,882\,729\,123\mathrm{i}$		
142.	$3/2$	$3/2_1$	$0.321\,102\,292\,971\,533\,64$	$-2.743\,389\,509\,474\,255$	4 | | 1
	$-7/2$	$-7/2_1$	$-1.026\,999\,519\,621\,639\,3$		6 | 0
	$-7/2$	-1_2	$-0.243\,185\,106\,038\,595\,83 + 0.499\,999\,882\,729\,123\mathrm{i}$		6 | 4
	$-7/2$		$-0.243\,185\,106\,038\,595\,83 - 0.499\,999\,882\,729\,123\mathrm{i}$		
143.	$5/2$	$5/2_1$	$0.405\,609\,775\,078\,901\,8$	$-2.625\,434\,565\,219\,578\,5$	4 | | 3
	$7/2$	$7/2_1$	$0.966\,052\,905\,923\,153\,3$		6 | 6
	$7/2$	1_2	$0.057\,923\,855\,019\,563\,826 + 0.499\,999\,999\,999\,994\mathrm{i}$		6 | 6
	$7/2$		$0.057\,923\,855\,019\,563\,826 - 0.499\,999\,999\,999\,994\mathrm{i}$		
144.	$-5/2$	$-5/2_1$	$-0.405\,609\,775\,078\,901\,8$	$-2.625\,434\,565\,219\,578\,5$	4 | | 1
	$-7/2$	$-7/2_1$	$-0.966\,052\,905\,923\,153\,3$		6 | 0
	$-7/2$	-1_2	$-0.057\,923\,855\,019\,563\,826 + 0.499\,999\,999\,999\,994\mathrm{i}$		6 | 0
	$-7/2$		$-0.057\,923\,855\,019\,563\,826 - 0.499\,999\,999\,999\,994\mathrm{i}$		
145.	$-7/2$	$-7/2_1$	$-1.141\,776\,866\,216\,801\,7$	$-2.622\,999\,663\,352\,098\,7$	4 | | 3
	$-3/2$	$-3/2_1$	$-0.251\,506\,034\,303\,896\,56$		6 | 0
	$7/2$	1_2	$0.653\,085\,780\,799\,748\,9 + 0.498\,465\,702\,878\,979\mathrm{i}$		6 | 1
	$7/2$		$0.653\,085\,780\,799\,748\,9 - 0.498\,465\,702\,878\,979\mathrm{i}$		
146.	$7/2$	$7/2_1$	$1.141\,776\,866\,216\,801\,7$	$-2.622\,999\,663\,352\,098\,7$	4 | | 1
	$3/2$	$3/2_1$	$0.251\,506\,034\,303\,896\,56$		6 | 5
	$-7/2$	-1_2	$-0.653\,085\,780\,799\,748\,9 + 0.498\,465\,702\,878\,979\mathrm{i}$		6 | 6
	$-7/2$		$-0.653\,085\,780\,799\,748\,9 - 0.498\,465\,702\,878\,979\mathrm{i}$		
147.	$-7/2$	$-7/2_1$	$-1.211\,388\,106\,858\,012\,3$	$-2.207\,852\,648\,272\,820\,2$	4 | | 3
	$5/2$	$5/2_1$	$0.451\,734\,115\,236\,916\,14$		6 | 0
	$7/2$	1_2	$0.476\,761\,771\,706\,053\,44 + 0.499\,844\,747\,872\,229\,1\mathrm{i}$		6 | 5
	$7/2$		$0.476\,761\,771\,706\,053\,44 - 0.499\,844\,747\,872\,229\,1\mathrm{i}$		

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
148.	$7/2$	$7/2_1$	$1.211\,388\,106\,858\,012\,3$	$-2.207\,852\,648\,272\,820\,2$	4 ☐☐ 1
	$-5/2$	$-5/2_1$	$-0.451\,734\,115\,236\,916\,14$		
	$-7/2$	-1_2	$-0.476\,761\,771\,706\,053\,44 + 0.499\,844\,747\,872\,229\,1\mathrm{i}$		6 ☐ 1
	$-7/2$		$-0.476\,761\,771\,706\,053\,44 - 0.499\,844\,747\,872\,229\,1\mathrm{i}$		6 ☐ 6
149.	$-5/2$	$-5/2_1$	$-0.593\,969\,215\,435\,879\,2$	$-2.132\,109\,179\,105\,911\,7$	4 ☐☐ 3
	$7/2$	$7/2_1$	$1.041\,668\,184\,289\,543\,7$		
	$7/2$	1_2	$0.278\,275\,270\,096\,728\,4 + 0.499\,999\,561\,271\,886\,05\mathrm{i}$		6 ☐ 1
	$7/2$		$0.278\,275\,270\,096\,728\,4 - 0.499\,999\,561\,271\,886\,05\mathrm{i}$		6 ☐ 6
150.	$5/2$	$5/2_1$	$0.593\,969\,215\,435\,879\,2$	$-2.132\,109\,179\,105\,911\,7$	4 ☐☐ 1
	$-7/2$	$-7/2_1$	$-1.041\,668\,184\,289\,543\,7$		
	$-7/2$	-1_2	$-0.278\,275\,270\,096\,728\,4 + 0.499\,999\,561\,271\,886\,05\mathrm{i}$		6 ☐ 0
	$-7/2$		$-0.278\,275\,270\,096\,728\,4 - 0.499\,999\,561\,271\,886\,05\mathrm{i}$		6 ☐ 5
151.	$-7/2$	$-7/2_1$	$-1.096\,778\,179\,824\,691\,2$	$-2.086\,105\,047\,078\,727$	4 ☐☐ 3
	$-5/2$	$-5/2_1$	$-0.474\,665\,730\,223\,854\,94$		
	$7/2$	1_2	$0.677\,340\,956\,690\,204\,2 + 0.498\,142\,218\,321\,931\,95\mathrm{i}$		6 ☐ 0
	$7/2$		$0.677\,340\,956\,690\,204\,2 - 0.498\,142\,218\,321\,931\,95\mathrm{i}$		6 ☐ 0
152.	$7/2$	$7/2_1$	$1.096\,778\,179\,824\,691\,2$	$-2.086\,105\,047\,078\,727$	4 ☐☐ 1
	$5/2$	$5/2_1$	$0.474\,665\,730\,223\,854\,94$		
	$-7/2$	-1_2	$-0.677\,340\,956\,690\,204\,2 + 0.498\,142\,218\,321\,931\,95\mathrm{i}$		6 ☐ 6
	$-7/2$		$-0.677\,340\,956\,690\,204\,2 - 0.498\,142\,218\,321\,931\,95\mathrm{i}$		6 ☐ 6
153.	$-7/2$	$-7/2_1$	$-1.230\,892\,928\,170\,635\,6$	$-1.547\,593\,371\,537\,247\,9$	4 ☐☐ 3
	$7/2$	$7/2_1$	$1.067\,878\,254\,013\,521$		
	$7/2$	1_2	$0.324\,585\,963\,706\,176\,2 + 0.499\,998\,146\,794\,951\,4\mathrm{i}$		6 ☐ 0
	$7/2$		$0.324\,585\,963\,706\,176\,2 - 0.499\,998\,146\,794\,951\,4\mathrm{i}$		6 ☐ 6
154.	$7/2$	$7/2_1$	$1.230\,892\,928\,170\,635\,6$	$-1.547\,593\,371\,537\,247\,9$	4 ☐☐ 1
	$-7/2$	$-7/2_1$	$-1.067\,878\,254\,013\,521$		
	$-7/2$	-1_2	$-0.324\,585\,963\,706\,176\,2 + 0.499\,998\,146\,794\,951\,4\mathrm{i}$		6 ☐ 0
	$-7/2$		$-0.324\,585\,963\,706\,176\,2 - 0.499\,998\,146\,794\,951\,4\mathrm{i}$		6 ☐ 6
155.	$1/2$	$1/2_1$	$-0.012\,207\,420\,238\,143\,15$	$-4.321\,230\,901\,967\,641$	4 ☐☐ 4
	$3/2$	$3/2_1$	$0.140\,728\,156\,711\,853\,6$		
	$7/2$	2_2	$0.985\,775\,041\,701\,553\,8 + 0.536\,347\,161\,852\,170\,8\mathrm{i}$		6 ☐ 4
	$9/2$		$0.985\,775\,041\,701\,553\,8 - 0.536\,347\,161\,852\,170\,8\mathrm{i}$		6 ☐ 4
156.	$-1/2$	$-1/2_1$	$0.012\,207\,420\,238\,143\,15$	$-4.321\,230\,901\,967\,641$	4 ☐☐ 0
	$-3/2$	$-3/2_1$	$-0.140\,728\,156\,711\,853\,6$		
	$-9/2$	-2_2	$-0.985\,775\,041\,701\,553\,8 + 0.536\,347\,161\,852\,170\,8\mathrm{i}$		6 ☐ 2
	$-7/2$		$-0.985\,775\,041\,701\,553\,8 - 0.536\,347\,161\,852\,170\,8\mathrm{i}$		6 ☐ 2
157.	$-1/2$	$-1/2_1$	$-0.154\,042\,492\,760\,618\,9$	$-4.269\,153\,556\,501\,324$	4 ☐☐ 4
	$1/2$	$1/2_1$	$-0.001\,174\,846\,235\,111\,641\,5$		
	$7/2$	2_2	$1.041\,199\,288\,486\,303\,5 + 0.540\,905\,695\,755\,733\,7\mathrm{i}$		6 ☐ 3
	$9/2$		$1.041\,199\,288\,486\,303\,5 - 0.540\,905\,695\,755\,733\,7\mathrm{i}$		6 ☐ 3
158.	$1/2$	$1/2_1$	$0.154\,042\,492\,760\,618\,9$	$-4.269\,153\,556\,501\,324$	4 ☐☐ 0
	$-1/2$	$-1/2_1$	$0.001\,174\,846\,235\,111\,641\,5$		
	$-9/2$	-2_2	$-1.041\,199\,288\,486\,303\,5 + 0.540\,905\,695\,755\,733\,7\mathrm{i}$		6 ☐ 3
	$-7/2$		$-1.041\,199\,288\,486\,303\,5 - 0.540\,905\,695\,755\,733\,7\mathrm{i}$		6 ☐ 3
159.	$-1/2$	$-1/2_1$	$-0.159\,890\,243\,978\,260\,43$	$-4.113\,298\,179\,711\,283$	4 ☐☐ 4
	$3/2$	$3/2_1$	$0.146\,339\,942\,069\,396\,52$		
	$7/2$	2_2	$1.011\,273\,460\,874\,134\,3 + 0.538\,511\,195\,281\,430\,5\mathrm{i}$		6 ☐ 3
	$9/2$		$1.011\,273\,460\,874\,134\,3 - 0.538\,511\,195\,281\,430\,5\mathrm{i}$		6 ☐ 4
160.	$1/2$	$1/2_1$	$0.159\,890\,243\,978\,260\,43$	$-4.113\,298\,179\,711\,283$	4 ☐☐ 0
	$-3/2$	$-3/2_1$	$-0.146\,339\,942\,069\,396\,52$		
	$-9/2$	-2_2	$-1.011\,273\,460\,874\,134\,3 + 0.538\,511\,195\,281\,430\,5\mathrm{i}$		6 ☐ 2
	$-7/2$		$-1.011\,273\,460\,874\,134\,3 - 0.538\,511\,195\,281\,430\,5\mathrm{i}$		6 ☐ 3

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
161.	$1/2$	$1/2_1$	$-0.017\,936\,527\,015\,429\,728$	$-3.903\,327\,748\,845\,358$	4 ☐☐ 4
	$5/2$	$5/2_1$	$0.322\,936\,610\,815\,899\,86$		6 ☐ 4
	$7/2$	2_2	$0.937\,008\,468\,386\,505\,6 + 0.532\,095\,530\,557\,635\,9\mathrm{i}$		6 ☐ 5
	$9/2$		$0.937\,008\,468\,386\,505\,6 - 0.532\,095\,530\,557\,635\,9\mathrm{i}$		
162.	$-1/2$	$-1/2_1$	$0.017\,936\,527\,015\,429\,728$	$-3.903\,327\,748\,845\,358$	4 ☐☐ 0
	$-5/2$	$-5/2_1$	$-0.322\,936\,610\,815\,899\,86$		6 ☐ 1
	$-9/2$	-2_2	$-0.937\,008\,468\,386\,505\,6 + 0.532\,095\,530\,557\,635\,9\mathrm{i}$		6 ☐ 2
	$-7/2$		$-0.937\,008\,468\,386\,505\,6 - 0.532\,095\,530\,557\,635\,9\mathrm{i}$		
163.	$-3/2$	$-3/2_1$	$-0.331\,672\,773\,476\,269\,83$	$-3.819\,703\,779\,988\,196$	4 ☐☐ 4
	$1/2$	$1/2_1$	$0.005\,401\,743\,083\,557\,319$		6 ☐ 2
	$7/2$	2_2	$1.066\,154\,249\,002\,772\,4 + 0.543\,022\,825\,577\,441\mathrm{i}$		6 ☐ 3
	$9/2$		$1.066\,154\,249\,002\,772\,4 - 0.543\,022\,825\,577\,441\mathrm{i}$		
164.	$3/2$	$3/2_1$	$0.331\,672\,773\,476\,269\,83$	$-3.819\,703\,779\,988\,196$	4 ☐☐ 0
	$-1/2$	$-1/2_1$	$-0.005\,401\,743\,083\,557\,319$		6 ☐ 3
	$-9/2$	-2_2	$-1.066\,154\,249\,002\,772\,4 + 0.543\,022\,825\,577\,441\mathrm{i}$		6 ☐ 4
	$-7/2$		$-1.066\,154\,249\,002\,772\,4 - 0.543\,022\,825\,577\,441\mathrm{i}$		
165.	$3/2$	$3/2_1$	$0.129\,104\,045\,201\,036\,3$	$-3.814\,594\,032\,390\,336\,2$	4 ☐☐ 4
	$5/2$	$5/2_1$	$0.316\,789\,341\,426\,921$		6 ☐ 5
	$7/2$	2_2	$0.904\,682\,439\,326\,488\,7 + 0.529\,196\,900\,096\,193\,2\mathrm{i}$		6 ☐ 5
	$9/2$		$0.904\,682\,439\,326\,488\,7 - 0.529\,196\,900\,096\,193\,2\mathrm{i}$		
166.	$-3/2$	$-3/2_1$	$-0.129\,104\,045\,201\,036\,3$	$-3.814\,594\,032\,390\,336\,2$	4 ☐☐ 0
	$-5/2$	$-5/2_1$	$-0.316\,789\,341\,426\,921$		6 ☐ 1
	$-9/2$	-2_2	$-0.904\,682\,439\,326\,488\,7 + 0.529\,196\,900\,096\,193\,2\mathrm{i}$		6 ☐ 1
	$-7/2$		$-0.904\,682\,439\,326\,488\,7 - 0.529\,196\,900\,096\,193\,2\mathrm{i}$		
167.	$-3/2$	$-3/2_1$	$-0.323\,693\,451\,718\,383$	$-3.684\,318\,253\,603\,409$	4 ☐☐ 4
	$-1/2$	$-1/2_1$	$-0.140\,091\,146\,247\,724\,5$		6 ☐ 2
	$7/2$	2_2	$1.090\,063\,907\,370\,468\,3 + 0.544\,894\,040\,348\,048\,6\mathrm{i}$		6 ☐ 2
	$9/2$		$1.090\,063\,907\,370\,468\,3 - 0.544\,894\,040\,348\,048\,6\mathrm{i}$		
168.	$3/2$	$3/2_1$	$0.323\,693\,451\,718\,383$	$-3.684\,318\,253\,603\,409$	4 ☐☐ 0
	$1/2$	$1/2_1$	$0.140\,091\,146\,247\,724\,5$		6 ☐ 4
	$-9/2$	-2_2	$-1.090\,063\,907\,370\,468\,3 + 0.544\,894\,040\,348\,048\,6\mathrm{i}$		6 ☐ 4
	$-7/2$		$-1.090\,063\,907\,370\,468\,3 - 0.544\,894\,040\,348\,048\,6\mathrm{i}$		
169.	$-1/2$	$-1/2_1$	$-0.165\,908\,078\,605\,833\,73$	$-3.677\,945\,173\,371\,316$	4 ☐☐ 4
	$5/2$	$5/2_1$	$0.329\,002\,423\,154\,668\,66$		6 ☐ 3
	$7/2$	2_2	$0.963\,410\,370\,526\,623 + 0.534\,452\,929\,216\,395\,9\mathrm{i}$		6 ☐ 5
	$9/2$		$0.963\,410\,370\,526\,623 - 0.534\,452\,929\,216\,395\,9\mathrm{i}$		
170.	$1/2$	$1/2_1$	$0.165\,908\,078\,605\,833\,73$	$-3.677\,945\,173\,371\,316$	4 ☐☐ 0
	$-5/2$	$-5/2_1$	$-0.329\,002\,423\,154\,668\,66$		6 ☐ 1
	$-9/2$	-2_2	$-0.963\,410\,370\,526\,623 + 0.534\,452\,929\,216\,395\,9\mathrm{i}$		6 ☐ 3
	$-7/2$		$-0.963\,410\,370\,526\,623 - 0.534\,452\,929\,216\,395\,9\mathrm{i}$		
171.	$-3/2$	$-3/2_1$	$-0.338\,812\,948\,671\,427\,64$	$-3.644\,452\,235\,189\,178\,6$	4 ☐☐ 4
	$3/2$	$3/2_1$	$0.152\,687\,790\,424\,616\,83$		6 ☐ 2
	$7/2$	2_2	$1.036\,788\,526\,318\,327\,6 + 0.540\,737\,198\,336\,696\,4\mathrm{i}$		6 ☐ 4
	$9/2$		$1.036\,788\,526\,318\,327\,6 - 0.540\,737\,198\,336\,696\,4\mathrm{i}$		
172.	$3/2$	$3/2_1$	$0.338\,812\,948\,671\,427\,64$	$-3.644\,452\,235\,189\,178\,6$	4 ☐☐ 0
	$-3/2$	$-3/2_1$	$-0.152\,687\,790\,424\,616\,83$		6 ☐ 2
	$-9/2$	-2_2	$-1.036\,788\,526\,318\,327\,6 + 0.540\,737\,198\,336\,696\,4\mathrm{i}$		6 ☐ 4
	$-7/2$		$-1.036\,788\,526\,318\,327\,6 - 0.540\,737\,198\,336\,696\,4\mathrm{i}$		

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
173.	$1/2$	$1/2_1$	$-0.022\,893\,719\,091\,156\,173$	$-3.267\,165\,953\,541\,398$	4 | 4
	$7/2$	$7/2_1$	$0.715\,085\,223\,836\,427\,4$		
	$7/2$	2_2	$0.753\,587\,371\,933\,595\,6 + 0.511\,958\,037\,715\,749\,9i$		6 | 4
	$9/2$		$0.753\,587\,371\,933\,595\,6 - 0.511\,958\,037\,715\,749\,9i$		6 | 6
174.	$-1/2$	$-1/2_1$	$0.022\,893\,719\,091\,156\,173$	$-3.267\,165\,953\,541\,398$	4 | 0
	$-7/2$	$-7/2_1$	$-0.715\,085\,223\,836\,427\,4$		
	$-9/2$	-2_2	$-0.753\,587\,371\,933\,595\,6 + 0.511\,958\,037\,715\,749\,9i$		6 | 0
	$-7/2$		$-0.753\,587\,371\,933\,595\,6 - 0.511\,958\,037\,715\,749\,9i$		6 | 2
175.	$-5/2$	$-5/2_1$	$-0.603\,842\,538\,127\,898\,7$	$-3.229\,310\,336\,820\,757$	4 | 4
	$1/2$	$1/2_1$	$0.014\,167\,006\,747\,201\,186$		
	$7/2$	2_2	$1.096\,676\,654\,678\,600\,6 + 0.545\,778\,570\,097\,550\,4i$		6 | 1
	$9/2$		$1.096\,676\,654\,678\,600\,6 - 0.545\,778\,570\,097\,550\,4i$		6 | 3
176.	$5/2$	$5/2_1$	$0.603\,842\,538\,127\,898\,7$	$-3.229\,310\,336\,820\,757$	4 | 0
	$-1/2$	$-1/2_1$	$-0.014\,167\,006\,747\,201\,186$		
	$-9/2$	-2_2	$-1.096\,676\,654\,678\,600\,6 + 0.545\,778\,570\,097\,550\,4i$		6 | 3
	$-7/2$		$-1.096\,676\,654\,678\,600\,6 - 0.545\,778\,570\,097\,550\,4i$		6 | 5
177.	$-3/2$	$-3/2_1$	$-0.345\,949\,748\,883\,493\,06$	$-3.198\,133\,164\,767\,681\,6$	4 | 4
	$5/2$	$5/2_1$	$0.335\,697\,966\,597\,658\,1$		
	$7/2$	2_2	$0.989\,779\,978\,926\,550\,6 + 0.536\,863\,995\,646\,386\,5i$		6 | 2
	$9/2$		$0.989\,779\,978\,926\,550\,6 - 0.536\,863\,995\,646\,386\,5i$		6 | 5
178.	$3/2$	$3/2_1$	$0.345\,949\,748\,883\,493\,06$	$-3.198\,133\,164\,767\,681\,6$	4 | 0
	$-5/2$	$-5/2_1$	$-0.335\,697\,966\,597\,658\,1$		
	$-9/2$	-2_2	$-0.989\,779\,978\,926\,550\,6 + 0.536\,863\,995\,646\,386\,5i$		6 | 1
	$-7/2$		$-0.989\,779\,978\,926\,550\,6 - 0.536\,863\,995\,646\,386\,5i$		6 | 4
179.	$3/2$	$3/2_1$	$0.124\,821\,227\,078\,255\,5$	$-3.180\,864\,259\,257\,495$	4 | 4
	$7/2$	$7/2_1$	$0.719\,457\,811\,902\,989\,5$		
	$7/2$	2_2	$0.708\,548\,051\,062\,305 + 0.508\,552\,174\,172\,456\,5i$		6 | 5
	$9/2$		$0.708\,548\,051\,062\,305 - 0.508\,552\,174\,172\,456\,5i$		6 | 6
180.	$-3/2$	$-3/2_1$	$-0.124\,821\,227\,078\,255\,5$	$-3.180\,864\,259\,257\,495$	4 | 0
	$-7/2$	$-7/2_1$	$-0.719\,457\,811\,902\,989\,5$		
	$-9/2$	-2_2	$-0.708\,548\,051\,062\,305 + 0.508\,552\,174\,172\,456\,5i$		6 | 0
	$-7/2$		$-0.708\,548\,051\,062\,305 - 0.508\,552\,174\,172\,456\,5i$		6 | 1
181.	$-5/2$	$-5/2_1$	$-0.592\,228\,019\,042\,918\,9$	$-3.114\,372\,590\,165\,866$	4 | 4
	$-1/2$	$-1/2_1$	$-0.129\,439\,380\,345\,081\,6$		
	$7/2$	2_2	$1.119\,815\,363\,321\,773\,8 + 0.547\,529\,662\,273\,072\,4i$		6 | 1
	$9/2$		$1.119\,815\,363\,321\,773\,8 - 0.547\,529\,662\,273\,072\,4i$		6 | 2
182.	$5/2$	$5/2_1$	$0.592\,228\,019\,042\,918\,9$	$-3.114\,372\,590\,165\,866$	4 | 0
	$1/2$	$1/2_1$	$0.129\,439\,380\,345\,081\,6$		
	$-9/2$	-2_2	$-1.119\,815\,363\,321\,773\,8 + 0.547\,529\,662\,273\,072\,4i$		6 | 4
	$-7/2$		$-1.119\,815\,363\,321\,773\,8 - 0.547\,529\,662\,273\,072\,4i$		6 | 5
183.	$-5/2$	$-5/2_1$	$-0.613\,859\,965\,412\,921\,9$	$-3.039\,895\,356\,350\,42$	4 | 4
	$3/2$	$3/2_1$	$0.160\,879\,337\,965\,127\,35$		
	$7/2$	2_2	$1.068\,003\,626\,163\,969 + 0.543\,625\,489\,098\,739\,5i$		6 | 1
	$9/2$		$1.068\,003\,626\,163\,969 - 0.543\,625\,489\,098\,739\,5i$		6 | 4
184.	$5/2$	$5/2_1$	$0.613\,859\,965\,412\,921\,9$	$-3.039\,895\,356\,350\,42$	4 | 0
	$-3/2$	$-3/2_1$	$-0.160\,879\,337\,965\,127\,35$		
	$-9/2$	-2_2	$-1.068\,003\,626\,163\,969 + 0.543\,625\,489\,098\,739\,5i$		6 | 2
	$-7/2$		$-1.068\,003\,626\,163\,969 - 0.543\,625\,489\,098\,739\,5i$		6 | 5
185.	$-1/2$	$-1/2_1$	$-0.171\,403\,687\,975\,140\,83$	$-3.038\,187\,635\,447\,279$	4 | 4
	$7/2$	$7/2_1$	$0.714\,154\,916\,025\,715\,8$		
	$7/2$	2_2	$0.788\,289\,012\,751\,133 + 0.514\,880\,735\,660\,880\,2i$		6 | 3
	$9/2$		$0.788\,289\,012\,751\,133 - 0.514\,880\,735\,660\,880\,2i$		6 | 6

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
186.	$1/2$	$1/2_1$	$0.171\,403\,687\,975\,140\,83$	$-3.038\,187\,635\,447\,279$	4 | | 0
	$-7/2$	$-7/2_1$	$-0.714\,154\,916\,025\,715\,8$		
	$-9/2$	-2_2	$-0.788\,289\,012\,751\,133 + 0.514\,880\,735\,660\,880\,2i$		6 | 0
	$-7/2$		$-0.788\,289\,012\,751\,133 - 0.514\,880\,735\,660\,880\,2i$		6 | 3
187.	$5/2$	$5/2_1$	$0.311\,183\,004\,795\,577\,5$	$-2.780\,951\,568\,777\,555\,2$	4 | | 4
	$7/2$	$7/2_1$	$0.735\,840\,706\,744\,532\,6$		
	$7/2$	2_2	$0.626\,124\,596\,730\,367\,4 + 0.503\,760\,799\,623\,118\,7i$		6 | 6
	$9/2$		$0.626\,124\,596\,730\,367\,4 - 0.503\,760\,799\,623\,118\,7i$		6 | 6
188.	$-5/2$	$-5/2_1$	$-0.311\,183\,004\,795\,577\,5$	$-2.780\,951\,568\,777\,555\,2$	4 | | 0
	$-7/2$	$-7/2_1$	$-0.735\,840\,706\,744\,532\,6$		
	$-9/2$	-2_2	$-0.626\,124\,596\,730\,367\,4 + 0.503\,760\,799\,623\,118\,7i$		6 | 0
	$-7/2$		$-0.626\,124\,596\,730\,367\,4 - 0.503\,760\,799\,623\,118\,7i$		6 | 0
189.	$-5/2$	$-5/2_1$	$-0.576\,573\,111\,488\,611$	$-2.731\,439\,917\,758\,522\,5$	4 | | 4
	$-3/2$	$-3/2_1$	$-0.298\,464\,831\,834\,827\,75$		
	$7/2$	2_2	$1.142\,363\,982\,065\,143\,7 + 0.549\,301\,580\,430\,755\,8i$		6 | 1
	$9/2$		$1.142\,363\,982\,065\,143\,7 - 0.549\,301\,580\,430\,755\,8i$		6 | 1
190.	$5/2$	$5/2_1$	$0.576\,573\,111\,488\,611$	$-2.731\,439\,917\,758\,522\,5$	4 | | 0
	$3/2$	$3/2_1$	$0.298\,464\,831\,834\,827\,75$		
	$-9/2$	-2_2	$-1.142\,363\,982\,065\,143\,7 + 0.549\,301\,580\,430\,755\,8i$		6 | 5
	$-7/2$		$-1.142\,363\,982\,065\,143\,7 - 0.549\,301\,580\,430\,755\,8i$		6 | 5
191.	$-7/2$	$-7/2_1$	$-1.250\,302\,573\,173\,912\,4$	$-2.665\,428\,179\,610\,628$	4 | | 4
	$1/2$	$1/2_1$	$0.027\,674\,924\,645\,464\,477$		
	$7/2$	2_2	$1.146\,611\,458\,639\,378\,5 + 0.550\,882\,108\,644\,823\,8i$		6 | 0
	$9/2$		$1.146\,611\,458\,639\,378\,5 - 0.550\,882\,108\,644\,823\,8i$		6 | 3
192.	$7/2$	$7/2_1$	$1.250\,302\,573\,173\,912\,4$	$-2.665\,428\,179\,610\,628$	4 | | 0
	$-1/2$	$-1/2_1$	$-0.027\,674\,924\,645\,464\,477$		
	$-9/2$	-2_2	$-1.146\,611\,458\,639\,378\,5 + 0.550\,882\,108\,644\,823\,8i$		6 | 3
	$-7/2$		$-1.146\,611\,458\,639\,378\,5 - 0.550\,882\,108\,644\,823\,8i$		6 | 6
193.	$-5/2$	$-5/2_1$	$-0.623\,621\,986\,774\,013\,1$	$-2.590\,650\,952\,358\,278\,6$	4 | | 4
	$5/2$	$5/2_1$	$0.344\,143\,035\,717\,073\,1$		
	$7/2$	2_2	$1.021\,962\,000\,570\,707\,7 + 0.539\,970\,632\,224\,934\,1i$		6 | 1
	$9/2$		$1.021\,962\,000\,570\,707\,7 - 0.539\,970\,632\,224\,934\,1i$		6 | 5
194.	$5/2$	$5/2_1$	$0.623\,621\,986\,774\,013\,1$	$-2.590\,650\,952\,358\,278\,6$	4 | | 0
	$-5/2$	$-5/2_1$	$-0.344\,143\,035\,717\,073\,1$		
	$-9/2$	-2_2	$-1.021\,962\,000\,570\,707\,7 + 0.539\,970\,632\,224\,934\,1i$		6 | 1
	$-7/2$		$-1.021\,962\,000\,570\,707\,7 - 0.539\,970\,632\,224\,934\,1i$		6 | 5
195.	$-7/2$	$-7/2_1$	$-1.231\,055\,557\,255\,835\,5$	$-2.574\,074\,930\,271\,515$	4 | | 4
	$-1/2$	$-1/2_1$	$-0.112\,429\,989\,487\,193\,63$		
	$7/2$	2_2	$1.168\,791\,948\,005\,035\,7 + 0.552\,461\,843\,135\,901\,4i$		6 | 0
	$9/2$		$1.168\,791\,948\,005\,035\,7 - 0.552\,461\,843\,135\,901\,4i$		6 | 2
196.	$7/2$	$7/2_1$	$1.231\,055\,557\,255\,835\,5$	$-2.574\,074\,930\,271\,515$	4 | | 0
	$1/2$	$1/2_1$	$0.112\,429\,989\,487\,193\,63$		
	$-9/2$	-2_2	$-1.168\,791\,948\,005\,035\,7 + 0.552\,461\,843\,135\,901\,4i$		6 | 4
	$-7/2$		$-1.168\,791\,948\,005\,035\,7 - 0.552\,461\,843\,135\,901\,4i$		6 | 6
197.	$-3/2$	$-3/2_1$	$-0.352\,572\,273\,627\,491\,44$	$-2.561\,104\,369\,551\,074\,5$	4 | | 4
	$7/2$	$7/2_1$	$0.714\,844\,079\,338\,359\,3$		
	$7/2$	2_2	$0.821\,664\,452\,931\,889\,6 + 0.517\,932\,346\,812\,196\,1i$		6 | 2
	$9/2$		$0.821\,664\,452\,931\,889\,6 - 0.517\,932\,346\,812\,196\,1i$		6 | 6
198.	$3/2$	$3/2_1$	$0.352\,572\,273\,627\,491\,44$	$-2.561\,104\,369\,551\,074\,5$	4 | | 0
	$-7/2$	$-7/2_1$	$-0.714\,844\,079\,338\,359\,3$		
	$-9/2$	-2_2	$-0.821\,664\,452\,931\,889\,6 + 0.517\,932\,346\,812\,196\,1i$		6 | 0
	$-7/2$		$-0.821\,664\,452\,931\,889\,6 - 0.517\,932\,346\,812\,196\,1i$		6 | 4

TABLE 4.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
199.	$-7/2$	$-7/2_1$	$-1.266\,716\,727\,802\,26$	$-2.462\,218\,658\,878\,338$	4 | | 4
	$3/2$	$3/2_1$	$0.173\,241\,235\,499\,416\,58$		6 | 0
	$7/2$	2_2	$1.118\,774\,469\,293\,150\,7 + 0.548\,920\,726\,838\,611\,5i$		
	$9/2$		$1.118\,774\,469\,293\,150\,7 - 0.548\,920\,726\,838\,611\,5i$		6 | 4
200.	$7/2$	$7/2_1$	$1.266\,716\,727\,802\,26$	$-2.462\,218\,658\,878\,338$	4 | | 0
	$-3/2$	$-3/2_1$	$-0.173\,241\,235\,499\,416\,58$		6 | 2
	$-9/2$	-2_2	$-1.118\,774\,469\,293\,150\,7 + 0.548\,920\,726\,838\,611\,5i$		
	$-7/2$		$-1.118\,774\,469\,293\,150\,7 - 0.548\,920\,726\,838\,611\,5i$		6 | 6
201.	$-7/2$	$-7/2_1$	$-1.204\,288\,059\,414\,086$	$-2.214\,508\,471\,133\,829\,6$	4 | | 4
	$-3/2$	$-3/2_1$	$-0.272\,737\,369\,022\,961\,25$		6 | 0
	$7/2$	2_2	$1.189\,868\,073\,341\,18 + 0.554\,018\,801\,736\,772\,5i$		
	$9/2$		$1.189\,868\,073\,341\,18 + 0.554\,018\,801\,736\,772\,5i$		6 | 1
202.	$7/2$	$7/2_1$	$1.204\,288\,059\,414\,086$	$-2.214\,508\,471\,133\,829\,6$	4 | | 0
	$3/2$	$3/2_1$	$0.272\,737\,369\,022\,961\,25$		6 | 5
	$-9/2$	-2_2	$-1.189\,868\,073\,341\,18 + 0.554\,018\,801\,736\,772\,5i$		
	$-7/2$		$-1.189\,868\,073\,341\,18 + 0.554\,018\,801\,736\,772\,5i$		6 | 6
203.	$-7/2$	$-7/2_1$	$-1.282\,680\,887\,566\,221\,7$	$-2.015\,107\,928\,713\,957$	4 | | 4
	$5/2$	$5/2_1$	$0.356\,739\,046\,581\,974\,7$		6 | 0
	$7/2$	2_2	$1.073\,920\,767\,284\,073\,8 + 0.545\,591\,852\,853\,048\,8i$		
	$9/2$		$1.073\,920\,767\,284\,073\,8 - 0.545\,591\,852\,853\,048\,8i$		6 | 5
204.	$7/2$	$7/2_1$	$1.282\,680\,887\,566\,221\,7$	$-2.015\,107\,928\,713\,957$	4 | | 0
	$-5/2$	$-5/2_1$	$-0.356\,739\,046\,581\,974\,7$		6 | 1
	$-9/2$	-2_2	$-1.073\,920\,767\,284\,073\,8 + 0.545\,591\,852\,853\,048\,8i$		
	$-7/2$		$-1.073\,920\,767\,284\,073\,8 - 0.545\,591\,852\,853\,048\,8i$		6 | 6
205.	$-5/2$	$-5/2_1$	$-0.632\,698\,222\,648\,321$	$-1.966\,149\,644\,040\,526$	4 | | 4
	$7/2$	$7/2_1$	$0.716\,825\,231\,544\,628\,1$		6 | 1
	$7/2$	2_2	$0.861\,186\,140\,214\,217\,2 + 0.521\,896\,073\,312\,445\,9i$		
	$9/2$		$0.861\,186\,140\,214\,217\,2 - 0.521\,896\,073\,312\,445\,9i$		6 | 6
206.	$5/2$	$5/2_1$	$0.632\,698\,222\,648\,321$	$-1.966\,149\,644\,040\,526$	4 | | 0
	$-7/2$	$-7/2_1$	$-0.716\,825\,231\,544\,628\,1$		6 | 0
	$-9/2$	-2_2	$-0.861\,186\,140\,214\,217\,2 + 0.521\,896\,073\,312\,445\,9i$		
	$-7/2$		$-0.861\,186\,140\,214\,217\,2 - 0.521\,896\,073\,312\,445\,9i$		6 | 5
207.	$-7/2$	$-7/2_1$	$-1.156\,244\,203\,201\,821$	$-1.685\,414\,902\,441\,178\,2$	4 | | 4
	$-5/2$	$-5/2_1$	$-0.499\,929\,349\,326\,005\,1$		6 | 0
	$7/2$	2_2	$1.213\,548\,551\,530\,674\,5 + 0.555\,878\,221\,358\,307\,6i$		
	$9/2$		$1.213\,548\,551\,530\,674\,5 - 0.555\,878\,221\,358\,307\,6i$		6 | 0
208.	$7/2$	$7/2_1$	$1.156\,244\,203\,201\,821$	$-1.685\,414\,902\,441\,178\,2$	4 | | 0
	$5/2$	$5/2_1$	$0.499\,929\,349\,326\,005\,1$		6 | 6
	$-9/2$	-2_2	$-1.213\,548\,551\,530\,674\,5 + 0.555\,878\,221\,358\,307\,6i$		
	$-7/2$		$-1.213\,548\,551\,530\,674\,5 - 0.555\,878\,221\,358\,307\,6i$		6 | 6
209.	$-7/2$	$-7/2_1$	$-1.297\,534\,565\,572\,672$	$-1.413\,389\,630\,013\,232\,7$	4 | | 4
	$7/2$	$7/2_1$	$0.720\,299\,698\,353\,752$		6 | 0
	$7/2$	2_2	$0.922\,993\,785\,745\,810\,3 + 0.529\,045\,365\,393\,915\,7i$		
	$9/2$		$0.922\,993\,785\,745\,810\,3 - 0.529\,045\,365\,393\,915\,7i$		6 | 6
210.	$7/2$	$7/2_1$	$1.297\,534\,565\,572\,672$	$-1.413\,389\,630\,013\,232\,7$	4 | | 0
	$-7/2$	$-7/2_1$	$-0.720\,299\,698\,353\,752$		6 | 0
	$-9/2$	-2_2	$-0.922\,993\,785\,745\,810\,3 + 0.529\,045\,365\,393\,915\,7i$		
	$-7/2$		$-0.922\,993\,785\,745\,810\,3 - 0.529\,045\,365\,393\,915\,7i$		6 | 6

TABLE 4.3: Bethe roots for $N = 12, M = 4$, There are 45 solution with one 1-string and one 3-string

	J	I_n	λ	E	Rigged Configuration
211.	−1/2	0_1	0.004 745 172 056 794 713	−2.668 031 843 134 522 2	
	11/2		1.000 485 782 507 790 9i		
	1/2	0_3	−0.004 745 172 056 794 713		
	−11/2		−1.000 485 782 507 790 9i		
212.	−1/2	-1_1	−0.145 968 139 617 900 84	−2.509 483 653 875 526 5	
	11/2		0.033 040 810 141 668 2 + 1.000 075 092 297 255 4i		
	−1/2	0_3	0.033 146 649 464 838 83		
	13/2		0.033 040 810 141 668 2 − 1.000 075 092 297 255 4i		
213.	1/2	1_1	0.145 968 139 617 900 84	−2.509 483 653 875 526 5	
	−13/2		−0.033 040 810 141 668 2 + 1.000 075 092 297 255 4i		
	1/2	0_3	−0.033 146 649 464 838 83		
	−11/2		−0.033 040 810 141 668 2 − 1.000 075 092 297 255 4i		
214.	−3/2	-2_1	−0.321 100 968 564 067 56	−2.081 379 251 490 95	
	11/2		0.070 893 518 660 786 33 + 1.000 063 234 721 867 4i		
	−1/2	0_3	0.070 909 924 080 017 23		
	13/2		0.070 893 518 660 786 33 − 1.000 063 234 721 867 4i		
215.	3/2	2_1	0.321 100 968 564 067 56	−2.081 379 251 490 95	
	−13/2		−0.070 893 518 660 786 33 + 1.000 063 234 721 867 4i		
	1/2	0_3	−0.070 909 924 080 017 23		
	−11/2		−0.070 893 518 660 786 33 − 1.000 063 234 721 867 4i		
216.	−5/2	-3_1	−0.586 597 195 407 056 9	−1.504 223 965 317 495	
	9/2		0.119 598 286 702 786 06 + 1.000 036 818 470 478 2i		
	3/2	0_3	0.119 571 375 535 201 57		
	11/2		0.119 598 286 702 786 06 − 1.000 036 818 470 478 2i		
217.	5/2	3_1	0.586 597 195 407 056 9	−1.504 223 965 317 495	
	−11/2		−0.119 598 286 702 786 06 + 1.000 036 818 470 478 2i		
	−3/2	0_3	−0.119 571 375 535 201 57		
	−9/2		−0.119 598 286 702 786 06 − 1.000 036 818 470 478 2i		
218.	−7/2	-4_1	−1.204 601 800 886 773 4	−0.949 412 052 546 959 6	
	9/2		0.196 474 486 230 504 29 + 0.999 983 639 365 441 2i		
	3/2	0_3	0.196 435 755 386 428 68		
	11/2		0.196 474 486 230 504 29 − 0.999 983 639 365 441 2i		
219.	7/2	4_1	1.204 601 800 886 773 4	−0.949 412 052 546 959 6	
	−11/2		−0.196 474 486 230 504 29 + 0.999 983 639 365 441 2i		
	−3/2	0_3	−0.196 435 755 386 428 68		
	−9/2		−0.196 474 486 230 504 29 − 0.999 983 639 365 441 2i		
220.	1/2	0_1	−0.031 370 547 100 818 43	−2.588 885 329 540 491	
	9/2		0.503 093 101 553 346 + 0.999 350 434 151 534 5i		
	5/2	1_3	0.504 475 980 414 352 5		
	11/2		0.503 093 101 553 346 − 0.999 350 434 151 534 5i		
221.	−1/2	0_1	0.031 370 547 100 818 43	−2.588 885 329 540 491	
	−11/2		−0.503 093 101 553 346 + 0.999 350 434 151 534 5i		
	−5/2	-1_3	−0.504 475 980 414 352 5		
	−9/2		−0.503 093 101 553 346 − 0.999 350 434 151 534 5i		
222.	3/2	1_1	0.110 839 987 145 763 96	−2.510 415 640 282 418 3	
	9/2		0.472 111 787 233 785 7 + 0.998 972 094 774 113 9i		
	5/2	1_3	0.473 392 328 586 225		
	11/2		0.472 111 787 233 785 7 − 0.998 972 094 774 113 9i		
223.	−3/2	-1_1	−0.110 839 987 145 763 96	−2.510 415 640 282 418 3	
	−11/2		−0.472 111 787 233 785 7 + 0.998 972 094 774 113 9i		
	−5/2	-1_3	−0.473 392 328 586 225		
	−9/2		−0.472 111 787 233 785 7 − 0.998 972 094 774 113 9i		

TABLE 4.3: (Continued)

	J	I_n	λ	E	Rigged Configuration
224.	$-1/2$	-1_1	$-0.177\,801\,736\,335\,223\,06$	$-2.365\,118\,359\,195\,847$	
	$9/2$		$0.531\,500\,967\,774\,546\,6 + 0.999\,638\,707\,454\,288\,6\mathrm{i}$		
	$5/2$	1_3	$0.533\,007\,347\,267\,360\,9$		
	$11/2$		$0.531\,500\,967\,774\,546\,6 - 0.999\,638\,707\,454\,288\,6\mathrm{i}$		
225.	$1/2$	1_1	$0.177\,801\,736\,335\,223\,06$	$-2.365\,118\,359\,195\,847$	
	$-11/2$		$-0.531\,500\,967\,774\,546\,6 + 0.999\,638\,707\,454\,288\,6\mathrm{i}$		
	$-5/2$	-1_3	$-0.533\,007\,347\,267\,360\,9$		
	$-9/2$		$-0.531\,500\,967\,774\,546\,6 - 0.999\,638\,707\,454\,288\,6\mathrm{i}$		
226.	$5/2$	2_1	$0.276\,644\,599\,766\,126\,4$	$-2.143\,919\,998\,501\,268$	
	$9/2$		$0.431\,746\,995\,472\,447\,5 + 0.997\,851\,189\,977\,557\mathrm{i}$		
	$5/2$	1_3	$0.433\,081\,679\,460\,030\,23$		
	$11/2$		$0.431\,746\,995\,472\,447\,5 - 0.997\,851\,189\,977\,557\mathrm{i}$		
227.	$-5/2$	-2_1	$-0.276\,644\,599\,766\,126\,4$	$-2.143\,919\,998\,501\,268$	
	$-11/2$		$-0.431\,746\,995\,472\,447\,5 + 0.997\,851\,189\,977\,557\mathrm{i}$		
	$-5/2$	-1_3	$-0.433\,081\,679\,460\,030\,23$		
	$-9/2$		$-0.431\,746\,995\,472\,447\,5 - 0.997\,851\,189\,977\,557\mathrm{i}$		
228.	$-3/2$	-2_1	$-0.358\,142\,498\,471\,403\,8$	$-1.903\,614\,186\,861\,339\,4$	
	$9/2$		$0.561\,793\,369\,745\,129\,2 + 0.999\,949\,887\,634\,091\,4\mathrm{i}$		
	$5/2$	1_3	$0.563\,440\,748\,239\,306$		
	$11/2$		$0.561\,793\,369\,745\,129\,2 - 0.999\,949\,887\,634\,091\,4\mathrm{i}$		
229.	$3/2$	2_1	$-0.358\,142\,498\,471\,403\,8$	$-1.903\,614\,186\,861\,339\,4$	
	$-11/2$		$-0.561\,793\,369\,745\,129\,2 + 0.999\,949\,887\,634\,091\,4\mathrm{i}$		
	$-5/2$	-1_3	$-0.563\,440\,748\,239\,306$		
	$-9/2$		$-0.561\,793\,369\,745\,129\,2 - 0.999\,949\,887\,634\,091\,4\mathrm{i}$		
230.	$5/2$	3_1	$0.519\,996\,166\,954\,134\,6$	$-1.589\,810\,824\,170\,722\,3$	
	$11/2$		$0.368\,513\,574\,393\,247\,83 + 1.001\,431\,499\,449\,795\,3\mathrm{i}$		
	$3/2$	1_3	$0.368\,628\,716\,441\,462\,8$		
	$13/2$		$0.368\,513\,574\,393\,247\,83 - 1.001\,431\,499\,449\,795\,3\mathrm{i}$		
231.	$-5/2$	-3_1	$-0.519\,996\,166\,954\,134\,6$	$-1.589\,810\,824\,170\,722\,3$	
	$-13/2$		$-0.368\,513\,574\,393\,247\,83 + 1.001\,431\,499\,449\,795\,3\mathrm{i}$		
	$-3/2$	-1_3	$-0.368\,628\,716\,441\,462\,8$		
	$-11/2$		$-0.368\,513\,574\,393\,247\,83 - 1.001\,431\,499\,449\,795\,3\mathrm{i}$		
232.	$-5/2$	-3_1	$-0.637\,822\,944\,375\,823\,9$	$-1.332\,783\,521\,309\,382\,4$	
	$9/2$		$0.600\,085\,259\,388\,178\,4 + 1.000\,394\,697\,499\,135\,8\mathrm{i}$		
	$5/2$	1_3	$0.601\,904\,220\,509\,109\,3$		
	$11/2$		$0.600\,085\,259\,388\,178\,4 - 1.000\,394\,697\,499\,135\,8\mathrm{i}$		
233.	$5/2$	3_1	$0.637\,822\,944\,375\,823\,9$	$-1.332\,783\,521\,309\,382\,4$	
	$-11/2$		$-0.600\,085\,259\,388\,178\,4 + 1.000\,394\,697\,499\,135\,8\mathrm{i}$		
	$-5/2$	-1_3	$-0.601\,904\,220\,509\,109\,3$		
	$-9/2$		$-0.600\,085\,259\,388\,178\,4 - 1.000\,394\,697\,499\,135\,8\mathrm{i}$		
234.	$7/2$	4_1	$1.078\,379\,653\,331\,824\,6$	$-1.000\,735\,929\,195\,124\,6$	
	$11/2$		$0.260\,849\,785\,825\,102\,04 + 1.000\,018\,346\,028\,821\,2\mathrm{i}$		
	$3/2$	1_3	$0.260\,953\,986\,144\,531\,9$		
	$13/2$		$0.260\,849\,785\,825\,102\,04 - 1.000\,018\,346\,028\,821\,2\mathrm{i}$		
235.	$-7/2$	-4_1	$-1.078\,379\,653\,331\,824\,6$	$-1.000\,735\,929\,195\,124\,6$	
	$-13/2$		$-0.260\,849\,785\,825\,102\,04 + 1.000\,018\,346\,028\,821\,2\mathrm{i}$		
	$-3/2$	-1_3	$-0.260\,953\,986\,144\,531\,9$		
	$-11/2$		$-0.260\,849\,785\,825\,102\,04 - 1.000\,018\,346\,028\,821\,2\mathrm{i}$		

TABLE 4.3: (Continued)

	J	I_n	λ	E	Rigged Configuration
236.	$-7/2$	-4_1	$-1.299\,609\,203\,496\,181$	$-0.812\,131\,757\,476\,889\,9$	
	$9/2$		$0.662\,150\,697\,513\,738\,9 + 1.001\,327\,352\,338\,588\,4i$		
	$5/2$	1_3	$0.664\,175\,014\,509\,480\,4$		
	$11/2$		$0.662\,150\,697\,513\,738\,9 - 1.001\,327\,352\,338\,588\,4i$		
237.	$7/2$	4_1	$-1.299\,609\,203\,496\,181$	$-0.812\,131\,757\,476\,889\,9$	
	$-11/2$		$0.662\,150\,697\,513\,738\,9 + 1.001\,327\,352\,338\,588\,4i$		
	$-5/2$	-1_3	$0.664\,175\,014\,509\,480\,4$		
	$-9/2$		$0.662\,150\,697\,513\,738\,9 - 1.001\,327\,352\,338\,588\,4i$		
238.	$1/2$	0_1	$-0.057\,765\,316\,736\,101\,71$	$-2.383\,066\,107\,199\,614$	
	$9/2$		$1.055\,524\,165\,010\,243 + 1.016\,102\,040\,707\,780\,8i$		
	$7/2$	2_3	$1.106\,745\,565\,453\,303\,8$		
	$11/2$		$1.055\,524\,165\,010\,243 - 1.016\,102\,040\,707\,780\,8i$		
239.	$-1/2$	0_1	$0.057\,765\,316\,736\,101\,71$	$-2.383\,066\,107\,199\,614$	
	$-11/2$		$-1.055\,524\,165\,010\,243 + 1.016\,102\,040\,707\,780\,8i$		
	$-7/2$	-2_3	$-1.106\,745\,565\,453\,303\,8$		
	$-9/2$		$-1.055\,524\,165\,010\,243 - 1.016\,102\,040\,707\,780\,8i$		
240.	$3/2$	1_1	$0.079\,836\,133\,096\,122\,34$	$-2.366\,297\,481\,755\,553\,5$	
	$9/2$		$1.029\,832\,317\,014\,975\,7 + 1.014\,235\,382\,470\,007\,4i$		
	$7/2$	2_3	$1.080\,793\,430\,808\,222\,3$		
	$11/2$		$1.029\,832\,317\,014\,975\,7 - 1.014\,235\,382\,470\,007\,4i$		
241.	$-3/2$	-1_1	$-0.079\,836\,133\,096\,122\,34$	$-2.366\,297\,481\,755\,553\,5$	
	$-11/2$		$-1.029\,832\,317\,014\,975\,7 + 1.014\,235\,382\,470\,007\,4i$		
	$-7/2$	-2_3	$-1.080\,793\,430\,808\,222\,3$		
	$-9/2$		$-1.029\,832\,317\,014\,975\,7 - 1.014\,235\,382\,470\,007\,4i$		
242.	$-1/2$	-1_1	$-0.204\,066\,872\,858\,334\,08$	$-2.117\,516\,876\,027\,214$	
	$9/2$		$1.079\,280\,223\,719\,383\,7 + 1.017\,998\,591\,055\,294\,9i$		
	$7/2$	2_3	$1.131\,032\,608\,475\,2$		
	$11/2$		$1.079\,280\,223\,719\,383\,7 - 1.017\,998\,591\,055\,294\,9i$		
243.	$1/2$	1_1	$0.204\,066\,872\,858\,334\,08$	$-2.117\,516\,876\,027\,214$	
	$-11/2$		$-1.079\,280\,223\,719\,383\,7 + 1.017\,998\,591\,055\,294\,9i$		
	$-7/2$	-2_3	$-1.131\,032\,608\,475\,2$		
	$-9/2$		$-1.079\,280\,223\,719\,383\,7 - 1.017\,998\,591\,055\,294\,9i$		
244.	$5/2$	2_1	$0.232\,356\,731\,491\,038\,47$	$-2.068\,880\,832\,728\,774\,4$	
	$9/2$		$0.996\,611\,792\,445\,939\,9 + 1.012\,063\,655\,797\,639\,5i$		
	$7/2$	2_3	$1.047\,876\,904\,088\,63$		
	$11/2$		$0.996\,611\,792\,445\,939\,9 - 1.012\,063\,655\,797\,639\,5i$		
245.	$-5/2$	-2_1	$-0.232\,356\,731\,491\,038\,47$	$-2.068\,880\,832\,728\,774\,4$	
	$-11/2$		$-0.996\,611\,792\,445\,939\,9 + 1.012\,063\,655\,797\,639\,5i$		
	$-7/2$	-2_3	$-1.047\,876\,904\,088\,63$		
	$-9/2$		$-0.996\,611\,792\,445\,939\,9 - 1.012\,063\,655\,797\,639\,5i$		
246.	$-3/2$	-2_1	$-0.388\,733\,694\,842\,194\,67$	$-1.642\,605\,884\,031\,352\,2$	
	$9/2$		$1.105\,052\,288\,925\,508\,8 + 1.020\,266\,788\,134\,545\,3i$		
	$7/2$	2_3	$1.157\,638\,851\,324\,539\,7$		
	$11/2$		$1.105\,052\,288\,925\,508\,8 - 1.020\,266\,788\,134\,545\,3i$		
247.	$3/2$	2_1	$0.388\,733\,694\,842\,194\,67$	$-1.642\,605\,884\,031\,352\,2$	
	$-11/2$		$-1.105\,052\,288\,925\,508\,8 + 1.020\,266\,788\,134\,545\,3i$		
	$-7/2$	-2_3	$-1.157\,638\,851\,324\,539\,7$		
	$-9/2$		$-1.105\,052\,288\,925\,508\,8 - 1.020\,266\,788\,134\,545\,3i$		
248.	$7/2$	3_1	$0.439\,706\,564\,818\,335\,3$	$-1.563\,333\,226\,268\,677\,7$	
	$9/2$		$0.940\,517\,691\,682\,803\,5 + 1.008\,858\,124\,558\,948i$		
	$7/2$	2_3	$0.994\,980\,225\,851\,658\,7$		
	$11/2$		$0.940\,517\,691\,682\,803\,5 - 1.008\,858\,124\,558\,948i$		

TABLE 4.3: (Continued)

	J	I_n	λ	E	Rigged Configuration
249.	$-7/2$	-3_1	$-0.439\,706\,564\,818\,335\,3$	$-1.563\,333\,226\,268\,677\,7$	
	$-11/2$		$-0.940\,517\,691\,682\,803\,5 + 1.008\,858\,124\,558\,948i$		
	$-7/2$	-2_3	$-0.994\,980\,225\,851\,658\,7$		
	$-9/2$		$-0.940\,517\,691\,682\,803\,5 - 1.008\,858\,124\,558\,948i$		
250.	$-5/2$	-3_1	$-0.681\,110\,670\,148\,094\,8$	$-1.087\,151\,993\,487\,021\,7$	
	$9/2$		$1.138\,466\,493\,181\,434\,8 + 1.023\,578\,920\,970\,519i$		
	$7/2$	2_3	$1.192\,476\,311\,834\,071\,8$		
	$11/2$		$1.138\,466\,493\,181\,434\,8 - 1.023\,578\,920\,970\,519i$		
251.	$5/2$	3_1	$0.681\,110\,670\,148\,094\,8$	$-1.087\,151\,993\,487\,021\,7$	
	$-11/2$		$-1.138\,466\,493\,181\,434\,8 + 1.023\,578\,920\,970\,519i$		
	$-7/2$	-2_3	$-1.192\,476\,311\,834\,071\,8$		
	$-9/2$		$-1.138\,466\,493\,181\,434\,8 - 1.023\,578\,920\,970\,519i$		
252.	$7/2$	4_1	$0.959\,040\,218\,892\,172\,6$	$-0.983\,946\,627\,118\,566$	
	$9/2$		$0.805\,649\,780\,404\,813\,5 + 1.036\,282\,313\,052\,593\,3i$		
	$9/2$	2_3	$0.747\,243\,502\,470\,016$		
	$11/2$		$0.805\,649\,780\,404\,813\,5 - 1.036\,282\,313\,052\,593\,3i$		
253.	$-7/2$	-4_1	$-0.959\,040\,218\,892\,172\,6$	$-0.983\,946\,627\,118\,566$	
	$-11/2$		$-0.805\,649\,780\,404\,813\,5 + 1.036\,282\,313\,052\,593\,3i$		
	$-9/2$	-2_3	$-0.747\,243\,502\,470\,016$		
	$-9/2$		$-0.805\,649\,780\,404\,813\,5 - 1.036\,282\,313\,052\,593\,3i$		
254.	$-7/2$	-4_1	$-1.384\,295\,943\,410\,824\,4$	$-0.601\,612\,456\,771\,055\,1$	
	$9/2$		$1.194\,639\,403\,897\,930\,2 + 1.030\,262\,175\,370\,845\,6i$		
	$7/2$	2_3	$1.251\,821\,563\,263\,055\,4$		
	$11/2$		$1.194\,639\,403\,897\,930\,2 - 1.030\,262\,175\,370\,845\,6i$		
255.	$7/2$	4_1	$1.384\,295\,943\,410\,824\,4$	$-0.601\,612\,456\,771\,055\,1$	
	$-11/2$		$-1.194\,639\,403\,897\,930\,2 + 1.030\,262\,175\,370\,845\,6i$		
	$-7/2$	-2_3	$-1.251\,821\,563\,263\,055\,4$		
	$-9/2$		$-1.194\,639\,403\,897\,930\,2 - 1.030\,262\,175\,370\,845\,6i$		

TABLE 4.4: Bethe roots for $N = 12, M = 4$. There are 15 solutions with two 2-strings.
$\epsilon^{12} = -6.551398760369255 \times 10^{-18}$

	J	I_n	λ	E	Rigged Configuration
256.	$-7/2$	$-1/2_2$	$-0.222\,486\,033\,002\,061\,57 + 0.500\,000\,050\,690\,497\,5i$	$-1.905\,667\,167\,441\,947\,4$	
	$-5/2$		$-0.222\,486\,033\,002\,061\,57 - 0.500\,000\,050\,690\,497\,5i$		
	$5/2$	$1/2_2$	$0.222\,486\,033\,002\,061\,57 + 0.500\,000\,050\,690\,497\,5i$		
	$7/2$		$0.222\,486\,033\,002\,061\,57 - 0.500\,000\,050\,690\,497\,5i$		
257.	$7/2$	$3/2_2$	$0.535\,245\,198\,756\,853\,6 + 0.499\,497\,800\,567\,591\,9i$	$-1.778\,198\,904\,888\,727\,7$	
	$7/2$		$0.535\,245\,198\,756\,853\,6 - 0.499\,497\,800\,567\,591\,9i$		
	$7/2$	$1/2_2$	$0.032\,895\,249\,932\,733\,04 + 0.5i + \epsilon^{12}i$		
	$7/2$		$0.032\,895\,249\,932\,733\,04 - 0.5i - \epsilon^{12}i$		
258.	$-7/2$	$-3/2_2$	$-0.535\,245\,198\,756\,853\,6 + 0.499\,497\,800\,567\,591\,9i$	$-1.778\,198\,904\,888\,727\,7$	
	$-7/2$		$-0.535\,245\,198\,756\,853\,6 - 0.499\,497\,800\,567\,591\,9i$		
	$-7/2$	$-1/2_2$	$-0.032\,895\,249\,932\,733\,04 + 0.5i + \epsilon^{12}i$		
	$-7/2$		$-0.032\,895\,249\,932\,733\,04 - 0.5i - \epsilon^{12}i$		

TABLE 4.4: (Continued)

	J	I_n	λ	E	Rigged Configuration
259.	$-7/2$ $-5/2$ $7/2$ $7/2$	$-1/2_2$ $3/2_2$	$-0.298\,683\,249\,494\,143\,4 + 0.500\,000\,725\,298\,243\,8i$ $-0.298\,683\,249\,494\,143\,4 - 0.500\,000\,725\,298\,243\,8i$ $0.617\,662\,758\,547\,443\,2 + 0.498\,928\,148\,286\,565\,07i$ $0.617\,662\,758\,547\,443\,2 - 0.498\,928\,148\,286\,565\,07i$	$-1.645\,090\,359\,805\,855\,5$	
260.	$5/2$ $7/2$ $-7/2$ $-7/2$	$1/2_2$ $-3/2_2$	$0.298\,683\,249\,494\,143\,4 + 0.500\,000\,725\,298\,243\,8i$ $0.298\,683\,249\,494\,143\,4 - 0.500\,000\,725\,298\,243\,8i$ $-0.617\,662\,758\,547\,443\,2 + 0.498\,928\,148\,286\,565\,07i$ $-0.617\,662\,758\,547\,443\,2 - 0.498\,928\,148\,286\,565\,07i$	$-1.645\,090\,359\,805\,855\,5$	
261.	$-9/2$ $-7/2$ $5/2$ $5/2$	$-5/2_2$ $-1/2_2$	$-1.077\,000\,058\,493\,795\,5 + 0.542\,597\,140\,782\,680\,7i$ $-1.077\,000\,058\,493\,795\,5 - 0.542\,597\,140\,782\,680\,7i$ $0.055\,818\,368\,900\,090\,55 + 0.499\,999\,999\,999\,998\,2i$ $0.055\,818\,368\,900\,090\,55 - 0.499\,999\,999\,999\,998\,2i$	$-1.424\,235\,414\,957\,551\,1$	
262.	$7/2$ $9/2$ $-5/2$ $-5/2$	$5/2_2$ $1/2_2$	$1.077\,000\,058\,493\,795\,5 + 0.542\,597\,140\,782\,680\,7i$ $1.077\,000\,058\,493\,795\,5 - 0.542\,597\,140\,782\,680\,7i$ $-0.055\,818\,368\,900\,090\,55 + 0.499\,999\,999\,999\,998\,2i$ $-0.055\,818\,368\,900\,090\,55 - 0.499\,999\,999\,999\,998\,2i$	$-1.424\,235\,414\,957\,551\,1$	
263.	$-9/2$ $-7/2$ $-9/2$ $-7/2$	$-5/2_2$ $-3/2_2$	$-0.969\,901\,871\,651\,492\,7 + 0.534\,830\,240\,411\,045\,1i$ $-0.969\,901\,871\,651\,492\,7 - 0.534\,830\,240\,411\,045\,1i$ $-0.264\,179\,761\,878\,848\,95 + 0.500\,000\,224\,304\,141\,3i$ $-0.264\,179\,761\,878\,848\,95 - 0.500\,000\,224\,304\,141\,3i$	$-1.412\,216\,562\,688\,642\,7$	
264.	$7/2$ $9/2$ $7/2$ $9/2$	$5/2_2$ $3/2_2$	$0.969\,901\,871\,651\,492\,7 + 0.534\,830\,240\,411\,045\,1i$ $0.969\,901\,871\,651\,492\,7 - 0.534\,830\,240\,411\,045\,1i$ $0.264\,179\,761\,878\,848\,95 + 0.500\,000\,224\,304\,141\,3i$ $0.264\,179\,761\,878\,848\,95 - 0.500\,000\,224\,304\,141\,3i$	$-1.412\,216\,562\,688\,642\,7$	
265.	$-7/2$ $-7/2$ $7/2$ $7/2$	$-3/2_2$ $3/2_2$	$-0.686\,221\,122\,599\,096\,5 + 0.498\,073\,185\,623\,519\,8i$ $-0.686\,221\,122\,599\,096\,5 - 0.498\,073\,185\,623\,519\,8i$ $0.686\,221\,122\,599\,096\,5 + 0.498\,073\,185\,623\,519\,8i$ $0.686\,221\,122\,599\,096\,5 - 0.498\,073\,185\,623\,519\,8i$	$-1.368\,837\,200\,825\,039$	
266.	$-9/2$ $-7/2$ $5/2$ $7/2$	$-5/2_2$ $1/2_2$	$-1.153\,319\,403\,450\,627\,1 + 0.549\,191\,862\,255\,288\,9i$ $-1.153\,319\,403\,450\,627\,1 - 0.549\,191\,862\,255\,288\,9i$ $0.366\,906\,987\,146\,118\,2 + 0.500\,004\,542\,718\,208\,5i$ $0.366\,906\,987\,146\,118\,2 - 0.500\,004\,542\,718\,208\,5i$	$-1.275\,997\,427\,726\,979$	
267.	$7/2$ $9/2$ $-7/2$ $-5/2$	$5/2_2$ $-1/2_2$	$1.153\,319\,403\,450\,627\,1 + 0.549\,191\,862\,255\,288\,9i$ $1.153\,319\,403\,450\,627\,1 - 0.549\,191\,862\,255\,288\,9i$ $-0.366\,906\,987\,146\,118\,2 + 0.500\,004\,542\,718\,208\,5i$ $-0.366\,906\,987\,146\,118\,2 - 0.500\,004\,542\,718\,208\,5i$	$-1.275\,997\,427\,726\,979$	
268.	$-9/2$ $-7/2$ $7/2$ $7/2$	$-5/2_2$ $3/2_2$	$-1.223\,227\,589\,829\,536\,4 + 0.555\,892\,462\,727\,812\,9i$ $-1.223\,227\,589\,829\,536\,4 - 0.555\,892\,462\,727\,812\,9i$ $0.752\,776\,731\,782\,296\,2 + 0.496\,780\,360\,525\,894\,3i$ $0.752\,776\,731\,782\,296\,2 - 0.496\,780\,360\,525\,894\,3i$	$-1.011\,638\,541\,337\,790\,6$	
269.	$7/2$ $9/2$ $-7/2$ $-7/2$	$5/2_2$ $-3/2_2$	$1.223\,227\,589\,829\,536\,4 + 0.555\,892\,462\,727\,812\,9i$ $1.223\,227\,589\,829\,536\,4 - 0.555\,892\,462\,727\,812\,9i$ $-0.752\,776\,731\,782\,296\,2 + 0.496\,780\,360\,525\,894\,3i$ $-0.752\,776\,731\,782\,296\,2 - 0.496\,780\,360\,525\,894\,3i$	$-1.011\,638\,541\,337\,790\,6$	
270.	$-9/2$ $-7/2$ $7/2$ $9/2$	$-5/2_2$ $5/2_2$	$-1.296\,221\,703\,921\,813 + 0.563\,529\,463\,947\,111i$ $-1.296\,221\,703\,921\,813 - 0.563\,529\,463\,947\,111i$ $1.296\,221\,703\,921\,813 + 0.563\,529\,463\,947\,111i$ $1.296\,221\,703\,921\,813 - 0.563\,529\,463\,947\,111i$	$-0.681\,173\,793\,634\,814\,6$	

TABLE 4.5: Bethe roots for $N = 12$, $M = 4$. There are 5 solutions with one 4-string

	J	I_n	λ	E	Rigged Configuration
271.	9/2 5/2 7/2 −9/2	0_4	1.502 976 465 754 898i 0.5i −0.5i −1.502 976 465 754 898i	−0.502 224 622 031 976 6	4 □□□□ 2
272.	9/2 9/2 9/2 11/2	1_4	0.545 796 623 503 090 3 + 1.491 557 923 422 934i 0.543 058 422 009 484 2 + 0.499 998 124 181 711 36i 0.543 058 422 009 484 2 − 0.499 998 124 181 711 36i 0.545 796 623 503 090 3 − 1.491 557 923 422 934i	−0.465 300 947 590 091 83	4 □□□□ 3
273.	−11/2 −9/2 −9/2 −9/2	-1_4	−0.545 796 623 503 090 3 + 1.491 557 923 422 934i −0.543 058 422 009 484 2 + 0.499 998 124 181 711 36i −0.543 058 422 009 484 2 − 0.499 998 124 181 711 36i −0.545 796 623 503 090 3 − 1.491 557 923 422 934i	−0.465 300 947 590 091 83	4 □□□□ 1
274.	11/2 7/2 9/2 13/2	2_4	1.110 858 834 674 417 3 + 1.463 300 819 730 663 6i 1.170 113 816 723 700 4 + 0.504 118 431 106 908 8i 1.170 113 816 723 700 4 − 0.504 118 431 106 908 8i 1.110 858 834 674 417 3 − 1.463 300 819 730 663 6i	−0.359 605 819 932 688 53	4 □□□□ 4
275.	−13/2 −9/2 −7/2 −11/2	-2_4	−1.110 858 834 674 417 3 + 1.463 300 819 730 663 6i −1.170 113 816 723 700 4 + 0.504 118 431 106 908 8i −1.170 113 816 723 700 4 − 0.504 118 431 106 908 8i −1.110 858 834 674 417 3 − 1.463 300 819 730 663 6i	−0.359 605 819 932 688 53	4 □□□□ 0

TABLE 5.1: Bethe roots for $N = 12$, $M = 5$. There are 21 solutions with five 1-strings

	J	I_n	λ	E	Rigged Configuration
	-2	-2_1	$-0.398\,684\,773\,959\,688\,04$		2 ☐ 1
	-1	-1_1	$-0.169\,830\,773\,373\,665\,34$		2 ☐ 1
1.	0	0_1	0	$-8.031\,543\,403\,742\,436$	2 ☐ 1
	1	1_1	$0.169\,830\,773\,373\,665\,34$		2 ☐ 1
	2	2_1	$0.398\,684\,773\,959\,688\,04$		2 ☐ 1
	-3	-3_1	$-0.756\,942\,589\,546\,759\,9$		2 ☐ 0
	-2	-2_1	$-0.325\,617\,493\,533\,697$		2 ☐ 0
2.	-1	-1_1	$-0.121\,623\,649\,133\,178\,52$	$-7.569\,374\,410\,805\,453\,5$	2 ☐ 0
	0	0_1	$0.042\,484\,129\,922\,642\,395$		2 ☐ 0
	1	1_1	$0.216\,800\,594\,452\,801\,84$		2 ☐ 0
	3	3_1	$0.756\,942\,589\,546\,759\,9$		2 ☐ 2
	2	2_1	$0.325\,617\,493\,533\,697$		2 ☐ 2
3.	1	1_1	$0.121\,623\,649\,133\,178\,52$	$-7.569\,374\,410\,805\,453\,5$	2 ☐ 2
	0	0_1	$-0.042\,484\,129\,922\,642\,395$		2 ☐ 2
	-1	-1_1	$-0.216\,800\,594\,452\,801\,84$		2 ☐ 2
	-3	-3_1	$-0.845\,315\,252\,541\,435$		2 ☐ 0
	-1	-1_1	$-0.151\,806\,942\,204\,393\,86$		2 ☐ 1
4.	0	0_1	$0.013\,521\,416\,789\,871\,557$	$-7.297\,688\,546\,560\,050\,5$	2 ☐ 1
	1	1_1	$0.182\,665\,014\,579\,969\,8$		2 ☐ 1
	2	2_1	$0.414\,622\,845\,642\,768\,5$		2 ☐ 1
	3	3_1	$0.845\,315\,252\,541\,435$		2 ☐ 1
	1	1_1	$0.151\,806\,942\,204\,393\,86$		2 ☐ 1
5.	0	0_1	$-0.013\,521\,416\,789\,871\,557$	$-7.297\,688\,546\,560\,050\,5$	2 ☐ 1
	-1	-1_1	$-0.182\,665\,014\,579\,969\,8$		2 ☐ 1
	-2	-2_1	$-0.414\,622\,845\,642\,768\,5$		2 ☐ 2
	-3	-3_1	$-0.775\,601\,387\,542\,306\,9$		2 ☐ 0
	-2	-2_1	$-0.335\,239\,672\,611\,111\,1$		2 ☐ 0
6.	-1	-1_1	$-0.129\,920\,517\,455\,476\,97$	$-6.944\,334\,243\,744\,385$	2 ☐ 0
	0	0_1	$0.033\,555\,434\,730\,308\,73$		2 ☐ 0
	2	2_1	$0.446\,408\,338\,048\,348\,7$		2 ☐ 1
	3	3_1	$0.775\,601\,387\,542\,306\,9$		2 ☐ 1
	2	2_1	$0.335\,239\,672\,611\,111\,1$		2 ☐ 2
7.	1	1_1	$0.129\,920\,517\,455\,476\,97$	$-6.944\,334\,243\,744\,385$	2 ☐ 2
	0	0_1	$-0.033\,555\,434\,730\,308\,73$		2 ☐ 2
	-2	-2_1	$-0.446\,408\,338\,048\,348\,7$		2 ☐ 2
	-3	-3_1	$-0.812\,226\,665\,567\,972\,6$		2 ☐ 0
	-2	-2_1	$-0.352\,392\,315\,672\,089\,5$		2 ☐ 0
8.	0	0_1	$0.020\,857\,227\,929\,805\,38$	$-6.791\,446\,752\,235\,993$	2 ☐ 1
	1	1_1	$0.190\,249\,204\,137\,818\,26$		2 ☐ 1
	2	2_1	$0.424\,617\,302\,402\,698\,3$		2 ☐ 1

TABLE 5.1: (Continued)

	J	I_n	λ	E	Rigged Configuration
	3	3_1	0.812 226 665 567 972 6		2 □ 1
	2	2_1	0.352 392 315 672 089 5		2 □ 1
9.	0	0_1	−0.020 857 227 929 805 38	−6.791 446 752 235 993	2 □ 1
	−1	-1_1	−0.190 249 204 137 818 26		2 □ 2
	−2	-2_1	−0.424 617 302 402 698 3		2 □ 2
	−3	-3_1	−0.792 294 239 125 793 9		2 □ 0
	−2	-2_1	−0.343 406 336 502 839 7		2 □ 0
10.	−1	-1_1	−0.136 486 838 380 015 88	−6.660 794 281 752 903	2 □ 0
	1	1_1	0.197 116 557 809 589 8		2 □ 1
	2	2_1	0.434 319 903 262 202 93		2 □ 1
	3	3_1	0.792 294 239 125 793 9		2 □ 1
	2	2_1	0.343 406 336 502 839 7		2 □ 1
11.	1	1_1	0.136 486 838 380 015 88	−6.660 794 281 752 903	2 □ 2
	−1	-1_1	−0.197 116 557 809 589 8		2 □ 2
	−2	-2_1	−0.434 319 903 262 202 93		2 □ 2
	−3	-3_1	−0.874 461 452 407 208 1		2 □ 0
	−1	-1_1	−0.164 243 785 008 903 74		2 □ 1
12.	0	0_1	0	−6.595 950 481 102 024	2 □ 1
	1	1_1	0.164 243 785 008 903 74		2 □ 1
	3	3_1	0.874 461 452 407 208 1		2 □ 2
	−3	-3_1	−0.803 860 853 218 738 1		2 □ 0
	−2	-2_1	−0.349 625 976 413 889 6		2 □ 0
13.	−1	-1_1	−0.142 670 454 762 808 5	−6.194 248 703 667 982 5	2 □ 0
	0	0_1	0.019 286 801 884 459 866		2 □ 0
	3	3_1	0.932 430 156 981 694 2		2 □ 2
	3	3_1	0.803 860 853 218 738 1		2 □ 0
	2	2_1	0.349 625 976 413 889 6		2 □ 2
14.	1	1_1	0.142 670 454 762 808 5	−6.194 248 703 667 982 5	2 □ 2
	0	0_1	−0.019 286 801 884 459 866		2 □ 2
	−3	-3_1	−0.932 430 156 981 694 2		2 □ 2
	−3	-3_1	−0.840 380 823 814 669 5		2 □ 0
	−2	-2_1	−0.366 577 394 491 412 7		2 □ 0
15.	0	0_1	0.007 229 495 424 626 395 5	−6.090 650 379 570 238 5	2 □ 1
	1	1_1	0.171 482 221 619 466 58		2 □ 1
	3	3_1	0.892 352 098 794 517 6		2 □ 2
	3	3_1	0.840 380 823 814 669 5		2 □ 0
	2	2_1	0.366 577 394 491 412 7		2 □ 1
16.	0	0_1	−0.007 229 495 424 626 395 5	−6.090 650 379 570 238 5	2 □ 1
	−1	-1_1	−0.171 482 221 619 466 58		2 □ 2
	−3	-3_1	−0.892 352 098 794 517 6		2 □ 2

TABLE 5.1: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-3	-3_1	$-0.820\,268\,779\,082\,712\,8$		2 | | 0
	-2	-2_1	$-0.357\,581\,415\,134\,147\,26$		2 | | 0
17.	-1	-1_1	$-0.148\,962\,699\,824\,042\,1$	$-5.941\,088\,148\,990\,989$	2 | | 0
	1	1_1	$0.177\,883\,984\,578\,215\,78$		2 | | 1
	3	3_1	$0.909\,966\,173\,395\,914\,7$		2 | | 2
	3	3_1	$0.820\,268\,779\,082\,712\,8$		2 | | 0
	2	2_1	$0.357\,581\,415\,134\,147\,26$		2 | | 1
18.	1	1_1	$0.148\,962\,699\,824\,042\,1$	$-5.941\,088\,148\,990\,989$	2 | | 2
	-1	-1_1	$-0.177\,883\,984\,578\,215\,78$		2 | | 2
	-3	-3_1	$-0.909\,966\,173\,395\,914\,7$		2 | | 2
	-3	-3_1	$-0.857\,575\,794\,654\,880\,1$		2 | | 0
	-2	-2_1	$-0.375\,252\,668\,130\,713\,9$		2 | | 0
19.	0	0_1	0	$-5.573\,537\,263\,901\,082$	2 | | 1
	2	2_1	$0.375\,252\,668\,130\,713\,9$		2 | | 2
	3	3_1	$0.857\,575\,794\,654\,880\,1$		2 | | 2
	-3	-3_1	$-0.874\,360\,363\,390\,597\,8$		2 | | 0
	-2	-2_1	$-0.383\,338\,942\,435\,734\,3$		2 | | 0
20.	1	1_1	$0.156\,115\,542\,750\,015\,13$	$-5.402\,309\,868\,048\,893$	2 | | 2
	2	2_1	$0.366\,190\,676\,239\,540\,27$		2 | | 2
	3	3_1	$0.837\,272\,359\,137\,867\,1$		2 | | 2
	3	3_1	$0.874\,360\,363\,390\,597\,8$		2 | | 0
	2	2_1	$0.383\,338\,942\,435\,734\,3$		2 | | 0
21.	-1	-1_1	$-0.156\,115\,542\,750\,015\,13$	$-5.402\,309\,868\,048\,893$	2 | | 0
	-2	-2_1	$-0.366\,190\,676\,239\,540\,27$		2 | | 2
	-3	-3_1	$-0.837\,272\,359\,137\,867\,1$		2 | | 2

TABLE 5.2: Bethe roots for $N = 12$, $M = 5$. Three are 105 solutions with 1-strings and one 2-string. $\epsilon^{12} = -1.4956763315625075 \times 10^{-18}$

	J	I_n	λ	E	Rigged Configuration
	0	0_1	0		2 | | | 1
	-1	-1_1	$-0.178\,978\,221\,719\,006\,4$		4 | | 2
22.	1	1_1	$0.178\,978\,221\,719\,006\,4$	$-6.545\,681\,807\,497\,121$	4 | | 2
	3	0_2	0.5i		4 | | 2
	3		-0.5i		
	-2	-2_1	$-0.417\,570\,696\,146\,236\,15$		2 | | | 1
	0	0_1	$-0.002\,381\,045\,718\,184\,862$		4 | | 1
23.	1	1_1	$0.175\,358\,414\,091\,239\,7$	$-5.948\,867\,518\,647\,531$	4 | | 2
	3	0_2	$0.101\,803\,293\,049\,507\,17 + 0.499\,999\,999\,977\,561\,84$i		4 | | 2
	3		$0.101\,803\,293\,049\,507\,17 - 0.499\,999\,999\,977\,561\,84$i		

TABLE 5.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	2	2_1	0.417 570 696 146 236 15		2 ⟨ ⟩⟨ ⟩ 1
	0	0_1	0.002 381 045 718 184 862		4 ⟨ ⟩ 2
24.	−1	-1_1	−0.175 358 414 091 239 7	−5.948 867 518 647 531	
	−3	0_2	−0.101 803 293 049 507 17 + 0.499 999 999 977 561 84i		4 ⟨ ⟩ 2
	−3		−0.101 803 293 049 507 17 − 0.499 999 999 977 561 84i		4 ⟨ ⟩ 3
	−2	-2_1	−0.409 770 943 197 020 9		2 ⟨ ⟩⟨ ⟩ 1
	−1	-1_1	−0.176 487 965 391 174 23		4 ⟨ ⟩ 1
25.	0	0_1	−0.003 590 957 702 482 643	−5.914 664 527 148 545	
	3	0_2	0.252 843 418 178 171 9 + 0.499 999 403 835 257 6i		4 ⟨ ⟩ 1
	3		0.252 843 418 178 171 9 − 0.499 999 403 835 257 6i		4 ⟨ ⟩ 1
	2	2_1	0.409 770 943 197 020 9		2 ⟨ ⟩⟨ ⟩ 1
	1	1_1	0.176 487 965 391 174 23		4 ⟨ ⟩ 3
26.	0	0_1	0.003 590 957 702 482 643	−5.914 664 527 148 545	
	−3	0_2	−0.252 843 418 178 171 9 + 0.499 999 403 835 257 6i		4 ⟨ ⟩ 3
	−3		−0.252 843 418 178 171 9 − 0.499 999 403 835 257 6i		4 ⟨ ⟩ 3
	−2	-2_1	−0.413 203 762 390 908 3		2 ⟨ ⟩⟨ ⟩ 1
	−1	-1_1	−0.177 654 874 760 925 87		4 ⟨ ⟩ 1
27.	1	1_1	0.173 059 038 145 710 3	−5.719 849 426 383 662	
	3	0_2	0.177 038 758 184 775 66 + 0.499 999 987 617 875 06i		4 ⟨ ⟩ 1
	3		0.177 038 758 184 775 66 − 0.499 999 987 617 875 06i		4 ⟨ ⟩ 2
	2	2_1	0.413 203 762 390 908 3		2 ⟨ ⟩⟨ ⟩ 1
	1	1_1	0.177 654 874 760 925 87		4 ⟨ ⟩ 2
28.	−1	-1_1	−0.173 059 038 145 710 3	−5.719 849 426 383 662	
	−3	0_2	−0.177 038 758 184 775 66 + 0.499 999 987 617 875 06i		4 ⟨ ⟩ 3
	−3		−0.177 038 758 184 775 66 − 0.499 999 987 617 875 06i		4 ⟨ ⟩ 3
	0	0_1	0		2 ⟨ ⟩⟨ ⟩ 1
	−2	-2_1	−0.416 815 787 852 310 3		4 ⟨ ⟩ 1
29.	2	2_1	0.416 815 787 852 310 3	−5.359 963 311 144 392 5	
	3	0_2	0.5i		4 ⟨ ⟩ 2
	3		−0.5i		4 ⟨ ⟩ 3
	−3	-3_1	−0.897 572 202 622 072 6		2 ⟨ ⟩⟨ ⟩ 1
	0	0_1	0.002 689 440 509 912 956		4 ⟨ ⟩ 0
30.	1	1_1	0.177 212 641 036 945 48	−5.213 619 890 242 972	
	3	0_2	0.195 392 231 540 427 48 + 0.499 999 967 683 526 17i		4 ⟨ ⟩ 2
	3		0.195 392 231 540 427 48 − 0.499 999 967 683 526 17i		4 ⟨ ⟩ 2
	3	3_1	0.897 572 202 622 072 6		2 ⟨ ⟩⟨ ⟩ 1
	0	0_1	−0.002 689 440 509 912 956		4 ⟨ ⟩ 2
31.	−1	-1_1	−0.177 212 641 036 945 48	−5.213 619 890 242 972	
	−3	0_2	−0.195 392 231 540 427 48 + 0.499 999 967 683 526 17i		4 ⟨ ⟩ 2
	−3		−0.195 392 231 540 427 48 − 0.499 999 967 683 526 17i		4 ⟨ ⟩ 4
	−3	-3_1	−0.872 668 357 876 103 4		2 ⟨ ⟩⟨ ⟩ 1
	−1	-1_1	−0.162 076 420 566 012 99		4 ⟨ ⟩ 0
32.	0	0_1	0.005 214 418 631 848 616	−5.213 005 585 361 278	
	3	0_2	0.316 311 819 135 710 5 + 0.499 995 027 545 085 57i		4 ⟨ ⟩ 1
	3		0.316 311 819 135 710 5 − 0.499 995 027 545 085 57i		4 ⟨ ⟩ 1
	3	3_1	0.872 668 357 876 103 4		2 ⟨ ⟩⟨ ⟩ 1
	1	1_1	0.162 076 420 566 012 99		4 ⟨ ⟩ 3
33.	0	0_1	−0.005 214 418 631 848 616	−5.213 005 585 361 278	
	−3	0_2	−0.316 311 819 135 710 5 + 0.499 995 027 545 085 57i		4 ⟨ ⟩ 3
	−3		−0.316 311 819 135 710 5 − 0.499 995 027 545 085 57i		4 ⟨ ⟩ 4
	−2	-2_1	−0.416 502 197 420 780 15		2 ⟨ ⟩⟨ ⟩ 1
	1	1_1	0.176 727 449 498 047 17		4 ⟨ ⟩ 1
34.	2	2_1	0.413 983 317 517 97	−5.139 559 149 982 608	
	−3	0_2	−0.075 109 291 716 120 37 + 0.499 999 999 999 514 7i		4 ⟨ ⟩ 3
	−3		−0.075 109 291 716 120 37 − 0.499 999 999 999 514 7i		4 ⟨ ⟩ 3

TABLE 5.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	2	2_1	0.416 502 197 420 780 15		2 ☐☐ 1
	−1	-1_1	−0.176 727 449 498 047 17		4 ☐ 1
35.	−2	-2_1	−0.413 983 317 517 97	−5.139 559 149 982 608	4 ☐ 1
	3	0_2	0.075 109 291 716 120 37 + 0.499 999 999 999 514 7i		4 ☐ 3
	3		0.075 109 291 716 120 37 − 0.499 999 999 999 514 7i		
	−3	-3_1	−0.882 964 789 773 941 7		2 ☐☐ 1
	−1	-1_1	−0.164 529 941 001 321 43		4 ☐ 0
36.	1	1_1	0.177 071 717 193 954 8	−5.007 232 506 657 096	4 ☐ 1
	3	0_2	0.252 879 090 188 789 3 + 0.499 999 492 553 369 4i		4 ☐ 2
	3		0.252 879 090 188 789 3 − 0.499 999 492 553 369 4i		
	3	3_1	0.882 964 789 773 941 7		2 ☐☐ 1
	1	1_1	0.164 529 941 001 321 43		4 ☐ 1
37.	−1	-1_1	−0.177 071 717 193 954 8	−5.007 232 506 657 096	4 ☐ 2
	−3	0_2	−0.252 879 090 188 789 3 + 0.499 999 492 553 369 4i		4 ☐ 4
	−3		−0.252 879 090 188 789 3 − 0.499 999 492 553 369 4i		
	−3	-3_1	−0.842 584 420 424 462 4		2 ☐☐ 1
	−2	-2_1	−0.368 215 176 936 622 87		4 ☐ 0
38.	0	0_1	0.009 860 957 249 405 72	−4.704 903 368 420 259 5	4 ☐ 0
	3	0_2	0.355 215 281 510 871 84 + 0.499 985 966 033 708 8i		4 ☐ 1
	3		0.355 215 281 510 871 84 − 0.499 985 966 033 708 8i		
	3	3_1	0.842 584 420 424 462 4		2 ☐☐ 1
	2	2_1	0.368 215 176 936 622 87		4 ☐ 3
39.	0	0_1	−0.009 860 957 249 405 72	−4.704 903 368 420 259 5	4 ☐ 4
	−3	0_2	−0.355 215 281 510 871 84 + 0.499 985 966 033 708 8i		4 ☐ 4
	−3		−0.355 215 281 510 871 84 − 0.499 985 966 033 708 8i		
	−3	-3_1	−0.902 525 607 649 605 8		2 ☐☐ 1
	0	0_1	0.004 136 384 394 140 908		4 ☐ 0
40.	2	2_1	0.420 421 348 179 080 45	−4.632 055 811 550 136	4 ☐ 2
	3	0_2	0.095 953 803 567 074 85 + 0.499 999 999 992 918 16i		4 ☐ 3
	3		0.095 953 803 567 074 85 − 0.499 999 999 992 918 16i		
	3	3_1	0.902 525 607 649 605 8		2 ☐☐ 1
	0	0_1	−0.004 136 384 394 140 908		4 ☐ 1
41.	−2	-2_1	−0.420 421 348 179 080 45	−4.632 055 811 550 136	4 ☐ 2
	−3	0_2	−0.095 953 803 567 074 85 + 0.499 999 999 992 918 16i		4 ☐ 4
	−3		−0.095 953 803 567 074 85 − 0.499 999 999 992 918 16i		
	−3	-3_1	−0.825 978 362 774 815 4		2 ☐☐ 1
	−2	-2_1	−0.361 130 591 162 163 7		4 ☐ 0
42.	−1	-1_1	−0.150 795 476 577 157 5	−4.550 601 689 040 571	4 ☐ 0
	3	0_2	0.392 658 410 600 082 55 + 0.499 966 564 349 285 77i		4 ☐ 0
	3		0.392 658 410 600 082 55 − 0.499 966 564 349 285 77i		
	3	3_1	0.825 978 362 774 815 4		2 ☐☐ 1
	2	2_1	0.361 130 591 162 163 7		4 ☐ 4
43.	1	1_1	0.150 795 476 577 157 5	−4.550 601 689 040 571	4 ☐ 4
	−3	0_2	−0.392 658 410 600 082 55 + 0.499 966 564 349 285 77i		4 ☐ 4
	−3		−0.392 658 410 600 082 55 − 0.499 966 564 349 285 77i		
	−3	-3_1	−0.853 528 629 099 593		2 ☐☐ 1
	−2	-2_1	−0.373 031 864 379 688 8		4 ☐ 0
44.	1	1_1	0.179 451 117 795 656 17	−4.485 814 771 137 682	4 ☐ 0
	3	0_2	0.298 505 386 235 455 9 + 0.499 997 404 243 004 5i		4 ☐ 2
	3		0.298 505 386 235 455 9 − 0.499 997 404 243 004 5i		
	3	3_1	0.853 528 629 099 593		2 ☐☐ 1
	2	2_1	0.373 031 864 379 688 8		4 ☐ 2
45.	−1	-1_1	−0.179 451 117 795 656 17	−4.485 814 771 137 682	4 ☐ 4
	−3	0_2	−0.298 505 386 235 455 9 + 0.499 997 404 243 004 5i		4 ☐ 4
	−3		−0.298 505 386 235 455 9 − 0.499 997 404 243 004 5i		

TABLE 5.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-3	-3_1	$-0.889\,291\,355\,412\,371\,5$		2 ☐☐ 1
	-1	-1_1	$-0.164\,999\,877\,684\,675\,36$		4 ☐ 0
46.	2	2_1	$0.420\,788\,149\,817\,811\,3$	$-4.431\,180\,163\,365\,785$	
	3	0_2	$0.155\,398\,623\,982\,323\,65 + 0.499\,999\,998\,114\,633\,25$i		4 ☐ 1
	3		$0.155\,398\,623\,982\,323\,65 - 0.499\,999\,998\,114\,633\,25$i		4 ☐ 3
	3	3_1	$0.889\,291\,355\,412\,371\,5$		2 ☐☐ 1
	1	1_1	$0.164\,999\,877\,684\,675\,36$		4 ☐ 0
47.	-2	-2_1	$-0.420\,788\,149\,817\,811\,3$	$-4.431\,180\,163\,365\,785$	
	-3	0_2	$-0.155\,398\,623\,982\,323\,65 + 0.499\,999\,998\,114\,633\,25$i		4 ☐ 2
	-3		$-0.155\,398\,623\,982\,323\,65 - 0.499\,999\,998\,114\,633\,25$i		4 ☐ 4
	-3	-3_1	$-0.909\,117\,860\,983\,169\,9$		2 ☐☐ 1
	1	1_1	$0.179\,323\,647\,412\,491\,7$		4 ☐ 0
48.	2	2_1	$0.418\,560\,118\,260\,486\,7$	$-4.411\,761\,759\,341\,741$	
	3	0_2	$0.026\,645\,369\,485\,863\,02 + 0.5$i $+\epsilon^{12}i$		4 ☐ 3
	3		$0.026\,645\,369\,485\,863\,02 - 0.5$i $-\epsilon^{12}i$		4 ☐ 3
	3	3_1	$0.909\,117\,860\,983\,169\,9$		2 ☐☐ 1
	-1	-1_1	$-0.179\,323\,647\,412\,491\,7$		4 ☐ 1
49.	-2	-2_1	$-0.418\,560\,118\,260\,486\,7$	$-4.411\,761\,759\,341\,741$	
	-3	0_2	$-0.026\,645\,369\,485\,863\,02 + 0.5$i $+\epsilon^{12}i$		4 ☐ 1
	-3		$-0.026\,645\,369\,485\,863\,02 - 0.5$i $-\epsilon^{12}i$		4 ☐ 4
	0	0_1	0		2 ☐☐ 1
	-3	-3_1	$-0.916\,885\,587\,574\,595\,9$		4 ☐ 0
50.	3	3_1	$0.916\,885\,587\,574\,595\,9$	$-3.916\,859\,895\,827\,803\,6$	
	3	0_2	0.5i		4 ☐ 2
	3		-0.5i		4 ☐ 4
	-3	-3_1	$-0.860\,819\,854\,091\,305\,7$		2 ☐☐ 1
	-2	-2_1	$-0.375\,815\,950\,133\,971\,3$		4 ☐ 0
51.	2	2_1	$0.422\,649\,749\,217\,736\,85$	$-3.908\,791\,019\,745\,98$	
	3	0_2	$0.204\,762\,721\,789\,354\,78 + 0.499\,999\,961\,278\,210\,84$i		4 ☐ 0
	3		$0.204\,762\,721\,789\,354\,78 - 0.499\,999\,961\,278\,210\,84$i		4 ☐ 3
	3	3_1	$0.860\,819\,854\,091\,305\,7$		2 ☐☐ 1
	2	2_1	$0.375\,815\,950\,133\,971\,3$		4 ☐ 1
52.	-2	-2_1	$-0.422\,649\,749\,217\,736\,85$	$-3.908\,791\,019\,745\,98$	
	-3	0_2	$-0.204\,762\,721\,789\,354\,78 + 0.499\,999\,961\,278\,210\,84$i		4 ☐ 4
	-3		$-0.204\,762\,721\,789\,354\,78 - 0.499\,999\,961\,278\,210\,84$i		4 ☐ 4
	-3	-3_1	$-0.904\,151\,402\,126\,566\,1$		2 ☐☐ 1
	-1	-1_1	$-0.168\,671\,722\,487\,031\,88$		4 ☐ 0
53.	3	3_1	$0.924\,449\,216\,687\,776$	$-3.713\,756\,253\,624\,279$	
	3	0_2	$0.054\,262\,773\,223\,770\,72 + 0.499\,999\,999\,999\,994\,95$i		4 ☐ 1
	3		$0.054\,262\,773\,223\,770\,72 - 0.499\,999\,999\,999\,994\,95$i		4 ☐ 4
	3	3_1	$0.904\,151\,402\,126\,566\,1$		2 ☐☐ 1
	1	1_1	$0.168\,671\,722\,487\,031\,88$		4 ☐ 2
54.	-3	-3_1	$-0.924\,449\,216\,687\,776$	$-3.713\,756\,253\,624\,279$	
	-3	0_2	$-0.054\,262\,773\,223\,770\,72 + 0.499\,999\,999\,999\,994\,95$i		4 ☐ 3
	-3		$-0.054\,262\,773\,223\,770\,72 - 0.499\,999\,999\,999\,994\,95$i		4 ☐ 4
	-3	-3_1	$-0.876\,013\,842\,299\,833$		2 ☐☐ 1
	-2	-2_1	$-0.381\,824\,686\,746\,087\,55$		4 ☐ 0
55.	3	3_1	$0.932\,968\,254\,214\,097\,8$	$-3.190\,653\,078\,083\,757\,4$	
	3	0_2	$0.102\,259\,697\,064\,390\,07 + 0.499\,999\,999\,991\,980\,1$i		4 ☐ 0
	3		$0.102\,259\,697\,064\,390\,07 - 0.499\,999\,999\,991\,980\,1$i		4 ☐ 4
	3	3_1	$0.876\,013\,842\,299\,833$		2 ☐☐ 1
	2	2_1	$0.381\,824\,686\,746\,087\,55$		4 ☐ 0
56.	-3	-3_1	$-0.932\,968\,254\,214\,097\,8$	$-3.190\,653\,078\,083\,757\,4$	
	-3	0_2	$-0.102\,259\,697\,064\,390\,07 + 0.499\,999\,999\,991\,980\,1$i		4 ☐ 4
	-3		$-0.102\,259\,697\,064\,390\,07 - 0.499\,999\,999\,991\,980\,1$i		4 ☐ 4

TABLE 5.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-1	-1_1	$-0.236\,289\,173\,474\,463\,57$		2 | | 2
	0	0_1	$-0.061\,657\,436\,171\,384\,236$		4 | 2
57.	1	1_1	$0.098\,408\,042\,827\,533\,64$	$-6.169\,898\,511\,258\,596$	4 | 2
	3	1_2	$0.718\,607\,390\,351\,867\,2 + 0.509\,264\,539\,018\,281\,6i$		4 | 2
	4		$0.718\,607\,390\,351\,867\,2 - 0.509\,264\,539\,018\,281\,6i$		
	1	1_1	$0.236\,289\,173\,474\,463\,57$		2 | | 0
	0	0_1	$0.061\,657\,436\,171\,384\,236$		4 | 2
58.	-1	-1_1	$-0.098\,408\,042\,827\,533\,64$	$-6.169\,898\,511\,258\,596$	4 | 2
	-4	-1_2	$-0.718\,607\,390\,351\,867\,2 + 0.509\,264\,539\,018\,281\,6i$		4 | 2
	-3		$-0.718\,607\,390\,351\,867\,2 - 0.509\,264\,539\,018\,281\,6i$		
	0	0_1	$-0.076\,707\,132\,316\,564\,69$		2 | | 2
	1	1_1	$0.085\,033\,176\,886\,532\,82$		4 | 3
59.	2	2_1	$0.277\,710\,991\,098\,269\,1$	$-6.169\,793\,093\,647\,391$	4 | 3
	3	1_2	$0.573\,149\,708\,759\,385\,1 + 0.502\,687\,041\,985\,886\,2i$		4 | 3
	4		$0.573\,149\,708\,759\,385\,1 - 0.502\,687\,041\,985\,886\,2i$		
	0	0_1	$0.076\,707\,132\,316\,564\,69$		2 | | 0
	-1	-1_1	$-0.085\,033\,176\,886\,532\,82$		4 | 1
60.	-2	-2_1	$-0.277\,710\,991\,098\,269\,1$	$-6.169\,793\,093\,647\,391$	4 | 1
	-4	-1_2	$-0.573\,149\,708\,759\,385\,1 + 0.502\,687\,041\,985\,886\,2i$		4 | 1
	-3		$-0.573\,149\,708\,759\,385\,1 - 0.502\,687\,041\,985\,886\,2i$		
	-1	-1_1	$-0.241\,913\,784\,969\,016\,94$		2 | | 2
	0	0_1	$-0.066\,415\,063\,669\,391\,83$		4 | 2
61.	2	2_1	$0.284\,998\,451\,753\,585\,6$	$-5.778\,060\,275\,070\,96$	4 | 2
	3	1_2	$0.657\,891\,996\,582\,716\,1 + 0.505\,940\,153\,800\,309i$		4 | 2
	4		$0.657\,891\,996\,582\,716\,1 - 0.505\,940\,153\,800\,309i$		
	1	1_1	$0.241\,913\,784\,969\,016\,94$		2 | | 0
	0	0_1	$0.066\,415\,063\,669\,391\,83$		4 | 1
62.	-2	-2_1	$-0.284\,998\,451\,753\,585\,6$	$-5.778\,060\,275\,070\,96$	4 | 2
	-4	-1_2	$-0.657\,891\,996\,582\,716\,1 + 0.505\,940\,153\,800\,309i$		4 | 2
	-3		$-0.657\,891\,996\,582\,716\,1 - 0.505\,940\,153\,800\,309i$		
	-1	-1_1	$-0.247\,902\,824\,803\,582\,8$		2 | | 2
	1	1_1	$0.089\,611\,748\,702\,493\,73$		4 | 2
63.	2	2_1	$0.281\,299\,401\,910\,620\,6$	$-5.775\,999\,770\,836\,464\,5$	4 | 3
	3	1_2	$0.614\,560\,301\,262\,996\,7 + 0.504\,078\,668\,343\,734\,9i$		4 | 3
	4		$0.614\,560\,301\,262\,996\,7 - 0.504\,078\,668\,343\,734\,9i$		
	1	1_1	$0.247\,902\,824\,803\,582\,8$		2 | | 0
	-1	-1_1	$-0.089\,611\,748\,702\,493\,73$		4 | 1
64.	-2	-2_1	$-0.281\,299\,401\,910\,620\,6$	$-5.775\,999\,770\,836\,464\,5$	4 | 1
	-4	-1_2	$-0.614\,560\,301\,262\,996\,7 + 0.504\,078\,668\,343\,734\,9i$		4 | 2
	-3		$-0.614\,560\,301\,262\,996\,7 - 0.504\,078\,668\,343\,734\,9i$		
	-2	-2_1	$-0.471\,635\,574\,224\,569\,3$		2 | | 2
	0	0_1	$-0.053\,418\,813\,196\,571\,324$		4 | 1
65.	1	1_1	$0.105\,430\,275\,932\,100\,82$	$-5.567\,031\,284\,189\,321$	4 | 2
	3	1_2	$0.752\,683\,126\,430\,439\,7 + 0.511\,293\,176\,614\,711\,5i$		4 | 2
	4		$0.752\,683\,126\,430\,439\,7 - 0.511\,293\,176\,614\,711\,5i$		
	2	2_1	$0.471\,635\,574\,224\,569\,3$		2 | | 0
	0	0_1	$0.053\,418\,813\,196\,571\,324$		4 | 2
66.	-1	-1_1	$-0.105\,430\,275\,932\,100\,82$	$-5.567\,031\,284\,189\,321$	4 | 2
	-4	-1_2	$-0.752\,683\,126\,430\,439\,7 + 0.511\,293\,176\,614\,711\,5i$		4 | 3
	-3		$-0.752\,683\,126\,430\,439\,7 - 0.511\,293\,176\,614\,711\,5i$		

TABLE 5.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	0	0_1	−0.073 640 815 829 416 94		2 | | 2
	1	1_1	0.091 322 411 473 591 27		4 | 3
67.	3	3_1	0.727 399 386 600 244	−5.443 908 153 468 919	4 | 3
	3	1_2	0.315 875 777 785 437 35 + 0.500 009 062 464 718 9i		4 | 4
	4		0.315 875 777 785 437 35 − 0.500 009 062 464 718 9i		
	0	0_1	0.073 640 815 829 416 94		2 | | 0
	−1	-1_1	−0.091 322 411 473 591 27		4 | 0
68.	−3	-3_1	−0.727 399 386 600 244	−5.443 908 153 468 919	4 | 1
	−4	-1_2	−0.315 875 777 785 437 35 + 0.500 009 062 464 718 9i		4 | 1
	−3		−0.315 875 777 785 437 35 − 0.500 009 062 464 718 9i		
	−2	-2_1	−0.451 004 963 340 804 9		2 | | 2
	−1	-1_1	−0.211 298 394 321 453 53		4 | 1
69.	0	0_1	−0.042 407 395 900 949 45	−5.361 801 520 969 449	4 | 1
	3	1_2	0.814 404 082 400 193 9 + 0.515 229 704 595 696 8i		4 | 1
	4		0.814 404 082 400 193 9 − 0.515 229 704 595 696 8i		
	2	2_1	0.451 004 963 340 804 9		2 | | 0
	1	1_1	0.211 298 394 321 453 53		4 | 3
70.	0	0_1	0.042 407 395 900 949 45	−5.361 801 520 969 449	4 | 3
	−4	-1_2	−0.814 404 082 400 193 9 + 0.515 229 704 595 696 8i		4 | 3
	−3		−0.814 404 082 400 193 9 − 0.515 229 704 595 696 8i		
	−2	-2_1	−0.459 912 674 599 134 7		2 | | 2
	−1	-1_1	−0.217 399 042 583 970 3		4 | 1
71.	1	1_1	0.110 804 927 513 724 6	−5.269 067 649 034 405	4 | 1
	3	1_2	0.781 670 350 115 481 2 + 0.513 100 114 428 284 1i		4 | 2
	4		0.781 670 350 115 481 2 − 0.513 100 114 428 284 1i		
	2	2_1	0.459 912 674 599 134 7		2 | | 0
	1	1_1	0.217 399 042 583 970 3		4 | 2
72.	−1	-1_1	−0.110 804 927 513 724 6	−5.269 067 649 034 405	4 | 3
	−4	-1_2	−0.781 670 350 115 481 2 + 0.513 100 114 428 284 1i		4 | 3
	−3		−0.781 670 350 115 481 2 − 0.513 100 114 428 284 1i		
	−2	-2_1	−0.479 575 368 340 425 6		2 | | 2
	0	0_1	−0.058 321 037 700 163 905		4 | 1
73.	2	2_1	0.291 055 976 729 832 7	−5.164 607 515 942 276	4 | 2
	3	1_2	0.695 500 871 330 732 1 + 0.507 828 154 833 744 4i		4 | 3
	4		0.695 500 871 330 732 1 − 0.507 828 154 833 744 4i		
	2	2_1	0.479 575 368 340 425 6		2 | | 0
	0	0_1	0.058 321 037 700 163 905		4 | 1
74.	−2	-2_1	−0.291 055 976 729 832 7	−5.164 607 515 942 276	4 | 2
	−4	-1_2	−0.695 500 871 330 732 1 + 0.507 828 154 833 744 4i		4 | 3
	−3		−0.695 500 871 330 732 1 − 0.507 828 154 833 744 4i		
	−2	-2_1	−0.488 443 431 969 855 7		2 | | 2
	1	1_1	0.096 113 802 486 643 79		4 | 1
75.	2	2_1	0.286 810 904 374 557 14	−5.141 125 482 994 065	4 | 3
	3	1_2	0.655 719 993 841 757 9 + 0.505 813 903 943 129 3i		4 | 3
	4		0.655 719 993 841 757 9 − 0.505 813 903 943 129 3i		
	2	2_1	0.488 443 431 969 855 7		2 | | 0
	−1	-1_1	−0.096 113 802 486 643 79		4 | 1
76.	−2	-2_1	−0.286 810 904 374 557 14	−5.141 125 482 994 065	4 | 1
	−4	-1_2	−0.655 719 993 841 757 9 + 0.505 813 903 943 129 3i		4 | 3
	−3		−0.655 719 993 841 757 9 − 0.505 813 903 943 129 3i		
	−1	-1_1	−0.243 517 934 736 185 38		2 | | 2
	0	0_1	−0.066 868 049 496 880 08		4 | 2
77.	3	3_1	0.722 045 986 725 413 1	−5.072 567 963 760 4	4 | 2
	3	1_2	0.430 004 825 205 285 1 + 0.500 167 346 124 387 5i		4 | 4
	4		0.430 004 825 205 285 1 − 0.500 167 346 124 387 5i		

TABLE 5.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	1	1_1	0.243 517 934 736 185 38		2 ☐☐ 0
	0	0_1	0.066 868 049 496 880 08		4 ☐ 0
78.	−3	-3_1	−0.722 045 986 725 413 1	−5.072 567 963 760 4	4 ☐ 2
	−4	-1_2	−0.430 004 825 205 285 1 + 0.500 167 346 124 387 5i		4 ☐ 2
	−3		−0.430 004 825 205 285 1 − 0.500 167 346 124 387 5i		
	−1	-1_1	−0.248 017 549 563 968 57		2 ☐☐ 2
	1	1_1	0.093 430 679 151 889 17		4 ☐ 2
79.	3	3_1	0.725 623 537 303 308	−5.060 070 813 505 93	4 ☐ 3
	3	1_2	0.371 144 896 318 286 4 + 0.500 043 067 297 352 4i		4 ☐ 4
	4		0.371 144 896 318 286 4 − 0.500 043 067 297 352 4i		
	1	1_1	0.248 017 549 563 968 57		2 ☐☐ 0
	−1	-1_1	−0.093 430 679 151 889 17		4 ☐ 0
80.	−3	-3_1	−0.725 623 537 303 308	−5.060 070 813 505 93	4 ☐ 1
	−4	-1_2	−0.371 144 896 318 286 4 + 0.500 043 067 297 352 4i		4 ☐ 2
	−3		−0.371 144 896 318 286 4 − 0.500 043 067 297 352 4i		
	0	0_1	−0.072 370 740 966 547 16		2 ☐☐ 2
	2	2_1	0.299 656 119 452 519 6		4 ☐ 3
81.	3	3_1	0.731 998 535 131 082 7	−5.026 030 805 513 161 5	4 ☐ 4
	3	1_2	0.205 935 656 319 922 8 + 0.500 000 078 228 292 4i		4 ☐ 4
	4		0.205 935 656 319 922 8 − 0.500 000 078 228 292 4i		
	0	0_1	0.072 370 740 966 547 16		2 ☐☐ 0
	−2	-2_1	−0.299 656 119 452 519 6		4 ☐ 0
82.	−3	-3_1	−0.731 998 535 131 082 7	−5.026 030 805 513 161 5	4 ☐ 0
	−4	-1_2	−0.205 935 656 319 922 8 + 0.500 000 078 228 292 4i		4 ☐ 1
	−3		−0.205 935 656 319 922 8 − 0.500 000 078 228 292 4i		
	1	1_1	0.096 995 597 931 510 97		2 ☐☐ 2
	2	2_1	0.303 351 006 312 848 9		4 ☐ 4
83.	3	3_1	0.732 984 283 341 902 7	−5.009 295 050 041 724	4 ☐ 4
	3	1_2	0.124 127 438 651 581 35 + 0.500 000 000 213 718 6i		4 ☐ 4
	4		0.124 127 438 651 581 35 − 0.500 000 000 213 718 6i		
	−1	-1_1	−0.096 995 597 931 510 97		2 ☐☐ 0
	−2	-2_1	−0.303 351 006 312 848 9		4 ☐ 0
84.	−3	-3_1	−0.732 984 283 341 902 7	−5.009 295 050 041 724	4 ☐ 0
	−4	-1_2	−0.124 127 438 651 581 35 + 0.500 000 000 213 718 6i		4 ☐ 0
	−3		−0.124 127 438 651 581 35 − 0.500 000 000 213 718 6i		
	−3	-3_1	−0.978 243 918 122 866 9		2 ☐☐ 2
	0	0_1	−0.039 964 527 257 757 87		4 ☐ 0
85.	1	1_1	0.116 520 967 492 218 21	−4.882 156 928 464 091 5	4 ☐ 2
	3	1_2	0.802 191 014 408 738 7 + 0.514 712 956 909 216 7i		4 ☐ 2
	4		0.802 191 014 408 738 7 − 0.514 712 956 909 216 7i		
	3	3_1	0.978 243 918 122 866 9		2 ☐☐ 0
	0	0_1	0.039 964 527 257 757 87		4 ☐ 2
86.	−1	-1_1	−0.116 520 967 492 218 21	−4.882 156 928 464 091 5	4 ☐ 2
	−4	-1_2	−0.802 191 014 408 738 7 + 0.514 712 956 909 216 7i		4 ☐ 4
	−3		−0.802 191 014 408 738 7 − 0.514 712 956 909 216 7i		
	−2	-2_1	−0.467 864 041 073 896 4		2 ☐☐ 2
	−1	-1_1	−0.223 113 062 832 398 9		4 ☐ 1
87.	2	2_1	0.296 061 835 582 626 66	−4.849 143 791 203 001	4 ☐ 1
	3	1_2	0.727 060 710 517 571 3 + 0.509 586 129 322 744 9i		4 ☐ 3
	4		0.727 060 710 517 571 3 − 0.509 586 129 322 744 9i		
	2	2_1	0.467 864 041 073 896 4		2 ☐☐ 0
	1	1_1	0.223 113 062 832 398 9		4 ☐ 1
88.	−2	-2_1	−0.296 061 835 582 626 66	−4.849 143 791 203 001	4 ☐ 3
	−4	-1_2	−0.727 060 710 517 571 3 + 0.509 586 129 322 744 9i		4 ☐ 3
	−3		−0.727 060 710 517 571 3 − 0.509 586 129 322 744 9i		

TABLE 5.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-3	-3_1	$-0.940\,403\,797\,111\,164\,6$		2 | | 2
	-1	-1_1	$-0.192\,439\,811\,619\,632\,58$		4 | 0
89.	0	0_1	$-0.029\,362\,538\,450\,444\,66$	$-4.723\,882\,165\,254\,541$	
	3	1_2	$0.859\,945\,416\,306\,407\,5 + 0.518\,625\,978\,788\,216\mathrm{i}$		4 | 1
	4		$0.859\,945\,416\,306\,407\,5 - 0.518\,625\,978\,788\,216\mathrm{i}$		4 | 1
	3	3_1	$0.940\,403\,797\,111\,164\,6$		2 | | 0
	1	1_1	$0.192\,439\,811\,619\,632\,58$		4 | 3
90.	0	0_1	$0.029\,362\,538\,450\,444\,66$	$-4.723\,882\,165\,254\,541$	
	-4	-1_2	$-0.859\,945\,416\,306\,407\,5 + 0.518\,625\,978\,788\,216\mathrm{i}$		4 | 3
	-3		$-0.859\,945\,416\,306\,407\,5 - 0.518\,625\,978\,788\,216\mathrm{i}$		4 | 4
	-1	-1_1	$-0.249\,565\,088\,381\,958\,26$		2 | | 2
	2	2_1	$0.298\,146\,397\,261\,041\,7$		4 | 2
91.	3	3_1	$0.731\,519\,754\,049\,694\,3$	$-4.645\,731\,984\,058\,968$	
	3	1_2	$0.269\,268\,433\,614\,853\,03 + 0.500\,001\,451\,965\,633\,3\mathrm{i}$		4 | 4
	4		$0.269\,268\,433\,614\,853\,03 - 0.500\,001\,451\,965\,633\,3\mathrm{i}$		4 | 4
	1	1_1	$0.249\,565\,088\,381\,958\,26$		2 | | 0
	-2	-2_1	$-0.298\,146\,397\,261\,041\,7$		4 | 0
92.	-3	-3_1	$-0.731\,519\,754\,049\,694\,3$	$-4.645\,731\,984\,058\,968$	
	-4	-1_2	$-0.269\,268\,433\,614\,853\,03 + 0.500\,001\,451\,965\,633\,3\mathrm{i}$		4 | 0
	-3		$-0.269\,268\,433\,614\,853\,03 - 0.500\,001\,451\,965\,633\,3\mathrm{i}$		4 | 2
	-3	-3_1	$-0.956\,540\,332\,643\,407\,5$		2 | | 2
	-1	-1_1	$-0.198\,191\,723\,338\,158\,27$		4 | 0
93.	1	1_1	$0.121\,781\,040\,806\,537\,26$	$-4.612\,458\,935\,784\,404$	
	3	1_2	$0.828\,934\,871\,535\,354\,2 + 0.516\,507\,239\,434\,739\,8\mathrm{i}$		4 | 1
	4		$0.828\,934\,871\,535\,354\,2 - 0.516\,507\,239\,434\,739\,8\mathrm{i}$		4 | 2
	3	3_1	$0.956\,540\,332\,643\,407\,5$		2 | | 0
	1	1_1	$0.198\,191\,723\,338\,158\,27$		4 | 2
94.	-1	-1_1	$-0.121\,781\,040\,806\,537\,26$	$-4.612\,458\,935\,784\,404$	
	-4	-1_2	$-0.828\,934\,871\,535\,354\,2 + 0.516\,507\,239\,434\,739\,8\mathrm{i}$		4 | 3
	-3		$-0.828\,934\,871\,535\,354\,2 - 0.516\,507\,239\,434\,739\,8\mathrm{i}$		4 | 4
	-3	-3_1	$-0.992\,325\,579\,233\,568$		2 | | 2
	0	0_1	$-0.044\,995\,652\,271\,398\,213$		4 | 0
95.	2	2_1	$0.300\,766\,678\,547\,873\,8$	$-4.476\,421\,841\,644\,625$	
	3	1_2	$0.748\,806\,531\,339\,211\,9 + 0.511\,090\,656\,265\,621\,1\mathrm{i}$		4 | 2
	4		$0.748\,806\,531\,339\,211\,9 - 0.511\,090\,656\,265\,621\,1\mathrm{i}$		4 | 3
	3	3_1	$0.992\,325\,579\,233\,568$		2 | | 0
	0	0_1	$0.044\,995\,652\,271\,398\,213$		4 | 1
96.	-2	-2_1	$-0.300\,766\,678\,547\,873\,8$	$-4.476\,421\,841\,644\,625$	
	-4	-1_2	$-0.748\,806\,531\,339\,211\,9 + 0.511\,090\,656\,265\,621\,1\mathrm{i}$		4 | 2
	-3		$-0.748\,806\,531\,339\,211\,9 - 0.511\,090\,656\,265\,621\,1\mathrm{i}$		4 | 4
	-2	-2_1	$-0.483\,445\,049\,716\,505\,8$		2 | | 2
	0	0_1	$-0.059\,764\,046\,133\,491\,11$		4 | 1
97.	3	3_1	$0.722\,865\,310\,802\,917\,6$	$-4.465\,649\,808\,048\,891$	
	3	1_2	$0.476\,646\,087\,969\,028\,74 + 0.500\,391\,830\,082\,797\,4\mathrm{i}$		4 | 2
	4		$0.476\,646\,087\,969\,028\,74 - 0.500\,391\,830\,082\,797\,4\mathrm{i}$		4 | 4
	2	2_1	$0.483\,445\,049\,716\,505\,8$		2 | | 0
	0	0_1	$0.059\,764\,046\,133\,491\,11$		4 | 0
98.	-3	-3_1	$-0.722\,865\,310\,802\,917\,6$	$-4.465\,649\,808\,048\,891$	
	-4	-1_2	$-0.476\,646\,087\,969\,028\,74 + 0.500\,391\,830\,082\,797\,4\mathrm{i}$		4 | 2
	-3		$-0.476\,646\,087\,969\,028\,74 - 0.500\,391\,830\,082\,797\,4\mathrm{i}$		4 | 3
	-2	-2_1	$-0.491\,009\,516\,701\,011\,73$		2 | | 2
	1	1_1	$0.098\,054\,383\,154\,711\,75$		4 | 1
99.	3	3_1	$0.726\,202\,240\,445\,239\,6$	$-4.434\,786\,103\,473\,343$	
	3	1_2	$0.422\,764\,141\,658\,848\,4 + 0.500\,137\,961\,465\,097\,3\mathrm{i}$		4 | 3
	4		$0.422\,764\,141\,658\,848\,4 - 0.500\,137\,961\,465\,097\,3\mathrm{i}$		4 | 4

TABLE 5.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	2	2_1	0.491 009 516 701 011 73		2 ☐☐ 0
	-1	-1_1	$-0.098\,054\,383\,154\,711\,75$		4 ☐ 0
100.	-3	-3_1	$-0.726\,202\,240\,445\,239\,6$	$-4.434\,786\,103\,473\,343$	4 ☐ 1
	-4	-1_2	$-0.422\,764\,141\,658\,848\,4 + 0.500\,137\,961\,465\,097\,3i$		4 ☐ 3
	-3		$-0.422\,764\,141\,658\,848\,4 - 0.500\,137\,961\,465\,097\,3i$		
	-3	-3_1	$-1.008\,189\,358\,051\,308\,4$		2 ☐☐ 2
	1	1_1	0.106 679 171 635 205 75		4 ☐ 0
101.	2	2_1	0.295 977 009 016 362 3	$-4.432\,440\,785\,573\,185$	4 ☐ 3
	3	1_2	$0.712\,706\,318\,794\,557\,8 + 0.508\,905\,929\,955\,592\,6i$		4 ☐ 3
	4		$0.712\,706\,318\,794\,557\,8 - 0.508\,905\,929\,955\,592\,6i$		
	3	3_1	1.008 189 358 051 308 4		2 ☐☐ 0
	-1	-1_1	$-0.106\,679\,171\,635\,205\,75$		4 ☐ 1
102.	-2	-2_1	$-0.295\,977\,009\,016\,362\,3$	$-4.432\,440\,785\,573\,185$	4 ☐ 1
	-4	-1_2	$-0.712\,706\,318\,794\,557\,8 + 0.508\,905\,929\,955\,592\,6i$		4 ☐ 4
	-3		$-0.712\,706\,318\,794\,557\,8 - 0.508\,905\,929\,955\,592\,6i$		
	-3	-3_1	$-0.904\,817\,596\,522\,088\,7$		2 ☐☐ 2
	-2	-2_1	$-0.399\,649\,776\,141\,831\,17$		4 ☐ 0
103.	0	0_1	$-0.022\,523\,068\,241\,039\,404$	$-4.216\,831\,240\,521\,124$	4 ☐ 0
	3	1_2	$0.886\,025\,070\,566\,602\,5 + 0.520\,467\,657\,221\,365\,5i$		4 ☐ 1
	4		$0.886\,025\,070\,566\,602\,5 - 0.520\,467\,657\,221\,365\,5i$		
	3	3_1	0.904 817 596 522 088 7		2 ☐☐ 0
	2	2_1	0.399 649 776 141 831 17		4 ☐ 3
104.	0	0_1	0.022 523 068 241 039 404	$-4.216\,831\,240\,521\,124$	4 ☐ 4
	-4	-1_2	$-0.886\,025\,070\,566\,602\,5 + 0.520\,467\,657\,221\,365\,5i$		4 ☐ 4
	-3		$-0.886\,025\,070\,566\,602\,5 - 0.520\,467\,657\,221\,365\,5i$		
	-3	-3_1	$-0.970\,706\,075\,634\,051\,4$		2 ☐☐ 2
	-1	-1_1	$-0.203\,782\,626\,061\,358\,2$		4 ☐ 0
105.	2	2_1	0.305 966 459 463 059 67	$-4.189\,516\,795\,204\,188$	4 ☐ 1
	3	1_2	$0.777\,416\,153\,991\,140\,8 + 0.512\,907\,245\,356\,009\,2i$		4 ☐ 3
	4		$0.777\,416\,153\,991\,140\,8 - 0.512\,907\,245\,356\,009\,2i$		
	3	3_1	0.970 706 075 634 051 4		2 ☐☐ 0
	1	1_1	0.203 782 626 061 358 2		4 ☐ 1
106.	-2	-2_1	$-0.305\,966\,459\,463\,059\,67$	$-4.189\,516\,795\,204\,188$	4 ☐ 3
	-4	-1_2	$-0.777\,416\,153\,991\,140\,8 + 0.512\,907\,245\,356\,009\,2i$		4 ☐ 4
	-3		$-0.777\,416\,153\,991\,140\,8 - 0.512\,907\,245\,356\,009\,2i$		
	-2	-2_1	$-0.472\,473\,177\,260\,274\,8$		2 ☐☐ 2
	-1	-1_1	$-0.226\,220\,115\,555\,605\,23$		4 ☐ 1
107.	3	3_1	0.722 141 089 337 978 7	$-4.150\,539\,433\,963\,8$	4 ☐ 1
	3	1_2	$0.517\,359\,283\,457\,703\,3 + 0.500\,749\,502\,331\,512\,9i$		4 ☐ 4
	4		$0.517\,359\,283\,457\,703\,3 - 0.500\,749\,502\,331\,512\,9i$		
	2	2_1	0.472 473 177 260 274 8		2 ☐☐ 0
	1	1_1	0.226 220 115 555 605 23		4 ☐ 0
108.	-3	-3_1	$-0.722\,141\,089\,337\,978\,7$	$-4.150\,539\,433\,963\,8$	4 ☐ 3
	-4	-1_2	$-0.517\,359\,283\,457\,703\,3 + 0.500\,749\,502\,331\,512\,9i$		4 ☐ 3
	-3		$-0.517\,359\,283\,457\,703\,3 - 0.500\,749\,502\,331\,512\,9i$		
	-3	-3_1	$-0.920\,315\,679\,152\,818\,6$		2 ☐☐ 2
	-2	-2_1	$-0.407\,151\,961\,822\,487\,7$		4 ☐ 0
109.	1	1_1	0.128 062 956 317 445 5	$-4.085\,642\,237\,303\,586\,6$	4 ☐ 0
	3	1_2	$0.855\,871\,585\,883\,242\,4 + 0.518\,388\,027\,458\,691\,4i$		4 ☐ 2
	4		$0.855\,871\,585\,883\,242\,4 - 0.518\,388\,027\,458\,691\,4i$		
	3	3_1	0.920 315 679 152 818 6		2 ☐☐ 0
	2	2_1	0.407 151 961 822 487 7		4 ☐ 2
110.	-1	-1_1	$-0.128\,062\,956\,317\,445\,5$	$-4.085\,642\,237\,303\,586\,6$	4 ☐ 4
	-4	-1_2	$-0.855\,871\,585\,883\,242\,4 + 0.518\,388\,027\,458\,691\,4i$		4 ☐ 4
	-3		$-0.855\,871\,585\,883\,242\,4 - 0.518\,388\,027\,458\,691\,4i$		

TABLE 5.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-3	-3_1	$-0.884\,850\,424\,753\,903$		2 ▯▯ 2
	-2	-2_1	$-0.390\,763\,788\,223\,132\,2$		4 ▯ 0
111.	-1	-1_1	$-0.177\,489\,071\,803\,435\,04$	$-4.020\,721\,634\,572\,08$	4 ▯ 0
	3	1_2	$0.910\,358\,708\,901\,761\,2 + 0.522\,148\,239\,102\,738\,3i$		4 ▯ 0
	4		$0.910\,358\,708\,901\,761\,2 - 0.522\,148\,239\,102\,738\,3i$		
	3	3_1	$0.884\,850\,424\,753\,903$		2 ▯▯ 0
	2	2_1	$0.390\,763\,788\,223\,132\,2$		4 ▯ 4
112.	1	1_1	$0.177\,489\,071\,803\,435\,04$	$-4.020\,721\,634\,572\,08$	4 ▯ 4
	-4	-1_2	$-0.910\,358\,708\,901\,761\,2 + 0.522\,148\,239\,102\,738\,3i$		4 ▯ 4
	-3		$-0.910\,358\,708\,901\,761\,2 - 0.522\,148\,239\,102\,738\,3i$		
	-2	-2_1	$-0.495\,338\,508\,201\,106\,6$		2 ▯▯ 2
	2	2_1	$0.299\,125\,320\,210\,563\,7$		4 ▯ 1
113.	3	3_1	$0.733\,280\,814\,090\,807\,8$	$-4.020\,060\,496\,279\,456$	4 ▯ 4
	3	1_2	$0.327\,406\,476\,071\,660\,35 + 0.500\,010\,578\,483\,452\,9i$		4 ▯ 4
	4		$0.327\,406\,476\,071\,660\,35 - 0.500\,010\,578\,483\,452\,9i$		
	2	2_1	$0.495\,338\,508\,201\,106\,6$		2 ▯▯ 0
	-2	-2_1	$-0.299\,125\,320\,210\,563\,7$		4 ▯ 0
114.	-3	-3_1	$-0.733\,280\,814\,090\,807\,8$	$-4.020\,060\,496\,279\,456$	4 ▯ 0
	-4	-1_2	$-0.327\,406\,476\,071\,660\,35 + 0.500\,010\,578\,483\,452\,9i$		4 ▯ 3
	-3		$-0.327\,406\,476\,071\,660\,35 - 0.500\,010\,578\,483\,452\,9i$		
	-3	-3_1	$-1.000\,340\,367\,563\,031\,8$		2 ▯▯ 2
	0	0_1	$-0.047\,485\,327\,975\,129\,304$		4 ▯ 0
115.	3	3_1	$0.725\,335\,958\,545\,351\,6$	$-3.796\,479\,539\,815\,01$	4 ▯ 2
	3	1_2	$0.539\,859\,047\,717\,162 + 0.501\,033\,885\,365\,447\,7i$		4 ▯ 4
	4		$0.539\,859\,047\,717\,162 - 0.501\,033\,885\,365\,447\,7i$		
	3	3_1	$1.000\,340\,367\,563\,031\,8$		2 ▯▯ 0
	0	0_1	$0.047\,485\,327\,975\,129\,304$		4 ▯ 0
116.	-3	-3_1	$-0.725\,335\,958\,545\,351\,6$	$-3.796\,479\,539\,815\,01$	4 ▯ 2
	-4	-1_2	$-0.539\,859\,047\,717\,162 + 0.501\,033\,885\,365\,447\,7i$		4 ▯ 4
	-3		$-0.539\,859\,047\,717\,162 - 0.501\,033\,885\,365\,447\,7i$		
	-3	-3_1	$-1.014\,467\,422\,116\,515\,5$		2 ▯▯ 2
	1	1_1	$0.106\,648\,752\,951\,284\,58$		4 ▯ 0
117.	3	3_1	$0.728\,805\,164\,085\,749\,8$	$-3.747\,752\,051\,979\,544\,4$	4 ▯ 3
	3	1_2	$0.490\,527\,223\,862\,268\,05 + 0.500\,479\,435\,745\,166\,1i$		4 ▯ 4
	4		$0.490\,527\,223\,862\,268\,05 - 0.500\,479\,435\,745\,166\,1i$		
	3	3_1	$1.014\,467\,422\,116\,515\,5$		2 ▯▯ 0
	-1	-1_1	$-0.106\,648\,752\,951\,284\,58$		4 ▯ 0
118.	-3	-3_1	$-0.728\,805\,164\,085\,749\,8$	$-3.747\,752\,051\,979\,544\,4$	4 ▯ 1
	-4	-1_2	$-0.490\,527\,223\,862\,268\,05 + 0.500\,479\,435\,745\,166\,1i$		4 ▯ 4
	-3		$-0.490\,527\,223\,862\,268\,05 - 0.500\,479\,435\,745\,166\,1i$		
	-3	-3_1	$-0.934\,146\,429\,987\,016\,1$		2 ▯▯ 2
	-2	-2_1	$-0.414\,235\,637\,562\,147\,7$		4 ▯ 0
119.	2	2_1	$0.312\,120\,023\,811\,332\,6$	$-3.652\,020\,068\,172\,1$	4 ▯ 0
	3	1_2	$0.805\,935\,507\,466\,198 + 0.514\,820\,190\,230\,930\,6i$		4 ▯ 3
	4		$0.805\,935\,507\,466\,198 - 0.514\,820\,190\,230\,930\,6i$		
	3	3_1	$0.934\,146\,429\,987\,016\,1$		2 ▯▯ 0
	2	2_1	$0.414\,235\,637\,562\,147\,7$		4 ▯ 1
120.	-2	-2_1	$-0.312\,120\,023\,811\,332\,6$	$-3.652\,020\,068\,172\,1$	4 ▯ 4
	-4	-1_2	$-0.805\,935\,507\,466\,198 + 0.514\,820\,190\,230\,930\,6i$		4 ▯ 4
	-3		$-0.805\,935\,507\,466\,198 - 0.514\,820\,190\,230\,930\,6i$		
	-3	-3_1	$-0.979\,744\,175\,091\,741\,3$		2 ▯▯ 2
	-1	-1_1	$-0.207\,509\,540\,893\,684\,79$		4 ▯ 0
121.	3	3_1	$0.724\,488\,275\,070\,528\,5$	$-3.509\,148\,789\,466\,303$	4 ▯ 1
	3	1_2	$0.577\,082\,075\,341\,049 + 0.501\,680\,137\,967\,932\,1i$		4 ▯ 4
	4		$0.577\,082\,075\,341\,049 - 0.501\,680\,137\,967\,932\,1i$		

TABLE 5.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
	3	3_1	0.979 744 175 091 741 3		2 ☐☐ 0
	1	1_1	0.207 509 540 893 684 79		4 ☐ 0
122.	-3	-3_1	$-0.724\,488\,275\,070\,528\,5$	$-3.509\,148\,789\,466\,303$	4 ☐ 3
	-4	-1_2	$-0.577\,082\,075\,341\,049 + 0.501\,680\,137\,967\,932\,1\mathrm{i}$		4 ☐ 4
	-3		$-0.577\,082\,075\,341\,049 - 0.501\,680\,137\,967\,932\,1\mathrm{i}$		
	-3	-3_1	$-1.023\,648\,586\,289\,258\,4$		2 ☐☐ 2
	2	2_1	0.303 050 510 224 509 46		4 ☐ 0
123.	3	3_1	0.737 849 011 885 601 8	$-3.338\,163\,205\,958\,982\,5$	4 ☐ 4
	3	1_2	$0.401\,209\,066\,624\,043\,5 + 0.500\,073\,213\,117\,737\,9\mathrm{i}$		4 ☐ 4
	4		$0.401\,209\,066\,624\,043\,5 - 0.500\,073\,213\,117\,737\,9\mathrm{i}$		
	3	3_1	1.023 648 586 289 258 4		2 ☐☐ 0
	-2	-2_1	$-0.303\,050\,510\,224\,509\,46$		4 ☐ 0
124.	-3	-3_1	$-0.737\,849\,011\,885\,601\,8$	$-3.338\,163\,205\,958\,982\,5$	4 ☐ 0
	-4	-1_2	$-0.401\,209\,066\,624\,043\,5 + 0.500\,073\,213\,117\,737\,9\mathrm{i}$		4 ☐ 4
	-3		$-0.401\,209\,066\,624\,043\,5 - 0.500\,073\,213\,117\,737\,9\mathrm{i}$		
	-3	-3_1	$-0.943\,745\,369\,991\,220\,5$		2 ☐☐ 2
	-2	-2_1	$-0.419\,487\,532\,231\,278\,94$		4 ☐ 0
125.	3	3_1	0.725 040 224 442 215 6	$-2.976\,163\,302\,928\,496$	4 ☐ 0
	3	1_2	$0.612\,799\,143\,964\,909\,4 + 0.502\,526\,703\,861\,342\,6\mathrm{i}$		4 ☐ 4
	4		$0.612\,799\,143\,964\,909\,4 - 0.502\,526\,703\,861\,342\,6\mathrm{i}$		
	3	3_1	0.943 745 369 991 220 5		2 ☐☐ 0
	2	2_1	0.419 487 532 231 278 94		4 ☐ 0
126.	-3	-3_1	$-0.725\,040\,224\,442\,215\,6$	$-2.976\,163\,302\,928\,496$	4 ☐ 4
	-4	-1_2	$-0.612\,799\,143\,964\,909\,4 + 0.502\,526\,703\,861\,342\,6\mathrm{i}$		4 ☐ 4
	-3		$-0.612\,799\,143\,964\,909\,4 - 0.502\,526\,703\,861\,342\,6\mathrm{i}$		

TABLE 5.3: Bethe roots for $N = 12$, $M = 5$. There are 84 solutions with two 1-strings and one 3-string

	J	I_n	λ	E	Rigged Configuration
	0	$-1/2_1$	$-0.081\,867\,179\,185\,331\,18$		2 ☐☐☐ 1
	0	$1/2_1$	0.081 867 179 185 331 18		6 ☐ 3
127.	5		1.007 552 989 988 816 5i	$-4.588\,653\,027\,248\,528$	6 ☐ 3
	0	0_3	0		
	-5		$-1.007\,552\,989\,988\,816\,5\mathrm{i}$		
	-1	$-3/2_1$	$-0.239\,340\,328\,595\,676\,83$		2 ☐☐☐ 1
	0	$-1/2_1$	$-0.068\,409\,098\,845\,377\,28$		6 ☐ 2
128.	5		$0.085\,195\,345\,527\,961\,56 + 1.000\,011\,429\,321\,273\mathrm{i}$	$-4.253\,581\,884\,059\,036$	6 ☐ 2
	0	0_3	0.086 267 473 111 403 8		
	6		$0.085\,195\,345\,527\,961\,56 - 1.000\,011\,429\,321\,273\mathrm{i}$		
	1	$3/2_1$	0.239 340 328 595 676 83		2 ☐☐☐ 1
	0	$1/2_1$	0.068 409 098 845 377 28		6 ☐ 4
129.	-6		$-0.085\,195\,345\,527\,961\,56 + 1.000\,011\,429\,321\,273\mathrm{i}$	$-4.253\,581\,884\,059\,036$	6 ☐ 4
	0	0_3	$-0.086\,267\,473\,111\,403\,8$		
	-5		$-0.085\,195\,345\,527\,961\,56 - 1.000\,011\,429\,321\,273\mathrm{i}$		
	-1	$-3/2_1$	$-0.244\,872\,819\,816\,399\,25$		2 ☐☐☐ 1
	0	$1/2_1$	0.085 345 962 013 911 6		6 ☐ 2
130.	5		$0.044\,950\,643\,248\,406 + 1.003\,056\,055\,694\,827\,1\mathrm{i}$	$-4.235\,086\,215\,036\,711$	6 ☐ 3
	1	0_3	0.041 983 132 254 818 34		
	6		$0.044\,950\,643\,248\,406 - 1.003\,056\,055\,694\,827\,1\mathrm{i}$		

TABLE 5.3: (Contunued)

	J	I_n	λ	E	Rigged Configuration
	1	$3/2_1$	0.244 872 819 816 399 25		2 ☐☐☐ 1
	0	$-1/2_1$	−0.085 345 962 013 911 6		
131.	−6		−0.044 950 643 248 406 + 1.003 056 055 694 827 1i	−4.235 086 215 036 711	6 ☐ 3
	−1	0_3	−0.041 983 132 254 818 34		6 ☐ 4
	−5		−0.044 950 643 248 406 − 1.003 056 055 694 827 1i		
	−1	$-3/2_1$	−0.249 045 597 953 234 5		
	1	$3/2_1$	0.249 045 597 953 234 44		2 ☐☐☐ 1
132.	5		1.000 748 379 054 239i	−3.874 207 917 839 306	6 ☐ 2
	0	0_3	0		6 ☐ 4
	−5		−1.000 748 379 054 239i		
	−2	$-5/2_1$	−0.473 550 967 424 399		
	0	$-1/2_1$	−0.062 461 249 464 474 22		2 ☐☐☐ 1
133.	5		0.145 002 535 851 571 52 + 1.000 500 506 638 176i	−3.684 851 035 876 368 6	6 ☐ 1
	0	0_3	0.145 280 797 410 569 48		6 ☐ 2
	6		0.145 002 535 851 571 52 − 1.000 500 506 638 176i		
	2	$5/2_1$	0.473 550 967 424 399		
	0	$1/2_1$	0.062 461 249 464 474 22		2 ☐☐☐ 1
134.	−6		−0.145 002 535 851 571 52 + 1.000 500 506 638 176i	−3.684 851 035 876 368 6	6 ☐ 4
	0	0_3	−0.145 280 797 410 569 48		6 ☐ 5
	−5		−0.145 002 535 851 571 52 − 1.000 500 506 638 176i		
	−2	$-5/2_1$	−0.480 698 243 839 597 1		
	1	$1/2_1$	0.082 419 425 152 049 49		2 ☐☐☐ 1
135.	5		0.105 840 493 293 336 49 + 1.001 975 019 102 381 3i	−3.649 565 100 956 885 5	6 ☐ 1
	0	0_3	0.109 818 299 857 811 47		6 ☐ 3
	6		0.105 840 493 293 336 49 − 1.001 975 019 102 381 3i		
	1	$5/2_1$	0.480 698 243 839 597 1		
	−1	$-1/2_1$	−0.082 419 425 152 049 49		2 ☐☐☐ 2
136.	−6		−0.105 840 493 293 336 49 + 1.001 975 019 102 381 3i	−3.649 565 100 956 885 5	6 ☐ 3
	0	0_3	−0.109 818 299 857 811 47		6 ☐ 5
	−5		−0.105 840 493 293 336 49 − 1.001 975 019 102 381 3i		
	−2	$-5/2_1$	−0.464 332 530 937 604 96		
	−1	$-3/2_1$	−0.224 853 188 793 888		2 ☐☐☐ 1
137.	4		0.186 573 998 108 698 12 + 1.000 357 123 822 798 2i	−3.394 890 458 905 966 7	6 ☐ 1
	2	0_3	0.186 510 625 673 925 73		6 ☐ 1
	5		0.186 573 998 108 698 12 − 1.000 357 123 822 798 2i		
	2	$5/2_1$	0.464 332 530 937 604 96		
	1	$3/2_1$	0.224 853 188 793 888		2 ☐☐☐ 1
138.	−5		−0.186 573 998 108 698 12 + 1.000 357 123 822 798 2i	−3.394 890 458 905 966 7	6 ☐ 5
	−2	0_3	−0.186 510 625 673 925 73		6 ☐ 5
	−4		−0.186 573 998 108 698 12 − 1.000 357 123 822 798 2i		
	−2	$-5/2_1$	−0.486 435 639 908 274 1		
	1	$3/2_1$	0.253 830 763 615 657 3		2 ☐☐☐ 1
139.	5		0.061 411 665 965 862 69 + 1.000 199 819 196 902 2i	−3.284 321 577 256 674	6 ☐ 1
	1	0_3	0.060 969 937 969 111 404		6 ☐ 4
	6		0.061 411 665 965 862 69 − 1.000 199 819 196 902 2i		
	2	$5/2_1$	0.486 435 639 908 274 1		
	−1	$-3/2_1$	−0.253 830 763 615 657 3		2 ☐☐☐ 1
140.	−6		−0.061 411 665 965 862 69 + 1.000 199 819 196 902 2i	−3.284 321 577 256 674	6 ☐ 2
	−1	0_3	−0.060 969 937 969 111 404		6 ☐ 5
	−5		−0.061 411 665 965 862 69 − 1.000 199 819 196 902 2i		
	−3	$-7/2_1$	−0.975 005 278 566 577 1		
	0	$-1/2_1$	−0.052 054 171 441 687 98		2 ☐☐☐ 1
141.	4		0.232 661 595 130 381 5 + 1.000 264 040 231 600 5i	−3.047 331 351 158 949 7	6 ☐ 0
	2	0_3	0.232 313 476 689 045 12		6 ☐ 2
	5		0.232 661 595 130 381 5 − 1.000 264 040 231 600 5i		

TABLE 5.3: (Contunued)

	J	I_n	λ	E	Rigged Configuration
	3	$7/2_1$	0.975 005 278 566 577 1		2 ☐☐☐ 1
	0	$1/2_1$	0.052 054 171 441 687 98		
142.	−5		−0.232 661 595 130 381 5 + 1.000 264 040 231 600 5i	−3.047 331 351 158 949 7	6 ☐ 4
	−2	0_3	−0.232 313 476 689 045 12		6 ☐ 6
	−4		−0.232 661 595 130 381 5 − 1.000 264 040 231 600 5i		
	−3	$-7/2_1$	−0.987 459 118 606 857 3		
	1	$1/2_1$	0.094 141 606 101 616 4		2 ☐☐☐ 1
143.	4		0.197 132 638 066 182 59 + 1.000 866 529 141 506 9i	−2.997 668 959 164 765	6 ☐ 0
	2	0_3	0.196 780 420 226 698 53		6 ☐ 3
	5		0.197 132 638 066 182 59 − 1.000 866 529 141 506 9i		
	3	$7/2_1$	0.987 459 118 606 857 3		
	−1	$-1/2_1$	−0.094 141 606 101 616 4		2 ☐☐☐ 1
144.	−5		−0.197 132 638 066 182 59 + 1.000 866 529 141 506 9i	−2.997 668 959 164 765	6 ☐ 3
	−2	0_3	−0.196 780 420 226 698 53		6 ☐ 6
	−4		−0.197 132 638 066 182 59 − 1.000 866 529 141 506 9i		
	−3	$-7/2_1$	−0.957 359 070 540 227 4		
	−1	$-3/2_1$	−0.208 873 507 868 236 7		2 ☐☐☐ 1
145.	4		0.267 857 156 625 805 45 + 1.000 051 656 526 783 8i	−2.778 484 889 229 178 5	6 ☐ 0
	2	0_3	0.267 509 928 963 396 54		6 ☐ 1
	5		0.267 857 156 625 805 45 − 1.000 051 656 526 783 8i		
	3	$7/2_1$	0.957 359 070 540 227 4		
	1	$3/2_1$	0.208 873 507 868 236 7		2 ☐☐☐ 1
146.	−5		−0.267 857 156 625 805 45 + 1.000 051 656 526 783 8i	−2.778 484 889 229 178 5	6 ☐ 5
	−2	0_3	−0.267 509 928 963 396 54		6 ☐ 6
	−4		−0.267 857 156 625 805 45 − 1.000 051 656 526 783 8i		
	−2	$-5/2_1$	−0.492 214 889 141 365 24		
	2	$5/2_1$	0.492 214 889 141 365 24		2 ☐☐☐ 1
147.	5		1.000 198 322 817 247 5i	−2.698 754 356 974 087 7	6 ☐ 1
	0	0_3	0		6 ☐ 5
	−5		−1.000 198 322 817 247 5i		
	−3	$-7/2_1$	−0.997 290 168 784 948 9		
	1	$3/2_1$	0.260 487 448 198 381 16		2 ☐☐☐ 1
148.	5		0.154 851 167 180 841 16 + 0.999 338 623 327 156 1i	−2.633 128 787 564 554	6 ☐ 0
	1	0_3	0.154 652 154 523 830 16		6 ☐ 4
	6		0.154 851 167 180 841 16 − 0.999 338 623 327 156 1i		
	3	$7/2_1$	0.997 290 168 784 948 9		
	−1	$-3/2_1$	−0.260 487 448 198 381 16		2 ☐☐☐ 1
149.	−6		−0.154 851 167 180 841 16 + 0.999 338 623 327 156 1i	−2.633 128 787 564 554	6 ☐ 2
	−1	0_3	−0.154 652 154 523 830 16		6 ☐ 6
	−5		−0.154 851 167 180 841 16 − 0.999 338 623 327 156 1i		
	−3	$-7/2_1$	−0.925 668 255 167 530 3		
	−2	$-5/2_1$	−0.418 269 789 748 952 74		2 ☐☐☐ 1
150.	4		0.307 073 873 735 677 96 + 0.999 876 895 452 250 2i	−2.268 886 022 444 119	6 ☐ 0
	2	0_3	0.306 761 069 782 373		6 ☐ 0
	5		0.307 073 873 735 677 96 − 0.999 876 895 452 250 2i		
	3	$7/2_1$	0.925 668 255 167 530 3		
	2	$5/2_1$	0.418 269 789 748 952 74		2 ☐☐☐ 1
151.	−5		−0.307 073 873 735 677 96 + 0.999 876 895 452 250 2i	−2.268 886 022 444 119	6 ☐ 6
	−2	0_3	−0.306 761 069 782 373		6 ☐ 6
	−4		−0.307 073 873 735 677 96 − 0.999 876 895 452 250 2i		
	−3	$-7/2_1$	−1.006 513 856 519 345 9		
	2	$5/2_1$	0.499 941 581 558 769 4		2 ☐☐☐ 1
152.	5		0.094 443 188 461 427 42 + 0.999 969 262 054 691 6i	−2.060 109 987 303 077 3	6 ☐ 0
	1	0_3	0.094 304 632 706 616 5		6 ☐ 5
	6		0.094 443 188 461 427 42 − 0.999 969 262 054 691 6i		

TABLE 5.3: (Contunued)

	J	I_n	λ	E	Rigged Configuration
	3	$7/2_1$	1.006 513 856 519 345 9		2 ☐☐☐ 1
	−2	$-5/2_1$	−0.499 941 581 558 769 4		
153.	−6		−0.094 443 188 461 427 42 + 0.999 969 262 054 691 6i	−2.060 109 987 303 077 3	6 ☐ 1
	−1	0_3	−0.094 304 632 706 616 5		6 ☐ 6
	−5		−0.094 443 188 461 427 42 − 0.999 969 262 054 691 6i		
	−3	$-7/2_1$	−1.019 195 660 029 824 4		
	3	$7/2_1$	1.019 195 660 029 824 4		2 ☐☐☐ 1
154.	5		1.000 054 813 133 649i	−1.442 801 321 973 330 4	6 ☐ 0
	0	0_3	0		6 ☐ 6
	−5		−1.000 054 813 133 649i		
	0	$-1/2_1$	−0.117 176 852 446 665 18		
	1	$1/2_1$	0.035 674 396 884 518 28		2 ☐☐☐ 2
155.	4		0.676 730 791 658 354 3 + 0.986 402 276 030 612 3i	−4.436 241 450 229 733	6 ☐ 3
	3	1_3	0.686 242 238 759 679 3		6 ☐ 3
	5		0.676 730 791 658 354 3 − 0.986 402 276 030 612 3i		
	0	$1/2_1$	0.117 176 852 446 665 18		
	−1	$-1/2_1$	−0.035 674 396 884 518 28		2 ☐☐☐ 0
156.	−5		−0.676 730 791 658 354 3 + 0.986 402 276 030 612 3i	−4.436 241 450 229 733	6 ☐ 3
	−3	-1_3	−0.686 242 238 759 679 3		6 ☐ 3
	−4		−0.676 730 791 658 354 3 − 0.986 402 276 030 612 3i		
	1	$1/2_1$	0.026 158 235 065 274 975		
	2	$3/2_1$	0.187 488 312 609 130 01		2 ☐☐☐ 2
157.	4		0.605 370 065 210 068 2 + 0.983 365 041 866 611 8i	−4.324 703 778 208 629 5	6 ☐ 4
	3	1_3	0.609 656 221 665 872 3		6 ☐ 4
	5		0.605 370 065 210 068 2 − 0.983 365 041 866 611 8i		
	−1	$-1/2_1$	−0.026 158 235 065 274 975		
	−2	$-3/2_1$	−0.187 488 312 609 130 01		2 ☐☐☐ 0
158.	−5		−0.605 370 065 210 068 2 + 0.983 365 041 866 611 8i	−4.324 703 778 208 629 5	6 ☐ 2
	−3	-1_3	−0.609 656 221 665 872 3		6 ☐ 2
	−4		−0.605 370 065 210 068 2 − 0.983 365 041 866 611 8i		
	0	$-1/2_1$	−0.122 153 689 681 238 19		
	2	$3/2_1$	0.192 287 052 630 335 16		2 ☐☐☐ 2
159.	4		0.638 075 832 891 947 5 + 0.984 450 228 179 759 6i	−4.193 889 558 751 815	6 ☐ 3
	3	1_3	0.645 208 979 578 577 8		6 ☐ 4
	5		0.638 075 832 891 947 5 − 0.984 450 228 179 759 6i		
	0	$1/2_1$	0.122 153 689 681 238 19		
	−2	$-3/2_1$	−0.192 287 052 630 335 16		2 ☐☐☐ 0
160.	−5		−0.638 075 832 891 947 5 + 0.984 450 228 179 759 6i	−4.193 889 558 751 815	6 ☐ 2
	−3	-1_3	−0.645 208 979 578 577 8		6 ☐ 3
	−4		−0.638 075 832 891 947 5 − 0.984 450 228 179 759 6i		
	−1	$-3/2_1$	−0.288 076 355 063 538		
	1	$1/2_1$	0.041 223 647 511 279 16		2 ☐☐☐ 2
161.	4		0.708 709 239 020 229 5 + 0.987 304 199 788 555 8i	−4.027 194 153 458 454 6	6 ☐ 2
	3	1_3	0.720 613 698 248 403 7		6 ☐ 3
	5		0.708 709 239 020 229 5 − 0.987 304 199 788 555 8i		
	1	$3/2_1$	0.288 076 355 063 538		
	−1	$-1/2_1$	−0.041 223 647 511 279 16		2 ☐☐☐ 0
162.	−5		−0.708 709 239 020 229 5 + 0.987 304 199 788 555 8i	−4.027 194 153 458 454 6	6 ☐ 3
	−3	-1_3	−0.720 613 698 248 403 7		6 ☐ 4
	−4		−0.708 709 239 020 229 5 − 0.987 304 199 788 555 8i		
	−1	$-3/2_1$	−0.281 422 546 223 182 1		
	0	$-1/2_1$	−0.105 439 037 844 507 99		2 ☐☐☐ 2
163.	4		0.739 242 799 986 975 + 0.988 485 982 716 653 3i	−3.962 444 583 055 804	6 ☐ 2
	3	1_3	0.752 943 516 878 406 4		6 ☐ 2
	5		0.739 242 799 986 975 − 0.988 485 982 716 653 3i		

TABLE 5.3: (Contunued)

	J	I_n	λ	E	Rigged Configuration
	1	$3/2_1$	0.281 422 546 223 182 1		2 ☐☐☐ 0
	0	$1/2_1$	0.105 439 037 844 507 99		
164.	−5		−0.739 242 799 986 975 + 0.988 485 982 716 653 3i	−3.962 444 583 055 804	6 ☐ 4
	−3	-1_3	−0.752 943 516 878 406 4		6 ☐ 4
	−4		−0.739 242 799 986 975 − 0.988 485 982 716 653 3i		
	1	$1/2_1$	0.022 146 078 086 828 07		
	3	$5/2_1$	0.412 869 396 059 212 9		2 ☐☐☐ 2
165.	4		0.536 461 401 858 483 + 0.970 428 821 121 194 1i	−3.804 712 993 581 153 2	6 ☐ 4
	3	1_3	0.529 189 501 989 107 9		6 ☐ 5
	5		0.536 461 401 858 483 − 0.970 428 821 121 194 1i		
	−1	$-1/2_1$	−0.022 146 078 086 828 07		
	−3	$-5/2_1$	−0.412 869 396 059 212 9		2 ☐☐☐ 0
166.	−5		−0.536 461 401 858 483 + 0.970 428 821 121 194 1i	−3.804 712 993 581 153 2	6 ☐ 1
	−3	-1_3	−0.529 189 501 989 107 9		6 ☐ 2
	−4		−0.536 461 401 858 483 − 0.970 428 821 121 194 1i		
	−1	$-3/2_1$	−0.294 030 911 161 524 24		
	2	$3/2_1$	0.197 592 328 868 066 32		2 ☐☐☐ 2
167.	4		0.670 843 709 453 290 4 + 0.985 335 161 239 468 4i	−3.768 016 746 170 720 6	6 ☐ 2
	3	1_3	0.680 775 227 787 536 1		6 ☐ 4
	5		0.670 843 709 453 290 4 − 0.985 335 161 239 468 4i		
	1	$3/2_1$	0.294 030 911 161 524 24		
	−2	$-3/2_1$	−0.197 592 328 868 066 32		2 ☐☐☐ 0
168.	−5		−0.670 843 709 453 290 4 + 0.985 335 161 239 468 4i	−3.768 016 746 170 720 6	6 ☐ 2
	−3	-1_3	−0.680 775 227 787 536 1		6 ☐ 4
	−4		−0.670 843 709 453 290 4 − 0.985 335 161 239 468 4i		
	0	$-1/2_1$	−0.126 686 570 507 435 98		
	3	$5/2_1$	0.411 926 264 963 238 53		2 ☐☐☐ 2
169.	4		0.571 445 621 333 903 2 + 0.974 062 002 454 095i	−3.666 017 386 693 1	6 ☐ 3
	3	1_3	0.572 480 184 635 943 2		6 ☐ 5
	5		0.571 445 621 333 903 2 − 0.974 062 002 454 095i		
	0	$1/2_1$	0.126 686 570 507 435 98		
	−3	$-5/2_1$	−0.411 926 264 963 238 53		2 ☐☐☐ 0
170.	−5		−0.571 445 621 333 903 2 + 0.974 062 002 454 095i	−3.666 017 386 693 1	6 ☐ 1
	−3	-1_3	−0.572 480 184 635 943 2		6 ☐ 3
	−4		−0.571 445 621 333 903 2 − 0.974 062 002 454 095i		
	2	$3/2_1$	0.180 714 318 631 830 55		
	3	$5/2_1$	0.444 763 506 448 639 27 − 0.018 770 199 402 377 38i		2 ☐☐☐ 2
171.	4		0.491 814 213 695 899 34 + 0.961 471 132 379 080 9i	−3.600 693 256 269 325 5	6 ☐ 5
	3	1_3	0.444 763 506 448 639 27 + 0.018 770 199 402 377 38i		6 ☐ 5
	5		0.491 814 213 695 899 34 − 0.961 471 132 379 080 9i		
	−2	$-3/2_1$	−0.180 714 318 631 830 55		
	−3	$-5/2_1$	−0.444 763 506 448 639 27 − 0.018 770 199 402 377 38i		2 ☐☐☐ 0
172.	−5		−0.491 814 213 695 899 34 + 0.961 471 132 379 080 9i	−3.600 693 256 269 325 5	6 ☐ 1
	−3	-1_3	−0.444 763 506 448 639 27 + 0.018 770 199 402 377 38i		6 ☐ 1
	−4		−0.491 814 213 695 899 34 − 0.961 471 132 379 080 9i		
	−2	$-5/2_1$	−0.538 038 543 003 976 1		
	1	$1/2_1$	0.048 493 504 062 649 97		2 ☐☐☐ 2
173.	4		0.747 028 892 886 814 5 + 0.988 454 505 196 263 1i	−3.433 625 472 219 083 5	6 ☐ 1
	3	1_3	0.762 005 202 901 563 6		6 ☐ 3
	5		0.747 028 892 886 814 5 − 0.988 454 505 196 263 1i		
	2	$5/2_1$	0.538 038 543 003 976 1		
	−1	$-1/2_1$	−0.048 493 504 062 649 97		2 ☐☐☐ 0
174.	−5		−0.747 028 892 886 814 5 + 0.988 454 505 196 263 1i	−3.433 625 472 219 083 5	6 ☐ 3
	−3	-1_3	−0.762 005 202 901 563 6		6 ☐ 5
	−4		−0.747 028 892 886 814 5 − 0.988 454 505 196 263 1i		

TABLE 5.3: (Contunued)

	J	I_n	λ	E	Rigged Configuration
	-2	$-5/2_1$	$-0.528\,482\,435\,851\,417\,3$		
	0	$-1/2_1$	$-0.096\,666\,458\,675\,346\,73$		
175.	4		$0.776\,206\,490\,470\,479\,2 + 0.989\,727\,104\,375\,013\,9i$	$-3.388\,359\,546\,708\,23$	
	3	1_3	$0.792\,709\,457\,388\,942\,9$		
	5		$0.776\,206\,490\,470\,479\,2 - 0.989\,727\,104\,375\,013\,9i$		
	2	$5/2_1$	$0.528\,482\,435\,851\,417\,3$		
	0	$1/2_1$	$0.096\,666\,458\,675\,346\,73$		
176.	-5		$-0.776\,206\,490\,470\,479\,2 + 0.989\,727\,104\,375\,013\,9i$	$-3.388\,359\,546\,708\,23$	
	-3	-1_3	$-0.792\,709\,457\,388\,942\,9$		
	-4		$-0.776\,206\,490\,470\,479\,2 - 0.989\,727\,104\,375\,013\,9i$		
	-1	$-3/2_1$	$-0.299\,455\,647\,168\,422\,1$		
	3	$5/2_1$	$0.414\,294\,317\,222\,865\,8$		
177.	4		$0.606\,084\,574\,155\,348\,2 + 0.976\,516\,705\,509\,974\,7i$	$-3.235\,372\,456\,142\,408\,6$	
	3	1_3	$0.612\,637\,302\,108\,590\,6$		
	5		$0.606\,084\,574\,155\,348\,2 - 0.976\,516\,705\,509\,974\,7i$		
	1	$3/2_1$	$0.299\,455\,647\,168\,422\,1$		
	-3	$-5/2_1$	$-0.414\,294\,317\,222\,865\,8$		
178.	-5		$-0.606\,084\,574\,155\,348\,2 + 0.976\,516\,705\,509\,974\,7i$	$-3.235\,372\,456\,142\,408\,6$	
	-3	-1_3	$-0.612\,637\,302\,108\,590\,6$		
	-4		$-0.606\,084\,574\,155\,348\,2 - 0.976\,516\,705\,509\,974\,7i$		
	-2	$-5/2_1$	$-0.546\,245\,701\,406\,330\,6$		
	2	$3/2_1$	$0.204\,284\,296\,816\,857\,34$		
179.	4		$0.710\,335\,277\,960\,656\,3 + 0.986\,447\,721\,437\,419\,2i$	$-3.163\,198\,658\,238\,352\,2$	
	3	1_3	$0.723\,755\,549\,329\,287\,3$		
	5		$0.710\,335\,277\,960\,656\,3 - 0.986\,447\,721\,437\,419\,2i$		
	2	$5/2_1$	$0.546\,245\,701\,406\,330\,6$		
	-2	$-3/2_1$	$-0.204\,284\,296\,816\,857\,34$		
180.	-5		$-0.710\,335\,277\,960\,656\,3 + 0.986\,447\,721\,437\,419\,2i$	$-3.163\,198\,658\,238\,352\,2$	
	-3	-1_3	$-0.723\,755\,549\,329\,287\,3$		
	-4		$-0.710\,335\,277\,960\,656\,3 - 0.986\,447\,721\,437\,419\,2i$		
	1	$1/2_1$	$0.014\,663\,833\,403\,897\,146$		
	3	$7/2_1$	$0.824\,406\,105\,870\,819\,7$		
181.	5		$0.382\,813\,760\,604\,748\,4 + 1.000\,286\,580\,883\,824\,2i$	$-3.154\,454\,477\,092\,441\,4$	
	2	1_3	$0.385\,962\,662\,873\,958$		
	6		$0.382\,813\,760\,604\,748\,4 - 1.000\,286\,580\,883\,824\,2i$		
	-1	$-1/2_1$	$-0.014\,663\,833\,403\,897\,146$		
	-3	$-7/2_1$	$-0.824\,406\,105\,870\,819\,7$		
182.	-6		$-0.382\,813\,760\,604\,748\,4 + 1.000\,286\,580\,883\,824\,2i$	$-3.154\,454\,477\,092\,441\,4$	
	-2	-1_3	$-0.385\,962\,662\,873\,958$		
	-5		$-0.382\,813\,760\,604\,748\,4 - 1.000\,286\,580\,883\,824\,2i$		
	-2	$-5/2_1$	$-0.515\,777\,705\,395\,368\,3$		
	-1	$-3/2_1$	$-0.260\,879\,014\,605\,702\,8$		
183.	4		$0.804\,200\,913\,217\,245\,8 + 0.990\,884\,876\,678\,455\,6i$	$-3.047\,348\,667\,676\,978$	
	3	1_3	$0.822\,377\,310\,336\,269\,2$		
	5		$0.804\,200\,913\,217\,245\,8 - 0.990\,884\,876\,678\,455\,6i$		
	2	$5/2_1$	$0.515\,777\,705\,395\,368\,3$		
	1	$3/2_1$	$0.260\,879\,014\,605\,702\,8$		
184.	-5		$-0.804\,200\,913\,217\,245\,8 + 0.990\,884\,876\,678\,455\,6i$	$-3.047\,348\,667\,676\,978$	
	-3	-1_3	$-0.822\,377\,310\,336\,269\,2$		
	-4		$-0.804\,200\,913\,217\,245\,8 - 0.990\,884\,876\,678\,455\,6i$		

TABLE 5.3: (Contunued)

	J	I_n	λ	E	Rigged Configuration
	0	$-1/2_1$	−0.132 855 030 421 351 97		2 ☐☐☐ 2
	3	$7/2_1$	0.832 734 511 292 457		
185.	5		0.418 776 701 585 791 3 + 1.001 382 816 794 898 4i	−3.009 782 848 818 281	6 ☐ 3
	2	1_3	0.421 740 919 524 529		6 ☐ 6
	6		0.418 776 701 585 791 3 − 1.001 382 816 794 898 4i		
	0	$1/2_1$	0.132 855 030 421 351 97		
	−3	$-7/2_1$	−0.832 734 511 292 457		2 ☐☐☐ 0
186.	−6		−0.418 776 701 585 791 3 + 1.001 382 816 794 898 4i	−3.009 782 848 818 281	6 ☐ 0
	−2	-1_3	−0.421 740 919 524 529		6 ☐ 3
	−5		−0.418 776 701 585 791 3 − 1.001 382 816 794 898 4i		
	2	$3/2_1$	0.167 871 701 756 371 9		
	3	$7/2_1$	0.813 742 107 850 341 7		2 ☐☐☐ 2
187.	5		0.340 126 339 093 076 8 + 0.998 559 313 489 569 8i	−2.968 989 688 973 210 6	6 ☐ 5
	2	1_3	0.343 950 595 217 544 56		6 ☐ 6
	6		0.340 126 339 093 076 8 − 0.998 559 313 489 569 8i		
	−2	$-3/2_1$	−0.167 871 701 756 371 9		
	−3	$-7/2_1$	−0.813 742 107 850 341 7		2 ☐☐☐ 0
188.	−6		−0.340 126 339 093 076 8 + 0.998 559 313 489 569 8i	−2.968 989 688 973 210 6	6 ☐ 0
	−2	-1_3	−0.343 950 595 217 544 56		6 ☐ 1
	−5		−0.340 126 339 093 076 8 − 0.998 559 313 489 569 8i		
	−3	$-7/2_1$	−1.092 656 219 890 239 9		
	1	$1/2_1$	0.059 635 831 028 983 954		2 ☐☐☐ 2
189.	4		0.807 585 782 468 201 7 + 0.990 846 966 862 943 3i	−2.821 646 035 262 51	6 ☐ 0
	3	1_3	0.828 017 658 785 291 8		6 ☐ 3
	5		0.807 585 782 468 201 7 − 0.990 846 966 862 943 3i		
	3	$7/2_1$	1.092 656 219 890 239 9		
	−1	$-1/2_1$	−0.059 635 831 028 983 954		2 ☐☐☐ 0
190.	−5		−0.807 585 782 468 201 7 + 0.990 846 966 862 943 3i	−2.821 646 035 262 51	6 ☐ 3
	−3	-1_3	−0.828 017 658 785 291 8		6 ☐ 6
	−4		−0.807 585 782 468 201 7 − 0.990 846 966 862 943 3i		
	−3	$-7/2_1$	−1.076 552 678 322 267 2		
	0	$-1/2_1$	−0.082 639 016 415 238 83		2 ☐☐☐ 2
191.	4		0.834 867 589 805 557 9 + 0.992 237 417 150 060 1i	−2.796 415 544 103 171	6 ☐ 0
	3	1_3	0.856 441 780 954 678 6		6 ☐ 2
	5		0.834 867 589 805 557 9 − 0.992 237 417 150 060 1i		
	3	$7/2_1$	1.076 552 678 322 267 2		
	0	$1/2_1$	0.082 639 016 415 238 83		2 ☐☐☐ 0
192.	−5		−0.834 867 589 805 557 9 + 0.992 237 417 150 060 1i	−2.796 415 544 103 171	6 ☐ 4
	−3	-1_3	−0.856 441 780 954 678 6		6 ☐ 6
	−4		−0.834 867 589 805 557 9 − 0.992 237 417 150 060 1i		
	−2	$-5/2_1$	−0.553 607 718 842 595 5		
	3	$5/2_1$	0.418 694 765 369 135 75		2 ☐☐☐ 2
193.	4		0.647 641 968 257 882 6 + 0.978 919 079 720 296 3i	−2.633 117 818 872 180 7	6 ☐ 1
	3	1_3	0.659 649 278 333 386 8		6 ☐ 5
	5		0.647 641 968 257 882 6 − 0.978 919 079 720 296 3i		
	2	$5/2_1$	0.553 607 718 842 595 5		
	−3	$-5/2_1$	−0.418 694 765 369 135 75		2 ☐☐☐ 0
194.	−5		−0.647 641 968 257 882 6 + 0.978 919 079 720 296 3i	−2.633 117 818 872 180 7	6 ☐ 1
	−3	-1_3	−0.659 649 278 333 386 8		6 ☐ 5
	−4		−0.647 641 968 257 882 6 − 0.978 919 079 720 296 3i		
	−1	$-3/2_1$	−0.305 684 187 839 804 4		
	3	$7/2_1$	0.840 737 405 607 754 8		2 ☐☐☐ 2
195.	5		0.455 456 346 583 130 7 + 1.002 592 821 204 658 2i	−2.582 522 953 305 599	6 ☐ 2
	2	1_3	0.458 188 780 920 640 5		6 ☐ 6
	6		0.455 456 346 583 130 7 − 1.002 592 821 204 658 2i		

TABLE 5.3: (Contunued)

	J	I_n	λ	E	Rigged Configuration
	1	$3/2_1$	0.305 684 187 839 804 4		2 ☐☐☐ 0
	−3	$-7/2_1$	−0.840 737 405 607 754 8		
196.	−6		−0.455 456 346 583 130 7 + 1.002 592 821 204 658 2i	−2.582 522 953 305 599	6 ☐ 0
	−2	-1_3	−0.458 188 780 920 640 5		6 ☐ 4
	−5		−0.455 456 346 583 130 7 − 1.002 592 821 204 658 2i		
	−3	$-7/2_1$	−1.106 120 747 974 415 3		
	2	$3/2_1$	0.214 220 026 611 381 34		2 ☐☐☐ 2
197.	4		0.772 604 349 700 155 1 + 0.988 796 636 349 922 8i	−2.543 432 686 557 966 6	6 ☐ 0
	3	1_3	0.792 040 548 857 812 9		6 ☐ 4
	5		0.772 604 349 700 155 1 − 0.988 796 636 349 922 8i		
	3	$7/2_1$	1.106 120 747 974 415 3		
	−2	$-3/2_1$	−0.214 220 026 611 381 34		2 ☐☐☐ 0
198.	−5		−0.772 604 349 700 155 1 + 0.988 796 636 349 922 8i	−2.543 432 686 557 966 6	6 ☐ 2
	−3	-1_3	−0.792 040 548 857 812 9		6 ☐ 6
	−4		−0.772 604 349 700 155 1 − 0.988 796 636 349 922 8i		
	2	$5/2_1$	0.368 900 569 457 561 06		
	3	$7/2_1$	0.799 793 505 682 453		2 ☐☐☐ 2
199.	5		0.279 764 596 436 498 04 + 1.004 074 502 942 906 3i	−2.510 398 736 944 168 3	6 ☐ 6
	3	1_3	0.278 133 956 107 750 16		6 ☐ 6
	6		0.279 764 596 436 498 04 − 1.004 074 502 942 906 3i		
	−2	$-5/2_1$	−0.368 900 569 457 561 06		
	−3	$-7/2_1$	−0.799 793 505 682 453		2 ☐☐☐ 0
200.	−6		−0.279 764 596 436 498 04 + 1.004 074 502 942 906 3i	−2.510 398 736 944 168 3	6 ☐ 0
	−3	-1_3	−0.278 133 956 107 750 16		6 ☐ 0
	−5		−0.279 764 596 436 498 04 − 1.004 074 502 942 906 3i		
	−3	$-7/2_1$	−1.054 175 424 590 629 4		
	−1	$-3/2_1$	−0.240 036 046 883 698 84		2 ☐☐☐ 2
201.	4		0.860 362 701 738 397 2 + 0.993 507 629 678 383i	−2.479 174 667 100 771 5	6 ☐ 0
	3	1_3	0.883 226 193 857 253 6		6 ☐ 1
	5		0.860 362 701 738 397 2 − 0.993 507 629 678 383i		
	3	$7/2_1$	1.054 175 424 590 629 4		
	1	$3/2_1$	0.240 036 046 883 698 84		2 ☐☐☐ 0
202.	−5		−0.860 362 701 738 397 2 + 0.993 507 629 678 383i	−2.479 174 667 100 771 5	6 ☐ 5
	−3	-1_3	−0.883 226 193 857 253 6		6 ☐ 6
	−4		−0.860 362 701 738 397 2 − 0.993 507 629 678 383i		
	−3	$-7/2_1$	−1.118 038 568 235 104 6		
	3	$5/2_1$	0.426 124 206 492 324 9		2 ☐☐☐ 2
203.	4		0.712 640 856 232 969 1 + 0.982 693 011 160 142 1i	−2.023 835 050 926 818	6 ☐ 0
	3	1_3	0.732 540 246 818 254 2		6 ☐ 5
	5		0.712 640 856 232 969 1 − 0.982 693 011 160 142 1i		
	3	$7/2_1$	1.118 038 568 235 104 6		
	−3	$-5/2_1$	−0.426 124 206 492 324 9		2 ☐☐☐ 0
204.	−5		−0.712 640 856 232 969 1 + 0.982 693 011 160 142 1i	−2.023 835 050 926 818	6 ☐ 1
	−3	-1_3	−0.732 540 246 818 254 2		6 ☐ 6
	−4		−0.712 640 856 232 969 1 − 0.982 693 011 160 142 1i		
	−2	$-5/2_1$	−0.561 140 105 262 900 4		
	3	$7/2_1$	0.850 239 205 100 783 4		2 ☐☐☐ 2
205.	5		0.500 006 931 674 478 5 + 1.004 354 580 322 063i	−1.993 448 067 771 983 2	6 ☐ 1
	2	1_3	0.502 145 258 053 590 3		6 ☐ 6
	6		0.500 006 931 674 478 5 − 1.004 354 580 322 063i		
	2	$5/2_1$	0.561 140 105 262 900 4		
	−3	$-7/2_1$	−0.850 239 205 100 783 4		2 ☐☐☐ 0
206.	−6		−0.500 006 931 674 478 5 + 1.004 354 580 322 063i	−1.993 448 067 771 983 2	6 ☐ 0
	−2	-1_3	−0.502 145 258 053 590 3		6 ☐ 5
	−5		−0.500 006 931 674 478 5 − 1.004 354 580 322 063i		

TABLE 5.3: (Contunued)

	J	I_n	λ	E	Rigged Configuration
	-3	$-7/2_1$	$-1.015\,006\,524\,821\,764$		2 □□□ 2
	-2	$-5/2_1$	$-0.456\,060\,142\,149\,802\,1$		
207.	4		$0.888\,651\,742\,727\,980\,1 + 0.994\,975\,582\,127\,337\,3i$	$-1.959\,471\,648\,041\,864\,1$	6 □ 0
	3	1_3	$0.913\,170\,151\,601\,031\,1$		6 □ 0
	5		$0.888\,651\,742\,727\,980\,1 - 0.994\,975\,582\,127\,337\,3i$		
	3	$7/2_1$	$1.015\,006\,524\,821\,764$		2 □□□ 0
	2	$5/2_1$	$0.456\,060\,142\,149\,802\,1$		
208.	-5		$-0.888\,651\,742\,727\,980\,1 + 0.994\,975\,582\,127\,337\,3i$	$-1.959\,471\,648\,041\,864\,1$	6 □ 6
	-3	-1_3	$-0.913\,170\,151\,601\,031\,1$		6 □ 6
	-4		$-0.888\,651\,742\,727\,980\,1 - 0.994\,975\,582\,127\,337\,3i$		
	-3	$-7/2_1$	$-1.129\,127\,499\,267\,030\,4$		2 □□□ 2
	3	$7/2_1$	$0.865\,463\,229\,720\,044\,9$		
209.	4		$0.569\,511\,463\,692\,508\,6 + 1.008\,020\,841\,161\,746\,8i$	$-1.407\,394\,787\,171\,681\,2$	6 □ 0
	4	1_3	$0.569\,302\,763\,400\,403$		6 □ 6
	5		$0.569\,511\,463\,692\,508\,6 - 1.008\,020\,841\,161\,746\,8i$		
	3	$7/2_1$	$1.129\,127\,499\,267\,030\,4$		2 □□□ 0
	-3	$-7/2_1$	$-0.865\,463\,229\,720\,044\,9$		
210.	-5		$-0.569\,511\,463\,692\,508\,6 + 1.008\,020\,841\,161\,746\,8i$	$-1.407\,394\,787\,171\,681\,2$	6 □ 0
	-4	-1_3	$-0.569\,302\,763\,400\,403$		6 □ 6
	-4		$-0.569\,511\,463\,692\,508\,6 - 1.008\,020\,841\,161\,746\,8i$		

TABLE 5.4: Bethe roots for $N = 12$, $M = 5$. There are 27 solutions with one 1-string and one 4-string.
$\epsilon^{12} = 4.057\,495\,165\,219\,055\,5 \times 10^{-20}$

	J	I_n	λ	E	Rigged Configuration
	0	0_1	0		
	4		$1.515\,514\,939\,326\,065\,4i$		2 □□□□ 1
211.	3	0_4	$0.5i$	$-2.511\,429\,026\,296\,249$	
	3		$-0.5i$		8 □ 4
	-4		$-1.515\,514\,939\,326\,065\,4i$		
	0	-1_1	$-0.142\,687\,907\,285\,572$		
	6		$0.029\,325\,732\,196\,536\,9 + 1.514\,711\,319\,993\,930\,4i$		2 □□□□ 1
212.	2	0_4	$0.030\,534\,555\,176\,065\,896 + 0.5i + \epsilon^{12}i$	$-2.360\,019\,982\,074\,675$	
	2		$0.030\,534\,555\,176\,065\,896 - 0.5i - \epsilon^{12}i$		8 □ 3
	7		$0.029\,325\,732\,196\,536\,9 - 1.514\,711\,319\,993\,930\,4i$		
	0	1_1	$0.142\,687\,907\,285\,572$		
	-7		$-0.029\,325\,732\,196\,536\,9 + 1.514\,711\,319\,993\,930\,4i$		2 □□□□ 1
213.	-2	0_4	$-0.030\,534\,555\,176\,065\,896 + 0.5i + \epsilon^{12}i$	$-2.360\,019\,982\,074\,675$	
	-2		$-0.030\,534\,555\,176\,065\,896 - 0.5i - \epsilon^{12}i$		8 □ 5
	-6		$-0.029\,325\,732\,196\,536\,9 - 1.514\,711\,319\,993\,930\,4i$		
	-1	-2_1	$-0.311\,852\,255\,079\,753\,9$		
	6		$0.064\,258\,162\,760\,337\,91 + 1.512\,672\,106\,406\,095\,3i$		2 □□□□ 1
214.	2	0_4	$0.065\,615\,490\,134\,647\,42 + 0.499\,999\,999\,999\,999\,7i$	$-1.948\,409\,896\,428\,104\,7$	
	2		$0.065\,615\,490\,134\,647\,42 - 0.499\,999\,999\,999\,999\,7i$		8 □ 2
	7		$0.064\,258\,162\,760\,337\,91 - 1.512\,672\,106\,406\,095\,3i$		
	1	2_1	$0.311\,852\,255\,079\,753\,9$		
	-7		$-0.064\,258\,162\,760\,337\,91 + 1.512\,672\,106\,406\,095\,3i$		2 □□□□ 1
215.	-2	0_4	$-0.065\,615\,490\,134\,647\,42 + 0.499\,999\,999\,999\,999\,7i$	$-1.948\,409\,896\,428\,104\,7$	
	-2		$-0.065\,615\,490\,134\,647\,42 - 0.499\,999\,999\,999\,999\,7i$		8 □ 6
	-6		$-0.064\,258\,162\,760\,337\,91 - 1.512\,672\,106\,406\,095\,3i$		

TABLE 5.4: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-2	-3_1	$-0.561\,664\,902\,147\,022\,5$		
	4		$0.114\,708\,205\,503\,933\,21 + 1.510\,040\,589\,566\,165\mathrm{i}$		
216.	4	0_4	$0.114\,593\,335\,227\,282\,31 + 0.499\,999\,999\,999\,861\,9\mathrm{i}$	$-1.389\,697\,813\,523\,315\,3$	
	4		$0.114\,593\,335\,227\,282\,31 - 0.499\,999\,999\,999\,861\,9\mathrm{i}$		
	5		$0.114\,708\,205\,503\,933\,21 - 1.510\,040\,589\,566\,165\mathrm{i}$		
	2	3_1	$0.561\,664\,902\,147\,022\,5$		
	-5		$-0.114\,708\,205\,503\,933\,21 + 1.510\,040\,589\,566\,165\mathrm{i}$		
217.	-4	0_4	$-0.114\,593\,335\,227\,282\,31 + 0.499\,999\,999\,999\,861\,9\mathrm{i}$	$-1.389\,697\,813\,523\,315\,3$	
	-4		$-0.114\,593\,335\,227\,282\,31 - 0.499\,999\,999\,999\,861\,9\mathrm{i}$		
	-4		$-0.114\,708\,205\,503\,933\,21 - 1.510\,040\,589\,566\,165\mathrm{i}$		
	-3	-4_1	$-1.110\,478\,315\,272\,521$		
	4		$0.206\,332\,680\,288\,528\,9 + 1.506\,500\,202\,138\,511\,2\mathrm{i}$		
218.	4	0_4	$0.202\,979\,077\,892\,244\,12 + 0.499\,999\,999\,940\,698\,7\mathrm{i}$	$-0.837\,240\,582\,078\,390\,6$	
	4		$0.202\,979\,077\,892\,244\,12 - 0.499\,999\,999\,940\,698\,7\mathrm{i}$		
	5		$0.206\,332\,680\,288\,528\,9 - 1.506\,500\,202\,138\,511\,2\mathrm{i}$		
	3	4_1	$1.110\,478\,315\,272\,521$		
	-5		$-0.206\,332\,680\,288\,528\,9 + 1.506\,500\,202\,138\,511\,2\mathrm{i}$		
219.	-4	0_4	$-0.202\,979\,077\,892\,244\,12 + 0.499\,999\,999\,940\,698\,7\mathrm{i}$	$-0.837\,240\,582\,078\,390\,6$	
	-4		$-0.202\,979\,077\,892\,244\,12 - 0.499\,999\,999\,940\,698\,7\mathrm{i}$		
	-4		$-0.206\,332\,680\,288\,528\,9 - 1.506\,500\,202\,138\,511\,2\mathrm{i}$		
	1	0_1	$-0.029\,094\,301\,520\,734\,767$		
	4		$0.718\,312\,335\,447\,977\,9 + 1.456\,903\,992\,210\,589\mathrm{i}$		
220.	4	1_4	$0.701\,723\,160\,113\,141\,4 + 0.500\,177\,690\,998\,887\mathrm{i}$	$-2.444\,840\,784\,240\,882$	
	5		$0.701\,723\,160\,113\,141\,4 - 0.500\,177\,690\,998\,887\mathrm{i}$		
	5		$0.718\,312\,335\,447\,977\,9 - 1.456\,903\,992\,210\,589\mathrm{i}$		
	-1	0_1	$0.029\,094\,301\,520\,734\,767$		
	-5		$-0.718\,312\,335\,447\,977\,9 + 1.456\,903\,992\,210\,589\mathrm{i}$		
221.	-5	-1_4	$-0.701\,723\,160\,113\,141\,4 + 0.500\,177\,690\,998\,887\mathrm{i}$	$-2.444\,840\,784\,240\,882$	
	-4		$-0.701\,723\,160\,113\,141\,4 - 0.500\,177\,690\,998\,887\mathrm{i}$		
	-4		$-0.718\,312\,335\,447\,977\,9 - 1.456\,903\,992\,210\,589\mathrm{i}$		
	2	1_1	$0.110\,603\,505\,690\,812\,2$		
	4		$0.690\,617\,801\,147\,802\,4 + 1.455\,395\,246\,671\,962\mathrm{i}$		
222.	4	1_4	$0.672\,659\,738\,273\,801\,2 + 0.500\,148\,291\,185\,266\,7\mathrm{i}$	$-2.362\,036\,900\,415\,705\,4$	
	5		$0.672\,659\,738\,273\,801\,2 - 0.500\,148\,291\,185\,266\,7\mathrm{i}$		
	5		$0.690\,617\,801\,147\,802\,4 - 1.455\,395\,246\,671\,962\mathrm{i}$		
	-2	-1_1	$-0.110\,603\,505\,690\,812\,2$		
	-5		$-0.690\,617\,801\,147\,802\,4 + 1.455\,395\,246\,671\,962\mathrm{i}$		
223.	-5	-1_4	$-0.672\,659\,738\,273\,801\,2 + 0.500\,148\,291\,185\,266\,7\mathrm{i}$	$-2.362\,036\,900\,415\,705\,4$	
	-4		$-0.672\,659\,738\,273\,801\,2 - 0.500\,148\,291\,185\,266\,7\mathrm{i}$		
	-4		$-0.690\,617\,801\,147\,802\,4 - 1.455\,395\,246\,671\,962\mathrm{i}$		
	0	-1_1	$-0.173\,006\,956\,860\,491\,56$		
	4		$0.743\,905\,624\,908\,374\,8 + 1.457\,671\,650\,223\,376\,6\mathrm{i}$		
224.	4	1_4	$0.729\,440\,633\,422\,207\,4 + 0.500\,210\,733\,285\,711\,9\mathrm{i}$	$-2.233\,535\,801\,555\,498\,2$	
	5		$0.729\,440\,633\,422\,207\,4 - 0.500\,210\,733\,285\,711\,9\mathrm{i}$		
	5		$0.743\,905\,624\,908\,374\,8 - 1.457\,671\,650\,223\,376\,6\mathrm{i}$		
	0	1_1	$0.173\,006\,956\,860\,491\,56$		
	-5		$-0.743\,905\,624\,908\,374\,8 + 1.457\,671\,650\,223\,376\,6\mathrm{i}$		
225.	-5	-1_4	$-0.729\,440\,633\,422\,207\,4 + 0.500\,210\,733\,285\,711\,9\mathrm{i}$	$-2.233\,535\,801\,555\,498\,2$	
	-4		$-0.729\,440\,633\,422\,207\,4 - 0.500\,210\,733\,285\,711\,9\mathrm{i}$		
	-4		$-0.743\,905\,624\,908\,374\,8 - 1.457\,671\,650\,223\,376\,6\mathrm{i}$		

TABLE 5.4: (Continued)

	J	I_n	λ	E	Rigged Configuration
	3	2_1	0.270 970 570 576 255		
	4		0.654 399 065 502 434 2 + 1.452 532 881 161 182i		
226.	4	1_4	0.637 025 034 689 542 2 + 0.500 115 823 057 264 1i	−2.004 196 487 422 776 2	
	5		0.637 025 034 689 542 2 − 0.500 115 823 057 264 1i		
	5		0.654 399 065 502 434 2 − 1.452 532 881 161 182i		
	−3	-2_1	−0.270 970 570 576 255		
	−5		−0.654 399 065 502 434 2 + 1.452 532 881 161 182i		
227.	−5	-1_4	−0.637 025 034 689 542 2 + 0.500 115 823 057 264 1i	−2.004 196 487 422 776 2	
	−4		−0.637 025 034 689 542 2 − 0.500 115 823 057 264 1i		
	−4		−0.654 399 065 502 434 2 − 1.452 532 881 161 182i		
	−1	-2_1	−0.348 982 361 634 360 86		
	4		0.771 846 645 101 415 3 + 1.457 947 396 612 814 5i		
228.	4	1_4	0.760 305 527 506 076 3 + 0.500 255 787 065 228 3i	−1.787 123 051 079 889 4	
	5		0.760 305 527 506 076 3 − 0.500 255 787 065 228 3i		
	5		0.771 846 645 101 415 3 − 1.457 947 396 612 814 5i		
	1	2_1	0.348 982 361 634 360 86		
	−5		−0.771 846 645 101 415 3 + 1.457 947 396 612 814 5i		
229.	−5	-1_4	−0.760 305 527 506 076 3 + 0.500 255 787 065 228 3i	−1.787 123 051 079 889 4	
	−4		−0.760 305 527 506 076 3 − 0.500 255 787 065 228 3i		
	−4		−0.771 846 645 101 415 3 − 1.457 947 396 612 814 5i		
	4	3_1	0.494 627 342 263 608 27		
	4		0.594 387 403 891 572 5 + 1.450 381 900 112 318 8i		
230.	4	1_4	0.586 192 348 977 472 3 + 0.500 066 270 096 205 1i	−1.467 632 153 620 202 8	
	5		0.586 192 348 977 472 3 − 0.500 066 270 096 205 1i		
	5		0.594 387 403 891 572 5 − 1.450 381 900 112 318 8i		
	−4	-3_1	−0.494 627 342 263 608 27		
	−5		−0.594 387 403 891 572 5 + 1.450 381 900 112 318 8i		
231.	−5	-1_4	−0.586 192 348 977 472 3 + 0.500 066 270 096 205 1i	−1.467 632 153 620 202 8	
	−4		−0.586 192 348 977 472 3 − 0.500 066 270 096 205 1i		
	−4		−0.594 387 403 891 572 5 − 1.450 381 900 112 318 8i		
	−2	-3_1	−0.617 288 242 728 910 1		
	4		0.808 456 555 712 941 2 + 1.457 717 768 553 729i		
232.	4	1_4	0.801 407 084 892 693 5 + 0.500 333 932 711 653 2i	−1.227 381 918 689 978	
	5		0.801 407 084 892 693 5 − 0.500 333 932 711 653 2i		
	5		0.808 456 555 712 941 2 − 1.457 717 768 553 729i		
	2	3_1	0.617 288 242 728 910 1		
	−5		−0.808 456 555 712 941 2 + 1.457 717 768 553 729i		
233.	−5	-1_4	−0.801 407 084 892 693 5 + 0.500 333 932 711 653 2i	−1.227 381 918 689 978	
	−4		−0.801 407 084 892 693 5 − 0.500 333 932 711 653 2i		
	−4		−0.808 456 555 712 941 2 − 1.457 717 768 553 729i		
	3	4_1	0.953 438 020 316 485 7		
	6		0.462 823 692 820 655 05 + 1.476 679 205 516 961 5i		
234.	3	1_4	0.463 128 741 006 645 1 + 0.500 002 459 129 119 8i	−0.898 254 488 701 373 5	
	4		0.463 128 741 006 645 1 − 0.500 002 459 129 119 8i		
	7		0.462 823 692 820 655 05 − 1.476 679 205 516 961 5i		
	−3	-4_1	−0.953 438 020 316 485 7		
	−7		−0.462 823 692 820 655 05 + 1.476 679 205 516 961 5i		
235.	−4	-1_4	−0.463 128 741 006 645 1 + 0.500 002 459 129 119 8i	−0.898 254 488 701 373 5	
	−3		−0.463 128 741 006 645 1 − 0.500 002 459 129 119 8i		
	−6		−0.462 823 692 820 655 05 − 1.476 679 205 516 961 5i		

TABLE 5.4: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-3	-4_1	$-1.226\,403\,434\,840\,567$		
	5		$0.870\,915\,177\,884\,325\,5 + 1.456\,691\,109\,737\,706\,4i$		
236.	3	1_4	$0.872\,926\,019\,130\,446\,3 + 0.500\,540\,602\,739\,131\,7i$	$-0.706\,813\,789\,611\,960\,5$	
	4		$0.872\,926\,019\,130\,446\,3 - 0.500\,540\,602\,739\,131\,7i$		
	6		$0.870\,915\,177\,884\,325\,5 - 1.456\,691\,109\,737\,706\,4i$		
	3	4_1	$1.226\,403\,434\,840\,567$		
	-6		$-0.870\,915\,177\,884\,325\,5 + 1.456\,691\,109\,737\,706\,4i$		
237.	-4	-1_4	$-0.872\,926\,019\,130\,446\,3 + 0.500\,540\,602\,739\,131\,7i$	$-0.706\,813\,789\,611\,960\,5$	
	-3		$-0.872\,926\,019\,130\,446\,3 - 0.500\,540\,602\,739\,131\,7i$		
	-5		$-0.870\,915\,177\,884\,325\,5 - 1.456\,691\,109\,737\,706\,4i$		

TABLE 5.5: Bethe roots for $N = 12, M = 5$. There are 3 solutions with one 5-string

	J	I_n	λ	E	Rigged Configuration
	4		$2.049\,132\,673\,087\,468i$		
	5		$1.000\,000\,534\,918\,095\,6i$		
238.	0	0_5	0	$-0.413\,436\,357\,725\,855\,85$	
	-5		$-1.000\,000\,534\,918\,095\,6i$		
	-4		$-2.049\,132\,673\,087\,468i$		
	4		$0.813\,114\,834\,471\,385\,2 + 1.932\,076\,235\,897\,158\,2i$		
	5		$0.735\,443\,023\,170\,236\,7 + 0.999\,801\,541\,345\,337\,7i$		
239.	5	1_5	$0.735\,170\,952\,014\,783\,7$	$-0.379\,702\,195\,487\,291\,3$	
	6		$0.735\,443\,023\,170\,236\,7 - 0.999\,801\,541\,345\,337\,7i$		
	5		$0.813\,114\,834\,471\,385\,2 - 1.932\,076\,235\,897\,158\,2i$		
	-5		$-0.813\,114\,834\,471\,385\,2 + 1.932\,076\,235\,897\,158\,2i$		
	-6		$-0.735\,443\,023\,170\,236\,7 + 0.999\,801\,541\,345\,337\,7i$		
240.	-5	-1_5	$-0.735\,170\,952\,014\,783\,7$	$-0.379\,702\,195\,487\,291\,3$	
	-5		$-0.735\,443\,023\,170\,236\,7 - 0.999\,801\,541\,345\,337\,7i$		
	-4		$-0.813\,114\,834\,471\,385\,2 - 1.932\,076\,235\,897\,158\,2i$		

TABLE 5.6: Bethe roots for $N = 12, M = 5$. There are 42 solutions with one 1-string and two 2-strings.
$\epsilon^{12} = 7.400738616803484 \times 10^{-23}$

	J	I_n	λ	E	Rigged Configuration
	0	0_1	0		
	3	$1/2_2$	$0.336\,162\,687\,980\,403\,05 + 0.499\,991\,227\,735\,659\,7i$		
241.	3		$0.336\,162\,687\,980\,403\,05 - 0.499\,991\,227\,735\,659\,7i$	$-3.797\,104\,367\,408\,447\,7$	
	-3	$-1/2_2$	$-0.336\,162\,687\,980\,403\,05 + 0.499\,991\,227\,735\,659\,7i$		
	-3		$-0.336\,162\,687\,980\,403\,05 - 0.499\,991\,227\,735\,659\,7i$		
	0	0_1	$0.074\,472\,599\,470\,448\,75$		
	-4	$-3/2_2$	$-0.759\,805\,212\,089\,614\,6 + 0.511\,599\,192\,324\,658\,9i$		
242.	-3		$-0.759\,805\,212\,089\,614\,6 - 0.511\,599\,192\,324\,658\,9i$	$-3.568\,360\,420\,854\,371$	
	-4	$-1/2_2$	$-0.011\,992\,376\,101\,007\,93 + 0.5i\ +\epsilon^{12}i$		
	-3		$-0.011\,992\,376\,101\,007\,93 - 0.5i\ -\epsilon^{12}i$		
	0	0_1	$-0.074\,472\,599\,470\,448\,75$		
	3	$3/2_2$	$0.759\,805\,212\,089\,614\,6 + 0.511\,599\,192\,324\,658\,9i$		
243.	4		$0.759\,805\,212\,089\,614\,6 - 0.511\,599\,192\,324\,658\,9i$	$-3.568\,360\,420\,854\,371$	
	3	$1/2_2$	$0.011\,992\,376\,101\,007\,93 + 0.5i\ +\epsilon^{12}i$		
	4		$0.011\,992\,376\,101\,007\,93 + 0.5i\ -\epsilon^{12}i$		

TABLE 5.6: (Continued)

	J	I_n	λ	E	Rigged Configuration
	0	0_1	−0.027 518 190 566 273 547		
	−3		−0.438 114 709 063 004 76 + 0.499 924 033 645 003 43i		2 ☐☐ 1
244.	−3	$-1/2_2$	−0.438 114 709 063 004 76 − 0.499 924 033 645 003 43i	−3.375 069 620 523 041 3	2 ☐☐ 2
	3		0.872 131 251 348 487 6 + 0.518 829 040 561 434 2i		2 ☐ 3
	4	$3/2_2$	0.872 131 251 348 487 6 − 0.518 829 040 561 434 2i		
	0	0_1	0.027 518 190 566 273 547		
	3		0.438 114 709 063 004 76 + 0.499 924 033 645 003 43i		2 ☐☐ 0
245.	3	$1/2_2$	0.438 114 709 063 004 76 − 0.499 924 033 645 003 43i	−3.375 069 620 523 041 3	2 ☐☐ 1
	−4		−0.872 131 251 348 487 6 + 0.518 829 040 561 434 2i		2 ☐ 3
	−3	$-3/2_2$	−0.872 131 251 348 487 6 − 0.518 829 040 561 434 2i		
	0	0_1	0		
	−4		−0.958 676 488 676 940 8 + 0.526 070 320 958 979 9i		2 ☐☐ 0
246.	−3	$-3/2_2$	−0.958 676 488 676 940 8 − 0.526 070 320 958 979 9i	−2.984 011 502 084 903	2 ☐☐ 2
	3		0.958 676 488 676 940 8 + 0.526 070 320 958 979 9i		2 ☐ 3
	4	$3/2_2$	0.958 676 488 676 940 8 − 0.526 070 320 958 979 9i		
	1	1_1	0.173 984 288 334 960 13		
	3		0.285 027 120 337 364 27 + 0.499 998 292 633 225 7i		2 ☐☐ 1
247.	3	$1/2_2$	0.285 027 120 337 364 27 − 0.499 998 292 633 225 7i	−3.590 956 360 253 892 8	2 ☐☐ 1
	−3		−0.365 900 185 884 410 5 + 0.499 981 028 205 315 7i		2 ☐ 4
	−3	$-1/2_2$	−0.365 900 185 884 410 5 − 0.499 981 028 205 315 7i		
	−1	-1_1	−0.173 984 288 334 960 13		
	−3		−0.285 027 120 337 364 27 + 0.499 998 292 633 225 7i		2 ☐☐ 1
248.	−3	$-1/2_2$	−0.285 027 120 337 364 27 − 0.499 998 292 633 225 7i	−3.590 956 360 253 892 8	2 ☐☐ 1
	3		0.365 900 185 884 410 5 + 0.499 981 028 205 315 7i		2 ☐ 2
	3	$1/2_2$	0.365 900 185 884 410 5 − 0.499 981 028 205 315 7i		
	1	1_1	0.090 733 584 783 500 96		
	3		0.739 501 828 604 039 7 + 0.510 329 162 026 506 9i		2 ☐☐ 2
249.	4	$3/2_2$	0.739 501 828 604 039 7 − 0.510 329 162 026 506 9i	−3.560 256 956 832 899	2 ☐☐ 2
	−3		−0.039 946 716 701 971 16 + 0.500 000 000 000 000 1i		2 ☐ 4
	−2	$1/2_2$	−0.039 946 716 701 971 16 − 0.500 000 000 000 000 1i		
	−1	-1_1	−0.090 733 584 783 500 96		
	−4		−0.739 501 828 604 039 7 + 0.510 329 162 026 506 9i		2 ☐☐ 0
250.	−3	$-3/2_2$	−0.739 501 828 604 039 7 − 0.510 329 162 026 506 9i	−3.560 256 956 832 899	2 ☐☐ 0
	2		0.039 946 716 701 971 16 + 0.500 000 000 000 000 1i		2 ☐ 2
	3	$-1/2_2$	0.039 946 716 701 971 16 − 0.500 000 000 000 000 1i		
	1	1_1	0.126 235 855 041 061 8		
	−3		−0.467 954 139 305 693 6 + 0.499 873 542 087 266 6i		2 ☐☐ 1
251.	−3	$-1/2_2$	−0.467 954 139 305 693 6 − 0.499 873 542 087 266 6i	−3.258 667 451 638 088 2	2 ☐☐ 2
	3		0.845 536 509 922 814 + 0.517 081 113 766 083 6i		2 ☐ 4
	4	$3/2_2$	0.845 536 509 922 814 − 0.517 081 113 766 083 6i		
	−1	-1_1	−0.126 235 855 041 061 8		
	3		0.467 954 139 305 693 6 + 0.499 873 542 087 266 6i		2 ☐☐ 0
252.	3	$1/2_2$	0.467 954 139 305 693 6 − 0.499 873 542 087 266 6i	−3.258 667 451 638 088 2	2 ☐☐ 1
	−4		−0.845 536 509 922 814 + 0.517 081 113 766 083 6i		2 ☐ 2
	−3	$-3/2_2$	−0.845 536 509 922 814 − 0.517 081 113 766 083 6i		
	1	1_1	0.253 927 805 452 619 7		
	−4		−0.775 112 644 530 590 4 + 0.512 618 548 243 316 9i		2 ☐☐ 0
253.	−3	$-3/2_2$	−0.775 112 644 530 590 4 − 0.512 618 548 243 316 9i	−3.187 770 519 034 553 6	2 ☐☐ 0
	−4		−0.062 195 178 338 159 254 + 0.500 000 000 000 025i		2 ☐ 4
	−3	$-1/2_2$	−0.062 195 178 338 159 254 − 0.500 000 000 000 025i		
	−1	-1_1	−0.253 927 805 452 619 7		
	3		0.775 112 644 530 590 4 + 0.512 618 548 243 316 9i		2 ☐☐ 2
254.	4	$3/2_2$	0.775 112 644 530 590 4 − 0.512 618 548 243 316 9i	−3.187 770 519 034 553 6	2 ☐☐ 2
	3		0.062 195 178 338 159 254 + 0.500 000 000 000 025i		2 ☐ 2
	4	$1/2_2$	0.062 195 178 338 159 254 − 0.500 000 000 000 025i		

TABLE 5.6: (Continued)

	J	I_n	λ	E	Rigged Configuration
	1	1_1	0.192 075 099 238 341 07		
	-4	$-3/2_2$	$-0.890\,724\,392\,952\,565\,1 + 0.520\,020\,120\,090\,045\,4i$		
255.	-3		$-0.890\,724\,392\,952\,565\,1 - 0.520\,020\,120\,090\,045\,4i$	$-3.140\,816\,275\,204\,621$	
	3	$1/2_2$	$0.392\,011\,848\,242\,110\,9 + 0.499\,971\,155\,611\,186\,6i$		
	3		$0.392\,011\,848\,242\,110\,9 - 0.499\,971\,155\,611\,186\,6i$		
	-1	-1_1	$-0.192\,075\,099\,238\,341\,07$		
	3	$3/2_2$	$0.890\,724\,392\,952\,565\,1 + 0.520\,020\,120\,090\,045\,4i$		
256.	4		$0.890\,724\,392\,952\,565\,1 - 0.520\,020\,120\,090\,045\,4i$	$-3.140\,816\,275\,204\,621$	
	-3	$-1/2_2$	$-0.392\,011\,848\,242\,110\,9 + 0.499\,971\,155\,611\,186\,6i$		
	-3		$-0.392\,011\,848\,242\,110\,9 - 0.499\,971\,155\,611\,186\,6i$		
	1	1_1	0.147 937 627 235 925 38		
	-4	$-3/2_2$	$-0.979\,897\,876\,185\,384\,6 + 0.527\,489\,775\,266\,968\,3i$		
257.	-3		$-0.979\,897\,876\,185\,384\,6 - 0.527\,489\,775\,266\,968\,3i$	$-2.826\,702\,996\,113\,345\,6$	
	3	$3/2_2$	$0.931\,236\,212\,469\,306\,3 + 0.524\,196\,234\,536\,541\,2i$		
	4		$0.931\,236\,212\,469\,306\,3 - 0.524\,196\,234\,536\,541\,2i$		
	-1	-1_1	$-0.147\,937\,627\,235\,925\,38$		
	3	$3/2_2$	$0.979\,897\,876\,185\,384\,6 + 0.527\,489\,775\,266\,968\,3i$		
258.	4		$0.979\,897\,876\,185\,384\,6 - 0.527\,489\,775\,266\,968\,3i$	$-2.826\,702\,996\,113\,345\,6$	
	-4	$-3/2_2$	$-0.931\,236\,212\,469\,306\,3 + 0.524\,196\,234\,536\,541\,2i$		
	-3		$-0.931\,236\,212\,469\,306\,3 - 0.524\,196\,234\,536\,541\,2i$		
	2	2_1	0.283 872 290 707 504 6		
	3	$3/2_2$	$0.695\,068\,330\,761\,616\,6 + 0.507\,695\,649\,394\,647\,2i$		
259.	4		$0.695\,068\,330\,761\,616\,6 - 0.507\,695\,649\,394\,647\,2i$	$-3.161\,938\,842\,988\,37$	
	-3	$1/2_2$	$-0.084\,257\,364\,886\,974\,48 + 0.500\,000\,000\,000\,835\,4i$		
	-2		$-0.084\,257\,364\,886\,974\,48 - 0.500\,000\,000\,000\,835\,4i$		
	-2	-2_1	$-0.283\,872\,290\,707\,504\,6$		
	-4	$-3/2_2$	$-0.695\,068\,330\,761\,616\,6 + 0.507\,695\,649\,394\,647\,2i$		
260.	-3		$-0.695\,068\,330\,761\,616\,6 - 0.507\,695\,649\,394\,647\,2i$	$-3.161\,938\,842\,988\,37$	
	2	$-1/2_2$	$0.084\,257\,364\,886\,974\,48 + 0.500\,000\,000\,000\,835\,4i$		
	3		$0.084\,257\,364\,886\,974\,48 - 0.500\,000\,000\,000\,835\,4i$		
	2	2_1	0.417 204 780 140 954 36		
	3	$1/2_2$	$0.199\,109\,424\,124\,726\,54 + 0.499\,999\,969\,572\,077\,26i$		
261.	3		$0.199\,109\,424\,124\,726\,54 - 0.499\,999\,969\,572\,077\,26i$	$-3.011\,494\,366\,160\,043\,5$	
	-3	$-1/2_2$	$-0.386\,002\,852\,749\,058\,2 + 0.499\,969\,537\,369\,482\,35i$		
	-3		$-0.386\,002\,852\,749\,058\,2 - 0.499\,969\,537\,369\,482\,35i$		
	-2	-2_1	$-0.417\,204\,780\,140\,954\,36$		
	-3	$-1/2_2$	$-0.199\,109\,424\,124\,726\,54 + 0.499\,999\,969\,572\,077\,26i$		
262.	-3		$-0.199\,109\,424\,124\,726\,54 - 0.499\,999\,969\,572\,077\,26i$	$-3.011\,494\,366\,160\,043\,5$	
	3	$1/2_2$	$0.386\,002\,852\,749\,058\,2 + 0.499\,969\,537\,369\,482\,35i$		
	3		$0.386\,002\,852\,749\,058\,2 - 0.499\,969\,537\,369\,482\,35i$		
	2	2_1	0.311 879 697 476 173 45		
	-3	$-1/2_2$	$-0.491\,638\,486\,040\,417\,8 + 0.499\,820\,311\,163\,791\,83i$		
263.	-3		$-0.491\,638\,486\,040\,417\,8 - 0.499\,820\,311\,163\,791\,83i$	$-2.833\,153\,813\,194\,275$	
	3	$3/2_2$	$0.798\,296\,010\,412\,157\,4 + 0.513\,824\,879\,998\,580\,7i$		
	4		$0.798\,296\,010\,412\,157\,4 - 0.513\,824\,879\,998\,580\,7i$		
	-2	-2_1	$-0.311\,879\,697\,476\,173\,45$		
	3	$1/2_2$	$0.491\,638\,486\,040\,417\,8 + 0.499\,820\,311\,163\,791\,83i$		
264.	3		$0.491\,638\,486\,040\,417\,8 - 0.499\,820\,311\,163\,791\,83i$	$-2.833\,153\,813\,194\,275$	
	-4	$-3/2_2$	$-0.798\,296\,010\,412\,157\,4 + 0.513\,824\,879\,998\,580\,7i$		
	-3		$-0.798\,296\,010\,412\,157\,4 - 0.513\,824\,879\,998\,580\,7i$		
	2	2_1	0.433 288 427 256 389 44		
	-4	$-3/2_2$	$-0.904\,423\,769\,511\,99 + 0.520\,903\,185\,181\,919\,4i$		
265.	-3		$-0.904\,423\,769\,511\,99 - 0.520\,903\,185\,181\,919\,4i$	$-2.580\,521\,105\,148\,099\,6$	
	3	$1/2_2$	$0.304\,792\,371\,702\,807\,2 + 0.499\,997\,894\,016\,488\,86i$		
	3		$0.304\,792\,371\,702\,807\,2 - 0.499\,997\,894\,016\,488\,86i$		

TABLE 5.6: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-2	-2_1	$-0.433\,288\,427\,256\,389\,44$		
	3		$0.904\,423\,769\,511\,99 + 0.520\,903\,185\,181\,919\,4i$		
266.	4	$3/2_2$	$0.904\,423\,769\,511\,99 - 0.520\,903\,185\,181\,919\,4i$	$-2.580\,521\,105\,148\,099\,6$	
	-3		$-0.304\,792\,371\,702\,807\,2 + 0.499\,997\,894\,016\,488\,86i$		
	-3	$-1/2_2$	$-0.304\,792\,371\,702\,807\,2 - 0.499\,997\,894\,016\,488\,86i$		
	2	2_1	$0.504\,560\,393\,293\,694\,7$		
	-4		$-0.794\,407\,651\,295\,095\,5 + 0.513\,975\,996\,747\,547i$		
267.	-3	$-3/2_2$	$-0.794\,407\,651\,295\,095\,5 - 0.513\,975\,996\,747\,547i$	$-2.568\,323\,367\,618\,021\,3$	
	-4		$-0.108\,193\,198\,611\,375\,25 + 0.500\,000\,000\,014\,951\,3i$		
	-3	$-1/2_2$	$-0.108\,193\,198\,611\,375\,25 - 0.500\,000\,000\,014\,951\,3i$		
	-2	-2_1	$-0.504\,560\,393\,293\,694\,7$		
	3		$0.794\,407\,651\,295\,095\,5 + 0.513\,975\,996\,747\,547i$		
268.	4	$3/2_2$	$0.794\,407\,651\,295\,095\,5 - 0.513\,975\,996\,747\,547i$	$-2.568\,323\,367\,618\,021\,3$	
	3		$0.108\,193\,198\,611\,375\,25 + 0.500\,000\,000\,014\,951\,3i$		
	4	$1/2_2$	$0.108\,193\,198\,611\,375\,25 - 0.500\,000\,000\,014\,951\,3i$		
	2	2_1	$0.331\,339\,528\,320\,701\,7$		
	-4		$-0.999\,056\,141\,857\,000\,9 + 0.528\,763\,998\,219\,469\,4i$		
269.	-3	$-3/2_2$	$-0.999\,056\,141\,857\,000\,9 - 0.528\,763\,998\,219\,469\,4i$	$-2.393\,756\,466\,698\,268\,7$	
	3		$0.885\,215\,116\,064\,894\,9 + 0.520\,829\,311\,244\,174\,8i$		
	4	$3/2_2$	$0.885\,215\,116\,064\,894\,9 - 0.520\,829\,311\,244\,174\,8i$		
	-2	-2_1	$-0.331\,339\,528\,320\,701\,7$		
	3		$0.999\,056\,141\,857\,000\,9 + 0.528\,763\,998\,219\,469\,4i$		
270.	4	$3/2_2$	$0.999\,056\,141\,857\,000\,9 - 0.528\,763\,998\,219\,469\,4i$	$-2.393\,756\,466\,698\,268\,7$	
	-4		$-0.885\,215\,116\,064\,894\,9 + 0.520\,829\,311\,244\,174\,8i$		
	-3	$-3/2_2$	$-0.885\,215\,116\,064\,894\,9 - 0.520\,829\,311\,244\,174\,8i$		
	3	3_1	$0.710\,737\,948\,703\,738\,1$		
	3		$0.499\,459\,925\,255\,194 + 0.500\,601\,749\,863\,384\,5i$		
271.	4	$3/2_2$	$0.499\,459\,925\,255\,194 - 0.500\,601\,749\,863\,384\,5i$	$-2.447\,070\,600\,382\,224\,5$	
	-3		$-0.113\,394\,324\,543\,109\,95 + 0.500\,000\,000\,025\,352\,7i$		
	-2	$1/2_2$	$-0.113\,394\,324\,543\,109\,95 - 0.500\,000\,000\,025\,352\,7i$		
	-3	-3_1	$-0.710\,737\,948\,703\,738\,1$		
	-4		$-0.499\,459\,925\,255\,194 + 0.500\,601\,749\,863\,384\,5i$		
272.	-3	$-3/2_2$	$-0.499\,459\,925\,255\,194 - 0.500\,601\,749\,863\,384\,5i$	$-2.447\,070\,600\,382\,224\,5$	
	2		$0.113\,394\,324\,543\,109\,95 + 0.500\,000\,000\,025\,352\,7i$		
	3	$-1/2_2$	$0.113\,394\,324\,543\,109\,95 - 0.500\,000\,000\,025\,352\,7i$		
	3	3_1	$0.921\,676\,193\,806\,769\,1$		
	3		$0.106\,248\,683\,886\,73 + 0.499\,999\,999\,986\,332\,8i$		
273.	3	$1/2_2$	$0.106\,248\,683\,886\,73 - 0.499\,999\,999\,986\,332\,8i$	$-2.296\,375\,303\,066\,766$	
	-3		$-0.416\,100\,578\,850\,724\,77 + 0.499\,942\,424\,479\,815\,2i$		
	-3	$-1/2_2$	$-0.416\,100\,578\,850\,724\,77 - 0.499\,942\,424\,479\,815\,2i$		
	-3	-3_1	$-0.921\,676\,193\,806\,769\,1$		
	-3		$-0.106\,248\,683\,886\,73 + 0.499\,999\,999\,986\,332\,8i$		
274.	-3	$-1/2_2$	$-0.106\,248\,683\,886\,73 - 0.499\,999\,999\,986\,332\,8i$	$-2.296\,375\,303\,066\,766$	
	3		$0.416\,100\,578\,850\,724\,77 + 0.499\,942\,424\,479\,815\,2i$		
	3	$1/2_2$	$0.416\,100\,578\,850\,724\,77 - 0.499\,942\,424\,479\,815\,2i$		
	3	3_1	$0.724\,833\,418\,446\,664\,9$		
	-3		$-0.508\,038\,878\,180\,270\,4 + 0.499\,776\,832\,863\,457\,3i$		
275.	-3	$-1/2_2$	$-0.508\,038\,878\,180\,270\,4 - 0.499\,776\,832\,863\,457\,3i$	$-2.162\,887\,205\,178\,322$	
	3		$0.609\,204\,805\,353\,227\,4 + 0.502\,342\,857\,691\,395\,5i$		
	4	$3/2_2$	$0.609\,204\,805\,353\,227\,4 - 0.502\,342\,857\,691\,395\,5i$		
	-3	-3_1	$-0.724\,833\,418\,446\,664\,9$		
	3		$0.508\,038\,878\,180\,270\,4 + 0.499\,776\,832\,863\,457\,3i$		
276.	3	$1/2_2$	$0.508\,038\,878\,180\,270\,4 - 0.499\,776\,832\,863\,457\,3i$	$-2.162\,887\,205\,178\,322$	
	-4		$-0.609\,204\,805\,353\,227\,4 + 0.502\,342\,857\,691\,395\,5i$		
	-3	$-3/2_2$	$-0.609\,204\,805\,353\,227\,4 - 0.502\,342\,857\,691\,395\,5i$		

TABLE 5.6: (Continued)

	J	I_n	λ	E	Rigged Configuration
	3	3_1	1.042 918 111 109 140 8		
	−4		−0.828 107 050 648 136 6 + 0.516 627 389 895 567 1i		2 ☐☐ 0
277.	−3	$-3/2_2$	−0.828 107 050 648 136 6 − 0.516 627 389 895 567 1i	−1.915 997 002 339 212 8	2 ☐☐ 0
	−4		−0.159 647 082 391 271 3 + 0.500 000 001 080 347i		2 ☐ 6
	−3	$-1/2_2$	−0.159 647 082 391 271 3 − 0.500 000 001 080 347i		
	−3	-3_1	−1.042 918 111 109 140 8		
	3		0.828 107 050 648 136 6 + 0.516 627 389 895 567 1i		2 ☐☐ 2
278.	4	$3/2_2$	0.828 107 050 648 136 6 − 0.516 627 389 895 567 1i	−1.915 997 002 339 212 8	2 ☐☐ 2
	3		0.159 647 082 391 271 3 + 0.500 000 001 080 347i		2 ☐ 0
	4	$1/2_2$	0.159 647 082 391 271 3 − 0.500 000 001 080 347i		
	3	3_1	0.964 407 229 551 501		
	−4		−0.929 451 039 791 491 2 + 0.522 934 870 012 819 9i		2 ☐☐ 0
279.	−3	$-3/2_2$	−0.929 451 039 791 491 2 − 0.522 934 870 012 819 9i	−1.895 746 220 053 219 6	2 ☐☐ 1
	3		0.195 772 125 311 424 27 + 0.499 999 990 629 158 56i		2 ☐ 6
	3	$1/2_2$	0.195 772 125 311 424 27 − 0.499 999 990 629 158 56i		
	−3	-3_1	−0.964 407 229 551 501		
	3		0.929 451 039 791 491 2 + 0.522 934 870 012 819 9i		2 ☐☐ 1
280.	4	$3/2_2$	0.929 451 039 791 491 2 − 0.522 934 870 012 819 9i	−1.895 746 220 053 219 6	2 ☐☐ 2
	−3		−0.195 772 125 311 424 27 + 0.499 999 990 629 158 56i		2 ☐ 0
	−3	$-1/2_2$	−0.195 772 125 311 424 27 − 0.499 999 990 629 158 56i		
	3	3_1	0.729 231 369 575 538 2		
	−4		−1.013 926 187 972 286 7 + 0.529 640 341 319 839 8i		2 ☐☐ 0
281.	−3	$-3/2_2$	−1.013 926 187 972 286 7 − 0.529 640 341 319 839 8i	−1.755 540 199 867 012 6	2 ☐☐ 2
	3		0.708 918 223 583 226 3 + 0.506 252 220 108 295 1i		2 ☐ 6
	4	$3/2_2$	0.708 918 223 583 226 3 − 0.506 252 220 108 295 1i		
	−3	-3_1	−0.729 231 369 575 538 2		
	3		1.013 926 187 972 286 7 + 0.529 640 341 319 839 8i		2 ☐☐ 0
282.	4	$3/2_2$	1.013 926 187 972 286 7 − 0.529 640 341 319 839 8i	−1.755 540 199 867 012 6	2 ☐☐ 2
	−4		−0.708 918 223 583 226 3 + 0.506 252 220 108 295 1i		2 ☐ 0
	−3	$-3/2_2$	−0.708 918 223 583 226 3 − 0.506 252 220 108 295 1i		

TABLE 5.7: Bethe roots for $N = 12$, $M = 5$. There is 15 solutions with one 2-string and one 3-string

	J	I_n	λ	E	Rigged Configuration
	3		0.5i		
	3	0_2	−0.5i		2 ☐☐☐ 1
283.	5		0.999 831 112 855 648 1i	−1.666 065 959 234 435 6	
	0	0_3	0		4 ☐☐ 2
	−5		−0.999 831 112 855 648 1i		
	−3		−0.479 940 017 215 568 34 + 0.499 876 389 777 760 17i		
	−3	-1_2	−0.479 940 017 215 568 34 − 0.499 876 389 777 760 17i		2 ☐☐☐ 1
284.	4		0.282 023 783 986 992 35 + 1.000 003 523 671 689 5i	−1.457 951 220 599 393 9	
	2	0_3	0.281 769 223 593 793 47		4 ☐☐ 1
	5		0.282 023 783 986 992 35 − 1.000 003 523 671 689 5i		
	3		0.479 940 017 215 568 34 + 0.499 876 389 777 760 17i		
	3	1_2	0.479 940 017 215 568 34 − 0.499 876 389 777 760 17i		2 ☐☐☐ 1
285.	−5		−0.282 023 783 986 992 35 + 1.000 003 523 671 689 5i	−1.457 951 220 599 393 9	
	−2	0_3	−0.281 769 223 593 793 47		4 ☐☐ 3
	−4		−0.282 023 783 986 992 35 − 1.000 003 523 671 689 5i		

TABLE 5.7: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-4	-2_2	$-0.994\,421\,033\,677\,321\,6 + 0.526\,283\,727\,410\,401\,1i$		
	-3		$-0.994\,421\,033\,677\,321\,6 - 0.526\,283\,727\,410\,401\,1i$		
286.	4		$0.419\,617\,272\,822\,709\,05 + 0.999\,546\,376\,604\,728\,7i$	$-1.094\,145\,042\,333\,098$	
	2	0_3	$0.419\,663\,320\,507\,905\,67$		
	5		$0.419\,617\,272\,822\,709\,05 - 0.999\,546\,376\,604\,728\,7i$		
	3	2_2	$0.994\,421\,033\,677\,321\,6 + 0.526\,283\,727\,410\,401\,1i$		
	4		$0.994\,421\,033\,677\,321\,6 - 0.526\,283\,727\,410\,401\,1i$		
287.	-5		$-0.419\,617\,272\,822\,709\,05 + 0.999\,546\,376\,604\,728\,7i$	$-1.094\,145\,042\,333\,098$	
	-2	0_3	$-0.419\,663\,320\,507\,905\,67$		
	-4		$-0.419\,617\,272\,822\,709\,05 - 0.999\,546\,376\,604\,728\,7i$		
	4	1_2	$0.123\,770\,486\,393\,100\,25 + 0.499\,999\,999\,957\,424\,45i$		
	4		$0.123\,770\,486\,393\,100\,25 - 0.499\,999\,999\,957\,424\,45i$		
288.	4		$0.642\,730\,542\,153\,680\,9 + 0.989\,893\,041\,020\,456\,9i$	$-1.548\,802\,929\,561\,323\,5$	
	3	1_3	$0.646\,794\,346\,188\,860\,9$		
	5		$0.642\,730\,542\,153\,680\,9 - 0.989\,893\,041\,020\,456\,9i$		
	-4	-1_2	$-0.123\,770\,486\,393\,100\,25 + 0.499\,999\,999\,957\,424\,45i$		
	-4		$-0.123\,770\,486\,393\,100\,25 - 0.499\,999\,999\,957\,424\,45i$		
289.	-5		$-0.642\,730\,542\,153\,680\,9 + 0.989\,893\,041\,020\,456\,9i$	$-1.548\,802\,929\,561\,323\,5$	
	-3	-1_3	$-0.646\,794\,346\,188\,860\,9$		
	-4		$-0.642\,730\,542\,153\,680\,9 - 0.989\,893\,041\,020\,456\,9i$		
	-3	0_2	$-0.228\,179\,153\,561\,787\,86 + 0.500\,000\,035\,054\,323\,9i$		
	-2		$-0.228\,179\,153\,561\,787\,86 - 0.500\,000\,035\,054\,323\,9i$		
290.	4		$0.787\,774\,931\,761\,448\,6 + 0.990\,600\,276\,604\,153\,7i$	$-1.464\,284\,268\,729\,267\,4$	
	3	1_3	$0.802\,787\,739\,090\,093\,4$		
	5		$0.787\,774\,931\,761\,448\,6 - 0.990\,600\,276\,604\,153\,7i$		
	2	0_2	$0.228\,179\,153\,561\,787\,86 + 0.500\,000\,035\,054\,323\,9i$		
	3		$0.228\,179\,153\,561\,787\,86 - 0.500\,000\,035\,054\,323\,9i$		
291.	-5		$-0.787\,774\,931\,761\,448\,6 + 0.990\,600\,276\,604\,153\,7i$	$-1.464\,284\,268\,729\,267\,4$	
	-3	-1_3	$-0.802\,787\,739\,090\,093\,4$		
	-4		$-0.787\,774\,931\,761\,448\,6 - 0.990\,600\,276\,604\,153\,7i$		
	3	2_2	$0.822\,772\,166\,824\,587\,2 + 0.512\,535\,250\,977\,287\,4i$		
	4		$0.822\,772\,166\,824\,587\,2 - 0.512\,535\,250\,977\,287\,4i$		
292.	6		$0.131\,790\,652\,616\,623\,12 + 0.999\,978\,503\,876\,330\,5i$	$-1.237\,664\,825\,892\,510\,5$	
	1	1_3	$0.131\,881\,258\,758\,483\,06$		
	7		$0.131\,790\,652\,616\,623\,12 - 0.999\,978\,503\,876\,330\,5i$		
	-4	-2_2	$-0.822\,772\,166\,824\,587\,2 + 0.512\,535\,250\,977\,287\,4i$		
	-3		$-0.822\,772\,166\,824\,587\,2 - 0.512\,535\,250\,977\,287\,4i$		
293.	-7		$-0.131\,790\,652\,616\,623\,12 + 0.999\,978\,503\,876\,330\,5i$	$-1.237\,664\,825\,892\,510\,5$	
	-1	-1_3	$-0.131\,881\,258\,758\,483\,06$		
	-6		$-0.131\,790\,652\,616\,623\,12 - 0.999\,978\,503\,876\,330\,5i$		
	-3	-1_2	$-0.602\,414\,000\,161\,913\,2 + 0.499\,339\,130\,496\,820\,94i$		
	-3		$-0.602\,414\,000\,161\,913\,2 - 0.499\,339\,130\,496\,820\,94i$		
294.	4		$0.886\,099\,815\,774\,935\,1 + 0.994\,569\,869\,615\,133\,4i$	$-1.215\,081\,021\,182\,190\,5$	
	3	1_3	$0.909\,070\,660\,142\,360\,2$		
	5		$0.886\,099\,815\,774\,935\,1 - 0.994\,569\,869\,615\,133\,4i$		
	3	1_2	$0.602\,414\,000\,161\,913\,2 + 0.499\,339\,130\,496\,820\,94i$		
	3		$0.602\,414\,000\,161\,913\,2 - 0.499\,339\,130\,496\,820\,94i$		
295.	-5		$-0.886\,099\,815\,774\,935\,1 + 0.994\,569\,869\,615\,133\,4i$	$-1.215\,081\,021\,182\,190\,5$	
	-3	-1_3	$-0.909\,070\,660\,142\,360\,2$		
	-4		$-0.886\,099\,815\,774\,935\,1 - 0.994\,569\,869\,615\,133\,4i$		

TABLE 5.7: (Continued)

	J	I_n	λ	E	Rigged Configuration
	-4	-2_2	$-1.109\,150\,941\,879\,471\,4 + 0.537\,421\,320\,853\,264\,2i$		
	-3		$-1.109\,150\,941\,879\,471\,4 - 0.537\,421\,320\,853\,264\,2i$		
296.	4		$0.978\,458\,637\,744\,483\,5 + 1.000\,612\,831\,729\,216\,2i$	$-0.866\,748\,882\,307\,103\,3$	
	3	1_3	$1.009\,209\,124\,554\,750\,8$		
	5		$0.978\,458\,637\,744\,483\,5 - 1.000\,612\,831\,729\,216\,2i$		
	3	2_2	$1.109\,150\,941\,879\,471\,4 + 0.537\,421\,320\,853\,264\,2i$		
	4		$1.109\,150\,941\,879\,471\,4 - 0.537\,421\,320\,853\,264\,2i$		
297.	-5		$-0.978\,458\,637\,744\,483\,5 + 1.000\,612\,831\,729\,216\,2i$	$-0.866\,748\,882\,307\,103\,3$	
	-3	-1_3	$-1.009\,209\,124\,554\,750\,8$		
	-4		$-0.978\,458\,637\,744\,483\,5 - 1.000\,612\,831\,729\,216\,2i$		

TABLE 6.1: Bethe root for $N = 12$, $M = 6$. There is 1 solution with six 1-strings

	J	I_n	λ	E	Rigged Configuration
1.	$-5/2$	$-5/2_1$	$-0.657\,299\,305\,961\,600\,6$	$-8.387\,390\,917\,445\,206$	0 | 0
	$-3/2$	$-3/2_1$	$-0.282\,366\,724\,536\,491\,4$		0 | 0
	$-1/2$	$-1/2_1$	$-0.084\,694\,431\,996\,636\,54$		0 | 0
	$1/2$	$1/2_1$	$0.084\,694\,431\,996\,636\,54$		0 | 0
	$3/2$	$3/2_1$	$0.282\,366\,724\,536\,491\,4$		0 | 0
	$5/2$	$5/2_1$	$0.657\,299\,305\,961\,600\,6$		0 | 0

TABLE 6.2: Bethe roots for $N = 12$, $M = 6$. There are 15 solutions with four 1-strings and one 2-string

	J	I_n	λ	E	Rigged Configuration
2.	$-3/2$	$-3/2_1$	$-0.306\,941\,603\,445\,582\,36$	$-7.777\,389\,333\,701\,29$	0 | | 0
	$-1/2$	$-1/2_1$	$-0.090\,831\,038\,072\,878\,91$		2 | 1
	$1/2$	$1/2_1$	$0.090\,831\,038\,072\,878\,91$		2 | 1
	$3/2$	$3/2_1$	$0.306\,941\,603\,445\,582\,36$		2 | 1
	$5/2$	0_2	$0.5\mathrm{i}$		2 | 1
	$7/2$		$-0.5\mathrm{i}$		2 | 1
3.	$-3/2$	$-3/2_1$	$-0.286\,112\,018\,400\,319\,25$	$-7.000\,600\,429\,597\,485$	0 | | 0
	$-1/2$	$-1/2_1$	$-0.076\,469\,135\,613\,859\,22$		2 | 1
	$1/2$	$1/2_1$	$0.099\,118\,253\,679\,190\,35$		2 | 1
	$5/2$	$5/2_1$	$0.710\,189\,654\,592\,930\,9$		2 | 1
	$-7/2$	0_2	$-0.223\,363\,377\,128\,975 + 0.500\,000\,426\,860\,044\,9\mathrm{i}$		2 | 2
	$-5/2$		$-0.223\,363\,377\,128\,975 - 0.500\,000\,426\,860\,044\,9\mathrm{i}$		
4.	$3/2$	$3/2_1$	$0.286\,112\,018\,400\,319\,25$	$-7.000\,600\,429\,597\,485$	0 | | 0
	$1/2$	$1/2_1$	$0.076\,469\,135\,613\,859\,22$		2 | 0
	$-1/2$	$-1/2_1$	$-0.099\,118\,253\,679\,190\,35$		2 | 1
	$-5/2$	$-5/2_1$	$-0.710\,189\,654\,592\,930\,9$		2 | 1
	$5/2$	0_2	$0.223\,363\,377\,128\,975 + 0.500\,000\,426\,860\,044\,9\mathrm{i}$		2 | 1
	$7/2$		$0.223\,363\,377\,128\,975 - 0.500\,000\,426\,860\,044\,9\mathrm{i}$		2 | 2
5.	$-5/2$	$-5/2_1$	$-0.678\,243\,568\,589\,175$	$-6.874\,179\,327\,623\,72$	0 | | 0
	$-3/2$	$-3/2_1$	$-0.294\,612\,931\,867\,475\,4$		2 | 0
	$-1/2$	$-1/2_1$	$-0.095\,317\,790\,408\,126\,52$		2 | 0
	$1/2$	$1/2_1$	$0.073\,758\,492\,425\,515\,24$		2 | 0
	$5/2$	0_2	$0.497\,207\,899\,219\,631\,2 + 0.500\,808\,569\,748\,099\,7\mathrm{i}$		2 | 0
	$7/2$		$0.497\,207\,899\,219\,631\,2 - 0.500\,808\,569\,748\,099\,7\mathrm{i}$		2 | 0
6.	$5/2$	$5/2_1$	$0.678\,243\,568\,589\,175$	$-6.874\,179\,327\,623\,72$	0 | | 0
	$3/2$	$3/2_1$	$0.294\,612\,931\,867\,475\,4$		2 | 2
	$1/2$	$1/2_1$	$0.095\,317\,790\,408\,126\,52$		2 | 2
	$-1/2$	$-1/2_1$	$-0.073\,758\,492\,425\,515\,24$		2 | 2
	$-7/2$	0_2	$-0.497\,207\,899\,219\,631\,2 + 0.500\,808\,569\,748\,099\,7\mathrm{i}$		2 | 2
	$-5/2$		$-0.497\,207\,899\,219\,631\,2 - 0.500\,808\,569\,748\,099\,7\mathrm{i}$		2 | 2
7.	$-5/2$	$-5/2_1$	$-0.695\,038\,627\,049\,629\,3$	$-6.538\,942\,424\,614\,415$	0 | | 0
	$-3/2$	$-3/2_1$	$-0.301\,468\,780\,958\,076\,9$		2 | 0
	$1/2$	$1/2_1$	$0.073\,789\,298\,060\,405\,48$		2 | 0
	$3/2$	$3/2_1$	$0.278\,283\,602\,734\,652\,6$		2 | 1
	$5/2$	0_2	$0.322\,217\,253\,606\,325\,1 + 0.500\,018\,318\,858\,182\,6\mathrm{i}$		2 | 1
	$7/2$		$0.322\,217\,253\,606\,325\,1 - 0.500\,018\,318\,858\,182\,6\mathrm{i}$		2 | 1

TABLE 6.2: (Continued)

	J	I_n	λ	E	Rigged Configuration
8.	$5/2$	$5/2_1$	0.695 038 627 049 629 3	$-6.538\,942\,424\,614\,415$	0 0
	$3/2$	$3/2_1$	0.301 468 780 958 076 9		2 1
	$-1/2$	$-1/2_1$	$-0.073\,789\,298\,060\,405\,48$		2 1
	$-3/2$	$-3/2_1$	$-0.278\,283\,602\,734\,652\,6$		2 2
	$-7/2$	0_2	$-0.322\,217\,253\,606\,325\,1 + 0.500\,018\,318\,858\,182\,6i$		2 2
	$-5/2$		$-0.322\,217\,253\,606\,325\,1 - 0.500\,018\,318\,858\,182\,6i$		
9.	$-5/2$	$-5/2_1$	$-0.685\,711\,974\,097\,346\,6$	$-6.494\,913\,426\,039\,625$	0 0
	$-3/2$	$-3/2_1$	$-0.297\,969\,717\,501\,922\,25$		2 0
	$-1/2$	$-1/2_1$	$-0.097\,220\,703\,438\,378\,31$		2 0
	$3/2$	$3/2_1$	0.273 765 860 914 920 17		2 0
	$5/2$	0_2	$0.403\,568\,267\,061\,364\,34 + 0.500\,146\,087\,315\,383\,6i$		2 1
	$7/2$		$0.403\,568\,267\,061\,364\,34 - 0.500\,146\,087\,315\,383\,6i$		
10.	$5/2$	$5/2_1$	$0.685\,711\,974\,097\,346\,6$	$-6.494\,913\,426\,039\,625$	0 0
	$3/2$	$3/2_1$	$0.297\,969\,717\,501\,922\,25$		2 1
	$1/2$	$1/2_1$	$0.097\,220\,703\,438\,378\,31$		2 2
	$-3/2$	$-3/2_1$	$-0.273\,765\,860\,914\,920\,17$		2 2
	$-7/2$	0_2	$-0.403\,568\,267\,061\,364\,34 + 0.500\,146\,087\,315\,383\,6i$		2 2
	$-5/2$		$-0.403\,568\,267\,061\,364\,34 - 0.500\,146\,087\,315\,383\,6i$		
11.	$-5/2$	$-5/2_1$	$-0.700\,346\,158\,587\,427\,8$	$-6.229\,463\,841\,147\,066$	0 0
	$-1/2$	$-1/2_1$	$-0.088\,309\,642\,343\,060\,34$		2 0
	$1/2$	$1/2_1$	$0.088\,309\,642\,343\,060\,34$		2 1
	$5/2$	$5/2_1$	$0.700\,346\,158\,587\,427\,8$		2 1
	$5/2$	0_2	$0.5i$		2 2
	$7/2$		$-0.5i$		
12.	$-5/2$	$-5/2_1$	$-0.690\,721\,524\,281\,384\,7$	$-5.783\,408\,714\,124\,508\,5$	0 0
	$-3/2$	$-3/2_1$	$-0.296\,053\,930\,247\,245\,13$		2 0
	$1/2$	$1/2_1$	$0.083\,724\,530\,462\,692\,71$		2 0
	$5/2$	$5/2_1$	$0.696\,631\,939\,472\,349\,8$		2 1
	$5/2$	0_2	$0.103\,209\,492\,296\,793\,38 + 0.500\,000\,000\,037\,492\,3i$		2 2
	$7/2$		$0.103\,209\,492\,296\,793\,38 - 0.500\,000\,000\,037\,492\,3i$		
13.	$5/2$	$5/2_1$	$0.690\,721\,524\,281\,384\,7$	$-5.783\,408\,714\,124\,508\,5$	0 0
	$3/2$	$3/2_1$	$0.296\,053\,930\,247\,245\,13$		2 0
	$-1/2$	$-1/2_1$	$-0.083\,724\,530\,462\,692\,71$		2 1
	$-5/2$	$-5/2_1$	$-0.696\,631\,939\,472\,349\,8$		2 2
	$-7/2$	0_2	$-0.103\,209\,492\,296\,793\,38 + 0.500\,000\,000\,037\,492\,3i$		2 2
	$-5/2$		$-0.103\,209\,492\,296\,793\,38 - 0.500\,000\,000\,037\,492\,3i$		
14.	$-5/2$	$-5/2_1$	$-0.684\,924\,996\,869\,594\,1$	$-5.759\,660\,612\,274\,256$	0 0
	$-3/2$	$-3/2_1$	$-0.295\,412\,537\,201\,018\,45$		2 0
	$-1/2$	$-1/2_1$	$-0.092\,849\,227\,845\,448\,5$		2 0
	$5/2$	$5/2_1$	$0.694\,143\,880\,833\,098\,1$		2 0
	$5/2$	0_2	$0.189\,521\,440\,541\,481\,4 + 0.500\,000\,040\,141\,434i$		2 2
	$7/2$		$0.189\,521\,440\,541\,481\,4 - 0.500\,000\,040\,141\,434i$		
15.	$5/2$	$5/2_1$	$0.684\,924\,996\,869\,594\,1$	$-5.759\,660\,612\,274\,256$	0 0
	$3/2$	$3/2_1$	$0.295\,412\,537\,201\,018\,45$		2 0
	$1/2$	$1/2_1$	$0.092\,849\,227\,845\,448\,5$		2 2
	$-5/2$	$-5/2_1$	$-0.694\,143\,880\,833\,098\,1$		2 2
	$-7/2$	0_2	$-0.189\,521\,440\,541\,481\,4 + 0.500\,000\,040\,141\,434i$		2 2
	$-5/2$		$-0.189\,521\,440\,541\,481\,4 - 0.500\,000\,040\,141\,434i$		
16.	$-5/2$	$-5/2_1$	$-0.690\,506\,553\,817\,818\,7$	$-5.352\,050\,317\,651\,034$	0 0
	$-3/2$	$-3/2_1$	$-0.293\,264\,459\,550\,968\,75$		2 0
	$3/2$	$3/2_1$	$0.293\,264\,459\,550\,968\,75$		2 0
	$5/2$	$5/2_1$	$0.690\,506\,553\,817\,818\,7$		2 2
	$5/2$	0_2	$0.5i$		2 2
	$7/2$		$-0.5i$		

TABLE 6.3: Bethe roots for $N = 12$, $M = 6$. There are 35 solutions with three 1-strings and one 3-string

	J	I_n	λ	E	Rigged Configuration
17.	$-1/2$	-1_1	$-0.186\,496\,170\,619\,116\,22$	$-6.340\,207\,488\,736\,086$	
	$1/2$	0_1	$-0.047\,507\,551\,859\,381\,56$		
	$1/2$	1_1	$0.186\,496\,170\,619\,116\,22$		
	$11/2$		$1.063\,337\,906\,490\,449\mathrm{i}$		
	$-1/2$	0_2	$0.047\,507\,551\,859\,381\,56$		
	$-11/2$		$-1.063\,337\,906\,490\,449\mathrm{i}$		
18.	$-3/2$	-2_1	$-0.385\,674\,139\,831\,809\,26$	$-5.768\,204\,789\,223\,144\,5$	
	$1/2$	0_1	$-0.014\,874\,530\,317\,274\,965$		
	$1/2$	1_1	$0.187\,598\,320\,126\,062\,9$		
	$11/2$		$0.068\,828\,252\,038\,264\,88 + 1.033\,541\,806\,092\,173\mathrm{i}$		
	$-1/2$	0_2	$0.075\,293\,845\,946\,494\,37$		
	$13/2$		$0.068\,828\,252\,038\,264\,88 - 1.033\,541\,806\,092\,173\mathrm{i}$		
19.	$3/2$	2_1	$0.385\,674\,139\,831\,809\,26$	$-5.768\,204\,789\,223\,144\,5$	
	$-1/2$	0_1	$0.014\,874\,530\,317\,274\,965$		
	$-1/2$	-1_1	$-0.187\,598\,320\,126\,062\,9$		
	$-13/2$		$-0.068\,828\,252\,038\,264\,88 + 1.033\,541\,806\,092\,173\mathrm{i}$		
	$1/2$	0_2	$-0.075\,293\,845\,946\,494\,37$		
	$-11/2$		$-0.068\,828\,252\,038\,264\,88 - 1.033\,541\,806\,092\,173\mathrm{i}$		
20.	$-3/2$	-2_1	$-0.368\,118\,159\,944\,980\,26$	$-5.767\,599\,079\,404\,449$	
	$-1/2$	-1_1	$-0.153\,155\,920\,990\,671\,6$		
	$1/2$	0_1	$0.012\,242\,890\,555\,464\,615$		
	$9/2$		$0.167\,621\,679\,708\,052\,83 + 0.999\,360\,925\,536\,622\mathrm{i}$		
	$1/2$	0_2	$0.173\,787\,830\,964\,082\,82$		
	$11/2$		$0.167\,621\,679\,708\,052\,83 - 0.999\,360\,925\,536\,622\mathrm{i}$		
21.	$3/2$	2_1	$0.368\,118\,159\,944\,980\,26$	$-5.767\,599\,079\,404\,449$	
	$1/2$	1_1	$0.153\,155\,920\,990\,671\,6$		
	$-1/2$	0_1	$-0.012\,242\,890\,555\,464\,615$		
	$-11/2$		$-0.167\,621\,679\,708\,052\,83 + 0.999\,360\,925\,536\,622\mathrm{i}$		
	$-1/2$	0_2	$-0.173\,787\,830\,964\,082\,82$		
	$-9/2$		$-0.167\,621\,679\,708\,052\,83 - 0.999\,360\,925\,536\,622\mathrm{i}$		
22.	$-3/2$	-2_1	$-0.375\,640\,242\,899\,096\,2$	$-5.561\,164\,359\,612\,671$	
	$-1/2$	-1_1	$-0.160\,123\,019\,269\,413\,27$		
	$1/2$	1_1	$0.187\,596\,871\,731\,460\,22$		
	$9/2$		$0.118\,265\,096\,940\,071\,59 + 1.014\,624\,421\,010\,433\,4\mathrm{i}$		
	$3/2$	0_2	$0.111\,636\,196\,556\,904\,75$		
	$11/2$		$0.118\,265\,096\,940\,071\,59 - 1.014\,624\,421\,010\,433\,4\mathrm{i}$		
23.	$3/2$	2_1	$0.375\,640\,242\,899\,096\,2$	$-5.561\,164\,359\,612\,671$	
	$1/2$	1_1	$0.160\,123\,019\,269\,413\,27$		
	$-1/2$	-1_1	$-0.187\,596\,871\,731\,460\,22$		
	$-11/2$		$-0.118\,265\,096\,940\,071\,59 + 1.014\,624\,421\,010\,433\,4\mathrm{i}$		
	$-3/2$	0_2	$-0.111\,636\,196\,556\,904\,75$		
	$-9/2$		$-0.118\,265\,096\,940\,071\,59 - 1.014\,624\,421\,010\,433\,4\mathrm{i}$		
24.	$-3/2$	-2_1	$-0.386\,936\,103\,495\,055\,03$	$-5.203\,653\,009\,935\,572$	
	$1/2$	0_1	$-0.024\,593\,303\,159\,438\,32$		
	$3/2$	2_1	$0.386\,936\,103\,495\,055\,03$		
	$11/2$		$1.012\,979\,809\,175\,230\,5\mathrm{i}$		
	$-1/2$	0_2	$0.024\,593\,303\,159\,438\,32$		
	$-11/2$		$-1.012\,979\,809\,175\,230\,5\mathrm{i}$		

TABLE 6.3: (Continued)

	J	I_n	λ	E	Rigged Configuration
25.	$-5/2$	-3_1	$-0.775\,207\,456\,606\,685\,3$	$-5.077\,674\,656\,986\,697$	
	$-1/2$	-1_1	$-0.144\,977\,881\,463\,459\,5$		
	$1/2$	0_1	$0.016\,597\,216\,619\,982\,372$		
	$7/2$		$0.301\,552\,406\,108\,712 + 1.003\,952\,345\,401\,682\,8\mathrm{i}$		
	$5/2$	0_2	$0.300\,483\,309\,232\,733\,36$		
	$9/2$		$0.301\,552\,406\,108\,712 - 1.003\,952\,345\,401\,682\,8\mathrm{i}$		
26.	$5/2$	3_1	$0.775\,207\,456\,606\,685\,3$	$-5.077\,674\,656\,986\,697$	
	$1/2$	1_1	$0.144\,977\,881\,463\,459\,5$		
	$-1/2$	0_1	$-0.016\,597\,216\,619\,982\,372$		
	$-9/2$		$-0.301\,552\,406\,108\,712 + 1.003\,952\,345\,401\,682\,8\mathrm{i}$		
	$-5/2$	0_2	$-0.300\,483\,309\,232\,733\,36$		
	$-7/2$		$-0.301\,552\,406\,108\,712 - 1.003\,952\,345\,401\,682\,8\mathrm{i}$		
27.	$-5/2$	-3_1	$-0.799\,635\,438\,317\,783\,3$	$-5.036\,461\,442\,996\,971$	
	$1/2$	0_1	$0.004\,815\,152\,541\,385\,387\,5$		
	$3/2$	1_1	$0.154\,716\,066\,203\,992\,4$		
	$9/2$		$0.207\,524\,409\,248\,558\,72 + 1.019\,577\,208\,320\,931\,8\mathrm{i}$		
	$1/2$	0_2	$0.225\,055\,401\,075\,287\,38$		
	$11/2$		$0.207\,524\,409\,248\,558\,72 - 1.019\,577\,208\,320\,931\,8\mathrm{i}$		
28.	$5/2$	3_1	$0.799\,635\,438\,317\,783\,3$	$-5.036\,461\,442\,996\,971$	
	$-1/2$	0_1	$-0.004\,815\,152\,541\,385\,387\,5$		
	$-3/2$	-1_1	$-0.154\,716\,066\,203\,992\,4$		
	$-11/2$		$-0.207\,524\,409\,248\,558\,72 + 1.019\,577\,208\,320\,931\,8\mathrm{i}$		
	$-1/2$	0_2	$-0.225\,055\,401\,075\,287\,38$		
	$-9/2$		$-0.207\,524\,409\,248\,558\,72 - 1.019\,577\,208\,320\,931\,8\mathrm{i}$		
29.	$-3/2$	-2_1	$-0.378\,411\,295\,063\,976\,7$	$-4.999\,364\,303\,501\,403\,5$	
	$-1/2$	-1_1	$-0.162\,066\,904\,098\,666\,8$		
	$3/2$	2_1	$0.389\,701\,163\,160\,535\,3$		
	$11/2$		$0.049\,598\,754\,871\,593\,56 + 1.002\,723\,776\,310\,095\,1\mathrm{i}$		
	$-1/2$	0_2	$0.051\,579\,526\,258\,919\,914$		
	$13/2$		$0.049\,598\,754\,871\,593\,56 - 1.002\,723\,776\,310\,095\,1\mathrm{i}$		
30.	$3/2$	2_1	$0.378\,411\,295\,063\,976\,7$	$-4.999\,364\,303\,501\,403\,5$	
	$1/2$	1_1	$0.162\,066\,904\,098\,666\,8$		
	$-3/2$	-2_1	$-0.389\,701\,163\,160\,535\,3$		
	$-13/2$		$-0.049\,598\,754\,871\,593\,56 + 1.002\,723\,776\,310\,095\,1\mathrm{i}$		
	$1/2$	0_2	$-0.051\,579\,526\,258\,919\,914$		
	$-11/2$		$-0.049\,598\,754\,871\,593\,56 - 1.002\,723\,776\,310\,095\,1\mathrm{i}$		
31.	$-5/2$	-3_1	$-0.785\,589\,567\,715\,728\,6$	$-4.857\,016\,088\,212\,414$	
	$-1/2$	-1_1	$-0.150\,005\,792\,714\,734\,13$		
	$3/2$	1_1	$0.171\,219\,348\,956\,475\,34$		
	$9/2$		$0.253\,697\,742\,838\,280\,67 + 1.010\,792\,639\,158\,439\,4\mathrm{i}$		
	$1/2$	0_2	$0.256\,980\,525\,797\,423\,1$		
	$11/2$		$0.253\,697\,742\,838\,280\,67 - 1.010\,792\,639\,158\,439\,4\mathrm{i}$		
32.	$5/2$	3_1	$0.785\,589\,567\,715\,728\,6$	$-4.857\,016\,088\,212\,414$	
	$1/2$	1_1	$0.150\,005\,792\,714\,734\,13$		
	$-3/2$	-1_1	$-0.171\,219\,348\,956\,475\,34$		
	$-11/2$		$-0.253\,697\,742\,838\,280\,67 + 1.010\,792\,639\,158\,439\,4\mathrm{i}$		
	$-1/2$	0_2	$-0.256\,980\,525\,797\,423\,1$		
	$-9/2$		$-0.253\,697\,742\,838\,280\,67 - 1.010\,792\,639\,158\,439\,4\mathrm{i}$		
33.	$-5/2$	-3_1	$-0.753\,893\,497\,298\,818\,7$	$-4.610\,675\,995\,464\,029$	
	$-3/2$	-2_1	$-0.341\,357\,165\,141\,714\,27$		
	$1/2$	0_1	$0.021\,296\,437\,626\,555\,902$		
	$7/2$		$0.358\,992\,032\,470\,971\,83 + 1.002\,187\,816\,663\,597\,8\mathrm{i}$		
	$5/2$	0_2	$0.355\,970\,159\,872\,028\,96$		
	$9/2$		$0.358\,992\,032\,470\,971\,83 - 1.002\,187\,816\,663\,597\,8\mathrm{i}$		

TABLE 6.3: (Continued)

	J	I_n	λ	E	Rigged Configuration
34.	5/2	3_1	0.753 893 497 298 818 7	$-4.610\,675\,995\,464\,029$	
	3/2	2_1	0.341 357 165 141 714 27		
	−1/2	0_1	−0.021 296 437 626 555 902		
	−9/2		−0.358 992 032 470 971 83 + 1.002 187 816 663 597 8i		
	−5/2	0_2	−0.355 970 159 872 028 96		
	−7/2		−0.358 992 032 470 971 83 − 1.002 187 816 663 597 8i		
35.	−5/2	-3_1	−0.741 261 899 727 916 6	−4.5	
	−3/2	-2_1	−0.335 074 217 549 058 36		
	−1/2	-1_1	−0.134 554 372 610 547 56		
	7/2		0.404 753 465 944 596 9 + 1.000 485 293 444 144 4i		
	5/2	0_2	0.401 383 557 998 329 4		
	9/2		0.404 753 465 944 596 9 − 1.000 485 293 444 144 4i		
36.	5/2	3_1	0.741 261 899 727 916 6	−4.5	
	3/2	2_1	0.335 074 217 549 058 36		
	1/2	1_1	0.134 554 372 610 547 56		
	−9/2		−0.404 753 465 944 596 9 + 1.000 485 293 444 144 4i		
	−5/2	0_2	−0.401 383 557 998 329 4		
	−7/2		−0.404 753 465 944 596 9 − 1.000 485 293 444 144 4i		
37.	−5/2	-3_1	−0.804 105 762 542 008 2	$-4.484\,978\,931\,881\,371$	
	1/2	0_1	0.003 967 751 326 782 782 5		
	3/2	2_1	0.386 884 477 645 522 36		
	9/2		0.139 101 498 601 152 42 + 1.002 840 742 982 967 5i		
	3/2	0_2	0.135 050 536 367 392 03		
	11/2		0.139 101 498 601 152 42 − 1.002 840 742 982 967 5i		
38.	5/2	3_1	0.804 105 762 542 008 2	$-4.484\,978\,931\,881\,371$	
	−1/2	0_1	−0.003 967 751 326 782 782 5		
	−3/2	-2_1	−0.386 884 477 645 522 36		
	−11/2		−0.139 101 498 601 152 42 + 1.002 840 742 982 967 5i		
	−3/2	0_2	−0.135 050 536 367 392 03		
	−9/2		−0.139 101 498 601 152 42 − 1.002 840 742 982 967 5i		
39.	−5/2	-3_1	−0.763 798 898 498 361 6	$-4.372\,598\,386\,618\,456$	
	−3/2	-2_1	−0.346 981 657 760 085 6		
	3/2	1_1	0.179 736 076 740 101 34		
	7/2		0.311 229 118 908 964 93 + 1.006 328 462 655 206 7i		
	5/2	0_2	0.308 586 241 700 412 2		
	9/2		0.311 229 118 908 964 93 − 1.006 328 462 655 206 7i		
40.	5/2	3_1	0.763 798 898 498 361 6	$-4.372\,598\,386\,618\,456$	
	3/2	2_1	0.346 981 657 760 085 6		
	−3/2	-1_1	−0.179 736 076 740 101 34		
	−9/2		−0.311 229 118 908 964 93 + 1.006 328 462 655 206 7i		
	−5/2	0_2	−0.308 586 241 700 412 2		
	−7/2		−0.311 229 118 908 964 93 − 1.006 328 462 655 206 7i		
41.	−5/2	-3_1	−0.791 371 325 861 396 5	$-4.304\,539\,727\,628\,517$	
	−1/2	-1_1	−0.152 885 881 843 031 7		
	3/2	2_1	0.390 289 289 724 301 2		
	9/2		0.185 634 023 002 116 3 + 0.999 488 937 744 304 1i		
	3/2	0_2	0.182 699 871 975 886 72		
	11/2		0.185 634 023 002 116 3 − 0.999 488 937 744 304 1i		
42.	5/2	3_1	0.791 371 325 861 396 5	$-4.304\,539\,727\,628\,517$	
	1/2	1_1	0.152 885 881 843 031 7		
	−3/2	-2_1	−0.390 289 289 724 301 2		
	−11/2		−0.185 634 023 002 116 3 + 0.999 488 937 744 304 1i		
	−3/2	0_2	−0.182 699 871 975 886 72		
	−9/2		−0.185 634 023 002 116 3 − 0.999 488 937 744 304 1i		

TABLE 6.3: (Continued)

	J	I_n	λ	E	Rigged Configuration
43.	$-5/2$	-3_1	$-0.810\,941\,084\,467\,148\,6$	$-4.280\,776\,406\,404\,415$	
	$1/2$	1_1	$0.160\,009\,592\,414\,073\,78$		
	$3/2$	2_1	$0.378\,245\,170\,638\,851\,27$		
	$11/2$		$0.090\,461\,342\,477\,569\,2 + 0.994\,162\,072\,632\,581\,3i$		
	$1/2$	0_2	$0.091\,763\,636\,459\,073\,04$		
	$13/2$		$0.090\,461\,342\,477\,569\,2 - 0.994\,162\,072\,632\,581\,3i$		
44.	$5/2$	3_1	$0.810\,941\,084\,467\,148\,6$	$-4.280\,776\,406\,404\,415$	
	$-1/2$	-1_1	$-0.160\,009\,592\,414\,073\,78$		
	$-3/2$	-2_1	$-0.378\,245\,170\,638\,851\,27$		
	$-13/2$		$-0.090\,461\,342\,477\,569\,2 + 0.994\,162\,072\,632\,581\,3i$		
	$-1/2$	0_2	$-0.091\,763\,636\,459\,073\,04$		
	$-11/2$		$-0.090\,461\,342\,477\,569\,2 - 0.994\,162\,072\,632\,581\,3i$		
45.	$-5/2$	-3_1	$-0.770\,264\,060\,687\,594\,1$	$-3.818\,882\,610\,057\,698\,5$	
	$-3/2$	-2_1	$-0.350\,999\,577\,053\,192\,07$		
	$3/2$	2_1	$0.392\,502\,417\,384\,760\,2$		
	$9/2$		$0.243\,459\,044\,575\,168\,73 + 0.996\,914\,679\,887\,507\,1i$		
	$3/2$	0_2	$0.241\,843\,131\,205\,684\,3$		
	$11/2$		$0.243\,459\,044\,575\,168\,73 - 0.996\,914\,679\,887\,507\,1i$		
46.	$5/2$	3_1	$0.770\,264\,060\,687\,594\,1$	$-3.818\,882\,610\,057\,698\,5$	
	$3/2$	2_1	$0.350\,999\,577\,053\,192\,07$		
	$-3/2$	-2_1	$-0.392\,502\,417\,384\,760\,2$		
	$-11/2$		$-0.243\,459\,044\,575\,168\,73 + 0.996\,914\,679\,887\,507\,1i$		
	$-3/2$	0_2	$-0.241\,843\,131\,205\,684\,3$		
	$-9/2$		$-0.243\,459\,044\,575\,168\,73 - 0.996\,914\,679\,887\,507\,1i$		
47.	$-5/2$	-3_1	$-0.805\,340\,360\,971\,282$	$-3.788\,693\,957\,249\,719$	
	$1/2$	0_1	$-0.012\,646\,147\,069\,008\,998$		
	$5/2$	3_1	$0.805\,340\,360\,971\,276\,8$		
	$11/2$		$1.003\,316\,813\,828\,514i$		
	$-1/2$	0_2	$0.012\,646\,147\,068\,944\,747$		
	$-11/2$		$-1.003\,316\,813\,828\,514i$		
48.	$-5/2$	-3_1	$-0.793\,457\,826\,834\,414\,3$	$-3.606\,497\,908\,180\,208$	
	$-1/2$	-1_1	$-0.156\,921\,967\,167\,314\,77$		
	$5/2$	3_1	$0.812\,365\,609\,687\,831\,4$		
	$11/2$		$0.045\,819\,834\,363\,952\,525 + 1.000\,649\,619\,799\,031\,8i$		
	$-1/2$	0_2	$0.046\,374\,515\,585\,991\,92$		
	$13/2$		$0.045\,819\,834\,363\,952\,525 - 1.000\,649\,619\,799\,031\,8i$		
49.	$5/2$	3_1	$0.793\,457\,826\,834\,414\,3$	$-3.606\,497\,908\,180\,208$	
	$1/2$	1_1	$0.156\,921\,967\,167\,314\,77$		
	$-5/2$	-3_1	$-0.812\,365\,609\,687\,831\,4$		
	$-13/2$		$-0.045\,819\,834\,363\,952\,525 + 1.000\,649\,619\,799\,031\,8i$		
	$1/2$	0_2	$-0.046\,374\,515\,585\,991\,92$		
	$-11/2$		$-0.045\,819\,834\,363\,952\,525 - 1.000\,649\,619\,799\,031\,8i$		
50.	$-5/2$	-3_1	$-0.773\,766\,009\,112\,892\,2$	$-3.128\,657\,983\,296\,387$	
	$-3/2$	-2_1	$-0.354\,908\,189\,026\,438\,84$		
	$5/2$	3_1	$0.817\,477\,622\,922\,102\,2$		
	$9/2$		$0.103\,786\,272\,249\,040\,33 + 1.000\,442\,538\,457\,339\,7i$		
	$3/2$	0_2	$0.103\,624\,030\,719\,145\,18$		
	$11/2$		$0.103\,786\,272\,249\,040\,33 - 1.000\,442\,538\,457\,339\,7i$		
51.	$5/2$	3_1	$0.773\,766\,009\,112\,892\,2$	$-3.128\,657\,983\,296\,387$	
	$3/2$	2_1	$0.354\,908\,189\,026\,438\,84$		
	$-5/2$	-3_1	$-0.817\,477\,622\,922\,102\,2$		
	$-11/2$		$-0.103\,786\,272\,249\,040\,33 + 1.000\,442\,538\,457\,339\,7i$		
	$-3/2$	0_2	$-0.103\,624\,030\,719\,145\,18$		
	$-9/2$		$-0.103\,786\,272\,249\,040\,33 - 1.000\,442\,538\,457\,339\,7i$		

TABLE 6.4: Bethe roots for $N = 12, M = 6$. There are 28 solutions with two 1-strings and one 4-string.
$\epsilon^{12} = 3.6999169395806464 \times 10^{-17}$

	J	I_n	λ	E	Rigged Configuration
	$1/2$	$-1/2_1$	$-0.076\,669\,363\,019\,208\,17$		
	$-1/2$	$1/2_1$	$0.076\,669\,363\,019\,208\,17$		0 □□□□ 0
	$9/2$		$1.586\,616\,413\,516\,815\,3\mathrm{i}$		
52.	$5/2$	0_4	$0.5\mathrm{i}$	$-4.467\,066\,349\,967\,16$	6 □ 3
	$7/2$		$-0.5\mathrm{i}$		6 □ 3
	$-9/2$		$-1.586\,616\,413\,516\,815\,3\mathrm{i}$		
	$-1/2$	$-3/2_1$	$-0.235\,620\,841\,880\,661\,43$		
	$1/2$	$-1/2_1$	$-0.067\,719\,418\,357\,356\,43$		0 □□□□ 0
	$11/2$		$0.069\,143\,359\,608\,548\,95 + 1.574\,525\,031\,022\,692\,8\mathrm{i}$		
53.	$3/2$	0_4	$0.082\,526\,770\,510\,451\,56 + 0.500\,000\,000\,000\,074\,7\mathrm{i}$	$-4.148\,475\,066\,778\,275$	6 □ 2
	$5/2$		$0.082\,526\,770\,510\,451\,56 - 0.500\,000\,000\,000\,074\,7\mathrm{i}$		6 □ 2
	$13/2$		$0.069\,143\,359\,608\,548\,95 - 1.574\,525\,031\,022\,692\,8\mathrm{i}$		
	$1/2$	$3/2_1$	$0.235\,620\,841\,880\,661\,43$		
	$-1/2$	$1/2_1$	$0.067\,719\,418\,357\,356\,43$		0 □□□□ 0
	$-13/2$		$-0.069\,143\,359\,608\,548\,95 + 1.574\,525\,031\,022\,692\,8\mathrm{i}$		
54.	$-5/2$	0_4	$-0.082\,526\,770\,510\,451\,56 + 0.500\,000\,000\,000\,074\,7\mathrm{i}$	$-4.148\,475\,066\,778\,275$	6 □ 4
	$-3/2$		$-0.082\,526\,770\,510\,451\,56 - 0.500\,000\,000\,000\,074\,7\mathrm{i}$		6 □ 4
	$-11/2$		$-0.069\,143\,359\,608\,548\,95 - 1.574\,525\,031\,022\,692\,8\mathrm{i}$		
	$-1/2$	$-3/2_1$	$-0.240\,883\,890\,560\,919\,02$		
	$-1/2$	$1/2_1$	$0.080\,813\,401\,915\,651\,12$		0 □□□□ 0
	$13/2$		$0.036\,719\,835\,632\,275\,88 + 1.578\,337\,818\,489\,785\,8\mathrm{i}$		
55.	$3/2$	0_4	$0.043\,315\,408\,690\,351\,1 + 0.5\mathrm{i} + \epsilon^{12} i$	$-4.125\,180\,033\,558\,525$	6 □ 2
	$5/2$		$0.043\,315\,408\,690\,351\,1 + 0.5\mathrm{i} - \epsilon^{12} i$		6 □ 3
	$15/2$		$0.036\,719\,835\,632\,275\,88 - 1.578\,337\,818\,489\,785\,8\mathrm{i}$		
	$1/2$	$3/2_1$	$0.240\,883\,890\,560\,919\,02$		
	$1/2$	$-1/2_1$	$-0.080\,813\,401\,915\,651\,12$		0 □□□□ 0
	$-15/2$		$-0.036\,719\,835\,632\,275\,88 + 1.578\,337\,818\,489\,785\,8\mathrm{i}$		
56.	$-5/2$	0_4	$-0.043\,315\,408\,690\,351\,1 + 0.5\mathrm{i} + \epsilon^{12} i$	$-4.125\,180\,033\,558\,525$	6 □ 3
	$-3/2$		$-0.043\,315\,408\,690\,351\,1 + 0.5\mathrm{i} - \epsilon^{12} i$		6 □ 4
	$-13/2$		$-0.036\,719\,835\,632\,275\,88 - 1.578\,337\,818\,489\,785\,8\mathrm{i}$		
	$-1/2$	$-3/2_1$	$-0.245\,541\,205\,042\,744\,26$		
	$1/2$	$3/2_1$	$0.245\,541\,205\,042\,744\,26$		0 □□□□ 0
	$9/2$		$1.572\,903\,456\,778\,204\,3\mathrm{i}$		
57.	$5/2$	0_4	$0.5\mathrm{i}$	$-3.773\,151\,385\,638\,714$	6 □ 2
	$7/2$		$-0.5\mathrm{i}$		6 □ 4
	$-9/2$		$-1.572\,903\,456\,778\,204\,3\mathrm{i}$		
	$-3/2$	$-5/2_1$	$-0.457\,645\,254\,610\,283\,7$		
	$1/2$	$-1/2_1$	$-0.060\,459\,297\,149\,838\,33$		0 □□□□ 0
	$11/2$		$0.125\,185\,017\,051\,295\,53 + 1.558\,993\,021\,707\,473\,2\mathrm{i}$		
58.	$3/2$	0_4	$0.133\,867\,258\,828\,766\,16 + 0.500\,000\,000\,014\,618\,6\mathrm{i}$	$-3.594\,463\,117\,561\,881\,3$	6 □ 1
	$5/2$		$0.133\,867\,258\,828\,766\,16 - 0.500\,000\,000\,014\,618\,6\mathrm{i}$		6 □ 2
	$13/2$		$0.125\,185\,017\,051\,295\,53 - 1.558\,993\,021\,707\,473\,2\mathrm{i}$		
	$3/2$	$5/2_1$	$0.457\,645\,254\,610\,283\,7$		
	$-1/2$	$1/2_1$	$0.060\,459\,297\,149\,838\,33$		0 □□□□ 0
	$-13/2$		$-0.125\,185\,017\,051\,295\,53 + 1.558\,993\,021\,707\,473\,2\mathrm{i}$		
59.	$-5/2$	0_4	$-0.133\,867\,258\,828\,766\,16 + 0.500\,000\,000\,014\,618\,6\mathrm{i}$	$-3.594\,463\,117\,561\,881\,3$	6 □ 4
	$-3/2$		$-0.133\,867\,258\,828\,766\,16 - 0.500\,000\,000\,014\,618\,6\mathrm{i}$		6 □ 5
	$-11/2$		$-0.125\,185\,017\,051\,295\,53 - 1.558\,993\,021\,707\,473\,2\mathrm{i}$		
	$-3/2$	$-5/2_1$	$-0.465\,339\,541\,396\,618\,1$		
	$3/2$	$1/2_1$	$0.086\,496\,775\,398\,429\,59$		0 □□□□ 0
	$11/2$		$0.092\,500\,134\,111\,692\,07 + 1.562\,729\,898\,770\,383\mathrm{i}$		
60.	$3/2$	0_4	$0.096\,921\,248\,887\,402\,99 + 0.500\,000\,000\,000\,364\,5\mathrm{i}$	$-3.554\,220\,588\,536\,437\,3$	6 □ 1
	$5/2$		$0.096\,921\,248\,887\,402\,99 - 0.500\,000\,000\,000\,364\,5\mathrm{i}$		6 □ 3
	$13/2$		$0.092\,500\,134\,111\,692\,07 - 1.562\,729\,898\,770\,383\mathrm{i}$		

TABLE 6.4: (Continued)

	J	I_n	λ	E	Rigged Configuration
61.	3/2	$5/2_1$	0.465 339 541 396 618 1	−3.554 220 588 536 437 3	
	−3/2	$-1/2_1$	−0.086 496 775 398 429 59		
	−13/2		−0.092 500 134 111 692 07 + 1.562 729 898 770 383i		
	−5/2	0_4	−0.096 921 248 887 402 99 + 0.500 000 000 000 364 5i		
	−3/2		−0.096 921 248 887 402 99 − 0.500 000 000 000 364 5i		
	−11/2		−0.092 500 134 111 692 07 − 1.562 729 898 770 383i		
62.	−3/2	$-5/2_1$	−0.447 420 354 503 772 04	−3.316 607 479 503 968 4	
	−1/2	$-3/2_1$	−0.218 648 687 141 841 24		
	11/2		0.162 219 244 763 815 6 + 1.551 269 659 946 343 4i		
	3/2	0_4	0.170 815 276 058 996 2 + 0.500 000 000 190 559 2i		
	5/2		0.170 815 276 058 996 2 − 0.500 000 000 190 559 2i		
	13/2		0.162 219 244 763 815 6 − 1.551 269 659 946 343 4i		
63.	3/2	$5/2_1$	0.447 420 354 503 772 04	−3.316 607 479 503 968 4	
	1/2	$3/2_1$	0.218 648 687 141 841 24		
	−13/2		−0.162 219 244 763 815 6 + 1.551 269 659 946 343 4i		
	−5/2	0_4	−0.170 815 276 058 996 2 + 0.500 000 000 190 559 2i		
	−3/2		−0.170 815 276 058 996 2 − 0.500 000 000 190 559 2i		
	−11/2		−0.162 219 244 763 815 6 − 1.551 269 659 946 343 4i		
64.	−3/2	$-5/2_1$	−0.471 727 172 019 597 9	−3.196 417 374 187 252	
	1/2	$3/2_1$	0.250 948 673 363 512 3		
	9/2		0.055 554 853 321 490 565 + 1.559 122 025 830 832 5i		
	7/2	0_4	0.054 834 396 006 666 57 + 0.499 999 999 999 999 6i		
	9/2		0.054 834 396 006 666 57 − 0.499 999 999 999 999 6i		
	11/2		0.055 554 853 321 490 565 − 1.559 122 025 830 832 5i		
65.	3/2	$5/2_1$	0.471 727 172 019 597 9	−3.196 417 374 187 252	
	−1/2	$-3/2_1$	−0.250 948 673 363 512 3		
	−11/2		−0.055 554 853 321 490 565 + 1.559 122 025 830 832 5i		
	−9/2	0_4	−0.054 834 396 006 666 57 + 0.499 999 999 999 999 6i		
	−7/2		−0.054 834 396 006 666 57 − 0.499 999 999 999 999 6i		
	−9/2		−0.055 554 853 321 490 565 − 1.559 122 025 830 832 5i		
66.	−5/2	$-7/2_1$	−0.907 582 330 165 886 5	−2.966 659 402 058 721 4	
	1/2	$-1/2_1$	−0.049 388 652 580 039 63		
	7/2		0.244 347 912 525 675 14 + 1.540 457 123 121 714i		
	7/2	0_4	0.234 137 578 847 285 42 + 0.500 000 004 729 571 4i		
	9/2		0.234 137 578 847 285 42 − 0.500 000 004 729 571 4i		
	9/2		0.244 347 912 525 675 14 − 1.540 457 123 121 714i		
67.	5/2	$7/2_1$	0.907 582 330 165 886 5	−2.966 659 402 058 721 4	
	−1/2	$1/2_1$	0.049 388 652 580 039 63		
	−9/2		−0.244 347 912 525 675 14 + 1.540 457 123 121 714i		
	−9/2	0_4	−0.234 137 578 847 285 42 + 0.500 000 004 729 571 4i		
	−7/2		−0.234 137 578 847 285 42 − 0.500 000 004 729 571 4i		
	−7/2		−0.244 347 912 525 675 14 − 1.540 457 123 121 714i		
68.	−5/2	$-7/2_1$	−0.919 956 724 692 278 5	−2.911 342 672 088 23	
	3/2	$1/2_1$	0.095 076 473 676 465 43		
	7/2		0.212 694 891 225 917 37 + 1.542 478 218 977 972 7i		
	7/2	0_4	0.199 745 234 281 986 57 + 0.500 000 000 909 376 2i		
	9/2		0.199 745 234 281 986 57 − 0.500 000 000 909 376 2i		
	9/2		0.212 694 891 225 917 37 − 1.542 478 218 977 972 7i		
69.	5/2	$7/2_1$	0.919 956 724 692 278 5	−2.911 342 672 088 23	
	−3/2	$-1/2_1$	−0.095 076 473 676 465 43		
	−9/2		−0.212 694 891 225 917 37 + 1.542 478 218 977 972 7i		
	−9/2	0_4	−0.199 745 234 281 986 57 + 0.500 000 000 909 376 2i		
	−7/2		−0.199 745 234 281 986 57 − 0.500 000 000 909 376 2i		
	−7/2		−0.212 694 891 225 917 37 − 1.542 478 218 977 972 7i		

TABLE 6.4: (Continued)

	J	I_n	λ	E	Rigged Configuration
70.	$-5/2$	$-7/2_1$	$-0.890\,543\,680\,026\,301\,2$	$-2.711\,159\,885\,427\,216\,8$	
	$-1/2$	$-3/2_1$	$-0.202\,927\,718\,828\,837\,26$		
	$7/2$	0_4	$0.278\,250\,484\,345\,290\,54 + 1.536\,080\,754\,339\,909\,5i$		
	$7/2$		$0.268\,485\,215\,082\,275\,1 + 0.500\,000\,017\,078\,966\,2i$		
	$9/2$		$0.268\,485\,215\,082\,275\,1 - 0.500\,000\,017\,078\,966\,2i$		
	$9/2$		$0.278\,250\,484\,345\,290\,54 - 1.536\,080\,754\,339\,909\,5i$		
71.	$5/2$	$7/2_1$	$0.890\,543\,680\,026\,301\,2$	$-2.711\,159\,885\,427\,216\,8$	
	$1/2$	$3/2_1$	$0.202\,927\,718\,828\,837\,26$		
	$-9/2$	0_4	$-0.278\,250\,484\,345\,290\,54 + 1.536\,080\,754\,339\,909\,5i$		
	$-9/2$		$-0.268\,485\,215\,082\,275\,1 + 0.500\,000\,017\,078\,966\,2i$		
	$-7/2$		$-0.268\,485\,215\,082\,275\,1 - 0.500\,000\,017\,078\,966\,2i$		
	$-7/2$		$-0.278\,250\,484\,345\,290\,54 - 1.536\,080\,754\,339\,909\,5i$		
72.	$-3/2$	$-5/2_1$	$-0.478\,119\,117\,858\,654\,1$	$-2.623\,262\,633\,690\,177$	
	$3/2$	$5/2_1$	$0.478\,119\,117\,858\,654\,1$		
	$9/2$	0_4	$1.547\,617\,992\,727\,387i$		
	$5/2$		$0.5i$		
	$7/2$		$-0.5i$		
	$-9/2$		$-1.547\,617\,992\,727\,387i$		
73.	$-5/2$	$-7/2_1$	$-0.929\,907\,431\,122\,418$	$-2.553\,426\,542\,264\,538$	
	$1/2$	$3/2_1$	$0.258\,458\,116\,441\,66$		
	$9/2$	0_4	$0.175\,985\,201\,530\,175\,66 + 1.539\,487\,905\,186\,213\,8i$		
	$7/2$		$0.159\,739\,455\,810\,198\,66 + 0.500\,000\,000\,066\,251\,7i$		
	$9/2$		$0.159\,739\,455\,810\,198\,66 - 0.500\,000\,000\,066\,251\,7i$		
	$11/2$		$0.175\,985\,201\,530\,175\,66 - 1.539\,487\,905\,186\,213\,8i$		
74.	$5/2$	$7/2_1$	$0.929\,907\,431\,122\,418$	$-2.553\,426\,542\,264\,538$	
	$-1/2$	$-3/2_1$	$-0.258\,458\,116\,441\,66$		
	$-11/2$	0_4	$-0.175\,985\,201\,530\,175\,66 + 1.539\,487\,905\,186\,213\,8i$		
	$-9/2$		$-0.159\,739\,455\,810\,198\,66 + 0.500\,000\,000\,066\,251\,7i$		
	$-7/2$		$-0.159\,739\,455\,810\,198\,66 - 0.500\,000\,000\,066\,251\,7i$		
	$-9/2$		$-0.175\,985\,201\,530\,175\,66 - 1.539\,487\,905\,186\,213\,8i$		
75.	$-5/2$	$-7/2_1$	$-0.862\,325\,167\,709\,618\,8$	$-2.219\,223\,593\,595\,586$	
	$-3/2$	$-5/2_1$	$-0.405\,053\,068\,761\,067\,06$		
	$7/2$	0_4	$0.322\,841\,215\,135\,005\,5 + 1.530\,318\,077\,675\,709i$		
	$7/2$		$0.310\,847\,903\,100\,329\,3 + 0.500\,000\,062\,816\,011\,2i$		
	$9/2$		$0.310\,847\,903\,100\,329\,3 - 0.500\,000\,062\,816\,011\,2i$		
	$9/2$		$0.322\,841\,215\,135\,005\,5 - 1.530\,318\,077\,675\,709i$		
76.	$5/2$	$7/2_1$	$0.862\,325\,167\,709\,618\,8$	$-2.219\,223\,593\,595\,586$	
	$3/2$	$5/2_1$	$0.405\,053\,068\,761\,067\,06$		
	$-9/2$	0_4	$-0.322\,841\,215\,135\,005\,5 + 1.530\,318\,077\,675\,709i$		
	$-9/2$		$-0.310\,847\,903\,100\,329\,3 + 0.500\,000\,062\,816\,011\,2i$		
	$-7/2$		$-0.310\,847\,903\,100\,329\,3 - 0.500\,000\,062\,816\,011\,2i$		
	$-7/2$		$-0.322\,841\,215\,135\,005\,5 - 1.530\,318\,077\,675\,709i$		
77.	$-5/2$	$-7/2_1$	$-0.938\,872\,237\,062\,724\,9$	$-1.993\,279\,112\,465\,880\,4$	
	$3/2$	$5/2_1$	$0.485\,621\,242\,029\,869\,67$		
	$9/2$	0_4	$0.120\,334\,931\,829\,703\,7 + 1.530\,445\,021\,512\,995\,2i$		
	$7/2$		$0.106\,290\,565\,686\,723\,72 + 0.500\,000\,000\,000\,367\,2i$		
	$9/2$		$0.106\,290\,565\,686\,723\,72 - 0.500\,000\,000\,000\,367\,2i$		
	$11/2$		$0.120\,334\,931\,829\,703\,7 - 1.530\,445\,021\,512\,995\,2i$		
78.	$5/2$	$7/2_1$	$0.938\,872\,237\,062\,724\,9$	$-1.993\,279\,112\,465\,880\,4$	
	$-3/2$	$-5/2_1$	$-0.485\,621\,242\,029\,869\,67$		
	$-11/2$	0_4	$-0.120\,334\,931\,829\,703\,7 + 1.530\,445\,021\,512\,995\,2i$		
	$-9/2$		$-0.106\,290\,565\,686\,723\,72 + 0.500\,000\,000\,000\,367\,2i$		
	$-7/2$		$-0.106\,290\,565\,686\,723\,72 - 0.500\,000\,000\,000\,367\,2i$		
	$-9/2$		$-0.120\,334\,931\,829\,703\,7 - 1.530\,445\,021\,512\,995\,2i$		
79.	$-5/2$	$-7/2_1$	$-0.946\,889\,926\,963\,657\,4$	$-1.386\,968\,465\,170\,944\,9$	
	$5/2$	$7/2_1$	$0.946\,889\,926\,963\,657\,4$		
	$9/2$	0_4	$1.520\,234\,380\,851\,826\,4i$		
	$5/2$		$0.5i$		

TABLE 6.5: Bethe roots for $N = 12, M = 6$. There are 9 solutions with one 1-string and one 5-string

	J	I_n	λ	E	Rigged Configuration
80.	3/2	0_1	−0.001 879 356 028 060 844 2	−2.444 293 750 582 601 5	
	9/2		2.177 728 099 435 061i		
	11/2		1.000 077 869 264 046 8i		
	−3/2	0_5	0.001 879 356 028 060 844 2		
	−11/2		−1.000 077 869 264 046 8i		
	−9/2		−2.177 728 099 435 061i		
81.	1/2	-1_1	−0.141 396 476 099 138 86	−2.295 415 104 390 858	
	13/2		0.026 450 969 314 748 99 + 2.175 681 272 817 199i		
	9/2		0.029 492 191 114 367 045 + 1.000 010 762 898 049 5i		
	−3/2	0_5	0.029 510 155 240 894 703		
	11/2		0.029 492 191 114 367 045 − 1.000 010 762 898 049 5i		
	15/2		0.026 450 969 314 748 99 − 2.175 681 272 817 199i		
82.	−1/2	1_1	0.141 396 476 099 138 86	−2.295 415 104 390 858	
	−15/2		−0.026 450 969 314 748 99 + 2.175 681 272 817 199i		
	−11/2		−0.029 492 191 114 367 045 + 1.000 010 762 898 049 5i		
	3/2	0_5	−0.029 510 155 240 894 703		
	−9/2		−0.029 492 191 114 367 045 − 1.000 010 762 898 049 5i		
	−13/2		−0.026 450 969 314 748 99 − 2.175 681 272 817 199i		
83.	−1/2	-2_1	−0.308 535 256 283 031 74	−1.890 000 919 455 334 9	
	13/2		0.058 717 768 587 719 266 + 2.168 888 589 255 617i		
	9/2		0.063 698 587 819 248 74 + 1.000 009 258 133 161 9i		
	−3/2	0_5	0.063 702 543 469 067 8		
	11/2		0.063 698 587 819 248 74 − 1.000 009 258 133 161 9i		
	15/2		0.058 717 768 587 719 266 − 2.168 888 589 255 617i		
84.	1/2	2_1	0.308 535 256 283 031 74	−1.890 000 919 455 334 9	
	−15/2		−0.058 717 768 587 719 266 + 2.168 888 589 255 617i		
	−11/2		−0.063 698 587 819 248 74 + 1.000 009 258 133 161 9i		
	3/2	0_5	−0.063 702 543 469 067 8		
	−9/2		−0.063 698 587 819 248 74 − 1.000 009 258 133 161 9i		
	−13/2		−0.058 717 768 587 719 266 − 2.168 888 589 255 617i		
85.	−3/2	-3_1	−0.551 973 134 083 142 5	−1.338 616 046 113 528 6	
	13/2		0.108 927 528 373 845 03 + 2.153 912 219 259 462i		
	7/2		0.111 373 667 018 268 15 + 1.000 005 687 764 563 3i		
	1/2	0_5	0.111 370 743 298 896 42		
	9/2		0.111 373 667 018 268 15 − 1.000 005 687 764 563 3i		
	15/2		0.108 927 528 373 845 03 − 2.153 912 219 259 462i		
86.	3/2	3_1	0.551 973 134 083 142 5	−1.338 616 046 113 528 6	
	−15/2		−0.108 927 528 373 845 03 + 2.153 912 219 259 462i		
	−9/2		−0.111 373 667 018 268 15 + 1.000 005 687 764 563 3i		
	−1/2	0_5	−0.111 370 743 298 896 42		
	−7/2		−0.111 373 667 018 268 15 − 1.000 005 687 764 563 3i		
	−13/2		−0.108 927 528 373 845 03 − 2.153 912 219 259 462i		
87.	−5/2	-4_1	−1.062 448 821 728 429 4	−0.790 733 915 873 474 6	
	7/2		0.223 924 758 675 712 6 + 2.122 007 381 647 226i		
	11/2		0.204 867 913 011 129 86 + 0.999 996 893 038 268 4i		
	5/2	0_5	0.204 863 478 354 716 2		
	13/2		0.204 867 913 011 129 86 − 0.999 996 893 038 268 4i		
	9/2		0.223 924 758 675 712 6 − 2.122 007 381 647 226i		
88.	5/2	4_1	1.062 448 821 728 429 4	−0.790 733 915 873 474 6	
	−9/2		−0.223 924 758 675 712 6 + 2.122 007 381 647 226i		
	−13/2		−0.204 867 913 011 129 86 + 0.999 996 893 038 268 4i		
	−5/2	0_5	−0.204 863 478 354 716 2		
	−11/2		−0.204 867 913 011 129 86 − 0.999 996 893 038 268 4i		
	−7/2		−0.223 924 758 675 712 6 − 2.122 007 381 647 226i		

TABLE 6.6: Bethe root for $N = 12, M = 6$. There is one solution with one 6-string

	J	I_n	λ	E	Rigged Configuration
89.	7/2	0_6	2.849 226 471 551 315i	−0.373 426 650 677 235 9	
	9/2		1.500 696 932 968 625i		
	5/2		0.5i		
	7/2		−0.5i		
	−9/2		−1.500 696 932 968 625i		
	−7/2		−2.849 226 471 551 315i		

TABLE 6.7: Bethe roots for $N = 12$, $M = 6$. There are 15 solutions with two 1-strings and two 2-string

	J	I_n	λ	E	Rigged Configuration
90.	−1/2	$-1/2_1$	−0.083 335 167 945 482 28	−5.401 838 225 870 342	
	1/2	$1/2_1$	0.083 335 167 945 482 28		
	−7/2	$-1/2_2$	−0.560 191 255 663 297 + 0.501 720 710 974 257 1i		
	−5/2		−0.560 191 255 663 297 − 0.501 720 710 974 257 1i		
	5/2	$1/2_2$	0.560 191 255 663 297 + 0.501 720 710 974 257 1i		
	7/2		0.560 191 255 663 297 − 0.501 720 710 974 257 1i		
91.	−3/2	$-3/2_1$	−0.278 483 059 221 130 37	−5.031 681 469 555 554	
	−1/2	$-1/2_1$	−0.080 133 312 384 445 04		
	−7/2	$-1/2_2$	−0.435 962 186 428 987 8 + 0.500 257 138 337 753 1i		
	−5/2		−0.435 962 186 428 987 8 − 0.500 257 138 337 753 1i		
	5/2	$1/2_2$	0.615 270 372 231 775 6 + 0.502 995 628 932 832 1i		
	7/2		0.615 270 372 231 775 6 − 0.502 995 628 932 832 1i		
92.	3/2	$3/2_1$	0.278 483 059 221 130 37	−5.031 681 469 555 554	
	1/2	$1/2_1$	0.080 133 312 384 445 04		
	5/2	$1/2_2$	0.435 962 186 428 987 8 + 0.500 257 138 337 753 1i		
	7/2		0.435 962 186 428 987 8 − 0.500 257 138 337 753 1i		
	−7/2	$-1/2_2$	−0.615 270 372 231 775 6 + 0.502 995 628 932 832 1i		
	−5/2		−0.615 270 372 231 775 6 − 0.502 995 628 932 832 1i		
93.	−3/2	$-3/2_1$	−0.278 183 401 007 102 76	−5.012 833 098 445 455	
	1/2	$1/2_1$	0.085 476 405 842 659 86		
	−7/2	$-1/2_2$	−0.488 346 797 920 153 95 + 0.500 633 234 587 174 8i		
	−5/2		−0.488 346 797 920 153 95 − 0.500 633 234 587 174 8i		
	5/2	$1/2_2$	0.584 700 295 502 376 2 + 0.502 225 272 969 328 7i		
	7/2		0.584 700 295 502 376 2 − 0.502 225 272 969 328 7i		
94.	3/2	$3/2_1$	0.278 183 401 007 102 76	−5.012 833 098 445 455	
	−1/2	$-1/2_1$	−0.085 476 405 842 659 86		
	5/2	$1/2_2$	0.488 346 797 920 153 95 + 0.500 633 234 587 174 8i		
	7/2		0.488 346 797 920 153 95 − 0.500 633 234 587 174 8i		
	−7/2	$-1/2_2$	−0.584 700 295 502 376 2 + 0.502 225 272 969 328 7i		
	−5/2		−0.584 700 295 502 376 2 − 0.502 225 272 969 328 7i		
95.	−3/2	$-3/2_1$	−0.279 477 309 460 522 5	−4.613 929 948 329 440 5	
	3/2	$3/2_1$	0.279 477 309 460 522 5		
	−7/2	$-1/2_2$	−0.519 954 370 588 422 6 + 0.500 989 802 242 017 2i		
	−5/2		−0.519 954 370 588 422 6 − 0.500 989 802 242 017 2i		
	5/2	$1/2_2$	0.519 954 370 588 422 6 + 0.500 989 802 242 017 2i		
	7/2		0.519 954 370 588 422 6 − 0.500 989 802 242 017 2i		

TABLE 6.7: (Continued)

	J	I_n	λ	E	Rigged Configuration
96.	$-5/2$	$-5/2_1$	$-0.697\,994\,389\,469\,173\,8$	$-4.283\,103\,296\,322\,846$	
	$-1/2$	$-1/2_1$	$-0.086\,096\,012\,122\,074\,07$		
	$-7/2$	$-1/2_2$	$-0.229\,097\,579\,259\,453\,7 + 0.500\,000\,260\,526\,271\,2i$		
	$-5/2$		$-0.229\,097\,579\,259\,453\,7 - 0.500\,000\,260\,526\,271\,2i$		
	$5/2$	$1/2_2$	$0.621\,142\,780\,055\,077\,8 + 0.503\,184\,077\,654\,080\,4i$		
	$7/2$		$0.621\,142\,780\,055\,077\,8 - 0.503\,184\,077\,654\,080\,4i$		
97.	$5/2$	$5/2_1$	$0.697\,994\,389\,469\,173\,8$	$-4.283\,103\,296\,322\,846$	
	$1/2$	$1/2_1$	$0.086\,096\,012\,122\,074\,07$		
	$5/2$	$1/2_2$	$0.229\,097\,579\,259\,453\,7 + 0.500\,000\,260\,526\,271\,2i$		
	$7/2$		$0.229\,097\,579\,259\,453\,7 - 0.500\,000\,260\,526\,271\,2i$		
	$-7/2$	$-1/2_2$	$-0.621\,142\,780\,055\,077\,8 + 0.503\,184\,077\,654\,080\,4i$		
	$-5/2$		$-0.621\,142\,780\,055\,077\,8 - 0.503\,184\,077\,654\,080\,4i$		
98.	$-5/2$	$-5/2_1$	$-0.696\,912\,185\,315\,789$	$-4.279\,373\,677\,437\,018$	
	$1/2$	$1/2_1$	$0.083\,646\,960\,904\,312\,42$		
	$-7/2$	$-1/2_2$	$-0.288\,090\,664\,396\,428\,9 + 0.500\,002\,989\,950\,270\,9i$		
	$-5/2$		$-0.288\,090\,664\,396\,428\,9 - 0.500\,002\,989\,950\,270\,9i$		
	$5/2$	$1/2_2$	$0.594\,723\,276\,602\,167\,3 + 0.502\,470\,845\,908\,608\,1i$		
	$7/2$		$0.594\,723\,276\,602\,167\,3 - 0.502\,470\,845\,908\,608\,1i$		
99.	$5/2$	$5/2_1$	$0.696\,912\,185\,315\,789$	$-4.279\,373\,677\,437\,018$	
	$-1/2$	$-1/2_1$	$-0.083\,646\,960\,904\,312\,42$		
	$5/2$	$1/2_2$	$0.288\,090\,664\,396\,428\,9 + 0.500\,002\,989\,950\,270\,9i$		
	$7/2$		$0.288\,090\,664\,396\,428\,9 - 0.500\,002\,989\,950\,270\,9i$		
	$-7/2$	$-1/2_2$	$-0.594\,723\,276\,602\,167\,3 + 0.502\,470\,845\,908\,608\,1i$		
	$-5/2$		$-0.594\,723\,276\,602\,167\,3 - 0.502\,470\,845\,908\,608\,1i$		
100.	$-5/2$	$-5/2_1$	$-0.696\,765\,244\,565\,141\,7$	$-3.881\,552\,633\,788\,057$	
	$3/2$	$3/2_1$	$0.278\,879\,426\,361\,203\,2$		
	$-7/2$	$-1/2_2$	$-0.326\,251\,975\,242\,533\,3 + 0.500\,010\,240\,926\,777\,6i$		
	$-5/2$		$-0.326\,251\,975\,242\,533\,3 - 0.500\,010\,240\,926\,777\,6i$		
	$5/2$	$1/2_2$	$0.535\,194\,884\,344\,503 + 0.501\,212\,271\,033\,803\,7i$		
	$7/2$		$0.535\,194\,884\,344\,503 - 0.501\,212\,271\,033\,803\,7i$		
101.	$5/2$	$5/2_1$	$0.696\,765\,244\,565\,141\,7$	$-3.881\,552\,633\,788\,057$	
	$-3/2$	$-3/2_1$	$-0.278\,879\,426\,361\,203\,2$		
	$5/2$	$1/2_2$	$0.326\,251\,975\,242\,533\,3 + 0.500\,010\,240\,926\,777\,6i$		
	$7/2$		$0.326\,251\,975\,242\,533\,3 - 0.500\,010\,240\,926\,777\,6i$		
	$-7/2$	$-1/2_2$	$-0.535\,194\,884\,344\,503 + 0.501\,212\,271\,033\,803\,7i$		
	$-5/2$		$-0.535\,194\,884\,344\,503 - 0.501\,212\,271\,033\,803\,7i$		
102.	$-5/2$	$-5/2_1$	$-0.694\,805\,270\,225\,006\,2$	$-3.855\,017\,266\,172\,074\,7$	
	$-3/2$	$-3/2_1$	$-0.292\,923\,400\,652\,529\,2$		
	$-7/2$	$-1/2_2$	$-0.140\,472\,782\,169\,552\,1 + 0.500\,000\,000\,895\,388\,1i$		
	$-5/2$		$-0.140\,472\,782\,169\,552\,1 - 0.500\,000\,000\,895\,388\,1i$		
	$5/2$	$1/2_2$	$0.634\,337\,117\,608\,319\,3 + 0.503\,593\,720\,143\,665\,3i$		
	$7/2$		$0.634\,337\,117\,608\,319\,3 - 0.503\,593\,720\,143\,665\,3i$		
103.	$5/2$	$5/2_1$	$0.694\,805\,270\,225\,006\,2$	$-3.855\,017\,266\,172\,074\,7$	
	$3/2$	$3/2_1$	$0.292\,923\,400\,652\,529\,2$		
	$5/2$	$1/2_2$	$0.140\,472\,782\,169\,552\,1 + 0.500\,000\,000\,895\,388\,1i$		
	$7/2$		$0.140\,472\,782\,169\,552\,1 - 0.500\,000\,000\,895\,388\,1i$		
	$-7/2$	$-1/2_2$	$-0.634\,337\,117\,608\,319\,3 + 0.503\,593\,720\,143\,665\,3i$		
	$-5/2$		$-0.634\,337\,117\,608\,319\,3 - 0.503\,593\,720\,143\,665\,3i$		
104.	$-5/2$	$-5/2_1$	$-0.695\,172\,073\,776\,283\,9$	$-3.147\,465\,758\,840\,584\,5$	
	$5/2$	$5/2_1$	$0.695\,172\,073\,776\,283\,9$		
	$-7/2$	$-1/2_2$	$-0.347\,918\,472\,114\,470\,97 + 0.500\,019\,264\,856\,387\,6i$		
	$-5/2$		$-0.347\,918\,472\,114\,470\,97 - 0.500\,019\,264\,856\,387\,6i$		
	$5/2$	$1/2_2$	$0.347\,918\,472\,114\,470\,97 + 0.500\,019\,264\,856\,387\,6i$		
	$7/2$		$0.347\,918\,472\,114\,470\,97 - 0.500\,019\,264\,856\,387\,6i$		

TABLE 6.8: Bethe roots for $N = 12$, $M = 6$. There are 21 solutions with one 1-string, one 2-string and one 3-string

	J	I_n	λ	E	Rigged Configuration
	$-1/2$	0_1	0.018 539 899 905 903 7i		
	$5/2$	0_2	0.5i		
	$7/2$		-0.5i		
105.	$9/2$		0.993 775 005 875 478i	$-3.649\,738\,189\,247\,2$	
	$1/2$	0_3	$-0.018\,539\,899\,905\,903\,7$i		
	$-9/2$		$-0.993\,775\,005\,875\,478$i		
	$-1/2$	-1_1	$-0.174\,583\,784\,708\,785\,02$		
	$5/2$	0_2	$0.069\,413\,541\,386\,920\,74 + 0.499\,999\,999\,999\,834\,74$i		
	$5/2$		$0.069\,413\,541\,386\,920\,74 - 0.499\,999\,999\,999\,834\,74$i		
106.	$11/2$		$0.012\,499\,791\,615\,011\,08 + 0.999\,589\,013\,956\,466\,7$i	$-3.443\,351\,072\,054\,913$	
	$1/2$	0_3	0.010 757 118 704 925 052		
	$13/2$		$0.012\,499\,791\,615\,011\,08 - 0.999\,589\,013\,956\,466\,7$i		
	$1/2$	1_1	0.174 583 784 708 785 02		
	$-5/2$	0_2	$-0.069\,413\,541\,386\,920\,74 + 0.499\,999\,999\,999\,834\,74$i		
	$-5/2$		$-0.069\,413\,541\,386\,920\,74 - 0.499\,999\,999\,999\,834\,74$i		
107.	$-13/2$		$-0.012\,499\,791\,615\,011\,08 + 0.999\,589\,013\,956\,466\,7$i	$-3.443\,351\,072\,054\,913$	
	$-1/2$	0_3	$-0.010\,757\,118\,704\,925\,052$		
	$-11/2$		$-0.012\,499\,791\,615\,011\,08 - 0.999\,589\,013\,956\,466\,7$i		
	$1/2$	0_1	0.035 044 605 895 869 11		
	$-7/2$	-1_2	$-0.719\,762\,985\,373\,786\,2 + 0.506\,142\,402\,515\,079\,8$i		
	$-5/2$		$-0.719\,762\,985\,373\,786\,2 - 0.506\,142\,402\,515\,079\,8$i		
108.	$7/2$		$0.469\,417\,357\,244\,240\,66 + 0.998\,097\,387\,332\,972\,2$i	$-3.251\,428\,090\,622\,322\,7$	
	$5/2$	0_3	0.465 646 650 363 221 2		
	$9/2$		$0.469\,417\,357\,244\,240\,66 - 0.998\,097\,387\,332\,972\,2$i		
	$-1/2$	0_1	$-0.035\,044\,605\,895\,869\,11$		
	$5/2$	1_2	$0.719\,762\,985\,373\,786\,2 + 0.506\,142\,402\,515\,079\,8$i		
	$7/2$		$0.719\,762\,985\,373\,786\,2 - 0.506\,142\,402\,515\,079\,8$i		
109.	$-9/2$		$-0.469\,417\,357\,244\,240\,66 + 0.998\,097\,387\,332\,972\,2$i	$-3.251\,428\,090\,622\,322\,7$	
	$-5/2$	0_3	$-0.465\,646\,650\,363\,221\,2$		
	$-7/2$		$-0.469\,417\,357\,244\,240\,66 - 0.998\,097\,387\,332\,972\,2$i		
	$-1/2$	-1_1	$-0.117\,251\,955\,367\,378\,48$		
	$-7/2$	-1_2	$-0.692\,843\,875\,065\,33 + 0.505\,152\,337\,405\,559\,5$i		
	$-5/2$		$-0.692\,843\,875\,065\,33 - 0.505\,152\,337\,405\,559\,5$i		
110.	$7/2$		$0.502\,001\,964\,379\,974\,5 + 0.997\,249\,687\,837\,242\,1$i	$-3.166\,011\,867\,471\,592\,5$	
	$5/2$	0_3	0.498 935 776 738 087 87		
	$9/2$		$0.502\,001\,964\,379\,974\,5 - 0.997\,249\,687\,837\,242\,1$i		
	$1/2$	1_1	0.117 251 955 367 378 48		
	$5/2$	1_2	$0.692\,843\,875\,065\,33 + 0.505\,152\,337\,405\,559\,5$i		
	$7/2$		$0.692\,843\,875\,065\,33 - 0.505\,152\,337\,405\,559\,5$i		
111.	$-9/2$		$-0.502\,001\,964\,379\,974\,5 + 0.997\,249\,687\,837\,242\,1$i	$-3.166\,011\,867\,471\,592\,5$	
	$-5/2$	0_3	$-0.498\,935\,776\,738\,087\,87$		
	$-7/2$		$-0.502\,001\,964\,379\,974\,5 - 0.997\,249\,687\,837\,242\,1$i		
	$3/2$	1_1	0.193 873 945 997 023 96		
	$-7/2$	-1_2	$-0.738\,693\,437\,211\,549\,6 + 0.506\,831\,560\,194\,686\,3$i		
	$-5/2$		$-0.738\,693\,437\,211\,549\,6 - 0.506\,831\,560\,194\,686\,3$i		
112.	$7/2$		$0.429\,606\,411\,792\,561\,3 + 0.999\,413\,299\,112\,149\,8$i	$-3.000\,000\,000\,000\,000\,4$	
	$5/2$	0_3	0.424 300 104 840 951 15		
	$9/2$		$0.429\,606\,411\,792\,561\,3 - 0.999\,413\,299\,112\,149\,8$i		
	$-3/2$	-1_1	$-0.193\,873\,945\,997\,023\,96$		
	$5/2$	1_2	$0.738\,693\,437\,211\,549\,6 + 0.506\,831\,560\,194\,686\,3$i		
	$7/2$		$0.738\,693\,437\,211\,549\,6 - 0.506\,831\,560\,194\,686\,3$i		
113.	$-9/2$		$-0.429\,606\,411\,792\,561\,3 + 0.999\,413\,299\,112\,149\,8$i	$-3.000\,000\,000\,000\,000\,4$	
	$-5/2$	0_3	$-0.424\,300\,104\,840\,951\,15$		
	$-7/2$		$-0.429\,606\,411\,792\,561\,3 - 0.999\,413\,299\,112\,149\,8$i		

TABLE 6.8: (Continued)

	J	I_n	λ	E	Rigged Configuration
	$-3/2$	-2_1	$-0.396\,813\,734\,061\,172\,43$		
	$5/2$		$0.108\,473\,101\,142\,745\,01 + 0.499\,999\,999\,972\,497\,8i$		
	$5/2$	0_2	$0.108\,473\,101\,142\,745\,01 - 0.499\,999\,999\,972\,497\,8i$		
114.	$11/2$		$0.060\,070\,629\,749\,544\,274 + 0.999\,273\,371\,866\,356\,5i$	$-2.878\,935\,315\,488\,543$	
	$1/2$	0_3	$0.059\,726\,272\,268\,438\,02$		
	$13/2$		$0.060\,070\,629\,749\,544\,274 - 0.999\,273\,371\,866\,356\,5i$		
	$3/2$	2_1	$0.396\,813\,734\,061\,172\,43$		
	$-5/2$		$-0.108\,473\,101\,142\,745\,01 + 0.499\,999\,999\,972\,497\,8i$		
	$-5/2$	0_2	$-0.108\,473\,101\,142\,745\,01 - 0.499\,999\,999\,972\,497\,8i$		
115.	$-13/2$		$-0.060\,070\,629\,749\,544\,274 + 0.999\,273\,371\,866\,356\,5i$	$-2.878\,935\,315\,488\,543$	
	$-1/2$	0_3	$-0.059\,726\,272\,268\,438\,02$		
	$-11/2$		$-0.060\,070\,629\,749\,544\,274 - 0.999\,273\,371\,866\,356\,5i$		
	$-3/2$	-2_1	$-0.303\,681\,485\,348\,699\,5$		
	$-7/2$		$-0.641\,278\,298\,078\,968 + 0.503\,350\,126\,268\,393i$		
	$-5/2$	-1_2	$-0.641\,278\,298\,078\,968 - 0.503\,350\,126\,268\,393i$		
116.	$7/2$		$0.529\,578\,750\,442\,104\,1 + 0.996\,604\,928\,187\,674\,8i$	$-2.759\,427\,652\,900\,044\,8$	
	$5/2$	0_3	$0.527\,080\,580\,622\,428\,5$		
	$9/2$		$0.529\,578\,750\,442\,104\,1 - 0.996\,604\,928\,187\,674\,8i$		
	$3/2$	2_1	$0.303\,681\,485\,348\,699\,5$		
	$5/2$		$0.641\,278\,298\,078\,968 + 0.503\,350\,126\,268\,393i$		
	$7/2$	1_2	$0.641\,278\,298\,078\,968 - 0.503\,350\,126\,268\,393i$		
117.	$-9/2$		$-0.529\,578\,750\,442\,104\,1 + 0.996\,604\,928\,187\,674\,8i$	$-2.759\,427\,652\,900\,044\,8$	
	$-5/2$	0_3	$-0.527\,080\,580\,622\,428\,5$		
	$-7/2$		$-0.529\,578\,750\,442\,104\,1 - 0.996\,604\,928\,187\,674\,8i$		
	$3/2$	2_1	$0.384\,905\,215\,843\,542 + 0.019\,061\,267\,035\,601\,9i$		
	$-7/2$		$-0.752\,213\,256\,639\,834 + 0.507\,293\,831\,282\,871i$		
	$-5/2$	-1_2	$-0.752\,213\,256\,639\,834 - 0.507\,293\,831\,282\,871i$		
118.	$9/2$		$0.367\,308\,040\,796\,292 + 0.991\,797\,190\,897\,116i$	$-2.461\,684\,581\,709\,81$	
	$3/2$	0_3	$0.384\,905\,215\,843\,542 - 0.019\,061\,267\,035\,601\,9i$		
	$11/2$		$0.367\,308\,040\,796\,292 - 0.991\,797\,190\,897\,116i$		
	$-3/2$	-2_1	$-0.384\,905\,215\,843\,542 + 0.019\,061\,267\,035\,601\,9i$		
	$5/2$		$0.752\,213\,256\,639\,834 + 0.507\,293\,831\,282\,871i$		
	$7/2$	1_2	$0.752\,213\,256\,639\,834 - 0.507\,293\,831\,282\,871i$		
119.	$-11/2$		$-0.367\,308\,040\,796\,292 + 0.991\,797\,190\,897\,116i$	$-2.461\,684\,581\,709\,81$	
	$-3/2$	0_3	$-0.384\,905\,215\,843\,542 - 0.019\,061\,267\,035\,601\,9i$		
	$-9/2$		$-0.367\,308\,040\,796\,292 - 0.991\,797\,190\,897\,116i$		
	$-5/2$	-3_1	$-0.830\,215\,903\,580\,225\,7$		
	$7/2$		$0.105\,784\,351\,538\,400\,64 + 0.499\,999\,999\,985\,011\,9i$		
	$7/2$	0_2	$0.105\,784\,351\,538\,400\,64 - 0.499\,999\,999\,985\,011\,9i$		
120.	$9/2$		$0.205\,975\,717\,612\,953\,05 + 1.000\,386\,079\,688\,863i$	$-2.174\,636\,011\,299\,29$	
	$1/2$	0_3	$0.206\,695\,765\,277\,519\,46$		
	$11/2$		$0.205\,975\,717\,612\,953\,05 - 1.000\,386\,079\,688\,863i$		
	$5/2$	3_1	$0.830\,215\,903\,580\,225\,7$		
	$-7/2$		$-0.105\,784\,351\,538\,400\,64 + 0.499\,999\,999\,985\,011\,9i$		
	$-7/2$	0_2	$-0.105\,784\,351\,538\,400\,64 - 0.499\,999\,999\,985\,011\,9i$		
121.	$-11/2$		$-0.205\,975\,717\,612\,953\,05 + 1.000\,386\,079\,688\,863i$	$-2.174\,636\,011\,299\,29$	
	$-1/2$	0_3	$-0.206\,695\,765\,277\,519\,46$		
	$-9/2$		$-0.205\,975\,717\,612\,953\,05 - 1.000\,386\,079\,688\,863i$		
	$-5/2$	-3_1	$-0.715\,321\,880\,610\,671\,4$		
	$-7/2$		$-0.458\,105\,684\,020\,387\,1 + 0.500\,177\,850\,524\,081\,6i$		
	$-5/2$	-1_2	$-0.458\,105\,684\,020\,387\,1 - 0.500\,177\,850\,524\,081\,6i$		
122.	$7/2$		$0.544\,556\,991\,410\,993\,6 + 0.996\,391\,649\,088\,001\,9i$	$-2.076\,653\,451\,520\,012$	
	$5/2$	0_3	$0.542\,419\,265\,829\,457\,7$		
	$9/2$		$0.544\,556\,991\,410\,993\,6 - 0.996\,391\,649\,088\,001\,9i$		

TABLE 6.8: (Continued)

	J	I_n	λ	E	Rigged Configuration
123.	5/2	3_1	0.715 321 880 610 671 4	$-2.076\,653\,451\,520\,012$	
	5/2	1_2	$0.458\,105\,684\,020\,387\,1 + 0.500\,177\,850\,524\,081\,6i$		
	7/2		$0.458\,105\,684\,020\,387\,1 - 0.500\,177\,850\,524\,081\,6i$		
	$-9/2$		$-0.544\,556\,991\,410\,993\,6 + 0.996\,391\,649\,088\,001\,9i$		
	$-5/2$	0_3	$-0.542\,419\,265\,829\,457\,7$		
	$-7/2$		$-0.544\,556\,991\,410\,993\,6 - 0.996\,391\,649\,088\,001\,9i$		
124.	5/2	3_1	0.828 891 325 546 750 3	$-1.804\,303\,356\,921\,274\,3$	
	$-7/2$	-1_2	$-0.760\,561\,741\,771\,845\,1 + 0.507\,453\,131\,681\,177\,6i$		
	$-5/2$		$-0.760\,561\,741\,771\,845\,1 - 0.507\,453\,131\,681\,177\,6i$		
	9/2		$0.230\,832\,735\,627\,513\,75 + 0.999\,670\,590\,431\,364\,7i$		
	3/2	0_3	0.230 566 686 741 911 3		
	11/2		$0.230\,832\,735\,627\,513\,75 - 0.999\,670\,590\,431\,364\,7i$		
125.	$-5/2$	-3_1	$-0.828\,891\,325\,546\,750\,3$	$-1.804\,303\,356\,921\,274\,3$	
	5/2	1_2	$0.760\,561\,741\,771\,845\,1 + 0.507\,453\,131\,681\,177\,6i$		
	7/2		$0.760\,561\,741\,771\,845\,1 - 0.507\,453\,131\,681\,177\,6i$		
	$-11/2$		$-0.230\,832\,735\,627\,513\,75 + 0.999\,670\,590\,431\,364\,7i$		
	$-3/2$	0_3	$-0.230\,566\,686\,741\,911\,3$		
	$-9/2$		$-0.230\,832\,735\,627\,513\,75 - 0.999\,670\,590\,431\,364\,7i$		

TABLE 6.9: Bethe root for $N = 12, M = 6$, There is one solution with three 2-strings

	J	I_n	λ	E	Rigged Configuration
126.	$-7/2$	-1_2	$-0.662\,023\,918\,415\,335\,4 + 0.504\,517\,423\,309\,880\,4i$	$-2.367\,482\,833\,109\,191$	
	$-5/2$		$-0.662\,023\,918\,415\,335\,4 - 0.504\,517\,423\,309\,880\,4i$		
	5/2	0_2	0.5i		
	7/2		-0.5i		
	5/2	1_2	$0.662\,023\,918\,415\,335\,4 + 0.504\,517\,423\,309\,880\,4i$		
	7/2		$0.662\,023\,918\,415\,335\,4 - 0.504\,517\,423\,309\,880\,4i$		

TABLE 6.10: Bethe roots for $N = 12, M = 6$, There are 5 solutions with one 2-string and one 4-string

	J	I_n	λ	E	Rigged Configuration
127.	3/2	0_2	$0.120\,258\,002\,930\,555\,9 + 0.500\,000\,000\,016\,508\,5i$	$-1.560\,671\,012\,472\,054\,2$	
	5/2		$0.120\,258\,002\,930\,555\,9 - 0.500\,000\,000\,016\,508\,5i$		
	11/2		1.638 344 226 820 339 6i		
	$-5/2$	0_4	$-0.120\,258\,002\,930\,555\,32 + 0.500\,000\,000\,016\,508\,5i$		
	$-3/2$		$-0.120\,258\,002\,930\,555\,32 - 0.500\,000\,000\,016\,508\,5i$		
	$-11/2$		$-1.638\,344\,226\,820\,339\,6i$		
128.	$-5/2$	-1_2	$-0.397\,011\,901\,966\,060\,57 + 0.499\,984\,099\,889\,009\,2i$	$-1.373\,967\,941\,377\,775\,2$	
	$-5/2$		$-0.397\,011\,901\,966\,060\,57 - 0.499\,984\,099\,889\,009\,2i$		
	11/2		$0.189\,543\,747\,038\,549\,26 + 1.533\,260\,937\,001\,219i$		
	3/2	0_4	$0.207\,468\,154\,929\,181\,9 + 0.500\,000\,000\,931\,048\,1i$		
	5/2		$0.207\,468\,154\,929\,181\,9 - 0.500\,000\,000\,931\,048\,1i$		
	13/2		$0.189\,543\,747\,038\,549\,26 - 1.533\,260\,937\,001\,219i$		
129.	5/2	1_2	$0.397\,011\,901\,966\,060\,57 + 0.499\,984\,099\,889\,009\,2i$	$-1.373\,967\,941\,377\,775\,2$	
	5/2		$0.397\,011\,901\,966\,060\,57 - 0.499\,984\,099\,889\,009\,2i$		
	$-13/2$		$0.189\,543\,747\,038\,549\,26 + 1.533\,260\,937\,001\,219i$		
	$-5/2$	0_4	$-0.207\,468\,154\,929\,181\,9 + 0.500\,000\,000\,931\,048\,1i$		
	$-3/2$		$-0.207\,468\,154\,929\,181\,9 - 0.500\,000\,000\,931\,048\,1i$		
	$-11/2$		$-0.189\,543\,747\,038\,549\,26 - 1.533\,260\,937\,001\,219i$		

TABLE 6.10: (Continued)

	J	I_n	λ	E	Rigged Configuration
130.	$-7/2$	-2_2	$-0.887\,207\,197\,966\,477\,5 + 0.513\,582\,426\,314\,984\,3i$	$-1.034\,020\,759\,311\,131\,7$	
	$-5/2$		$-0.887\,207\,197\,966\,477\,5 - 0.513\,582\,426\,314\,984\,3i$		
	$7/2$	0_4	$0.453\,318\,300\,141\,246\,97 + 1.515\,357\,164\,180\,894\,5i$		
	$7/2$		$0.433\,888\,897\,825\,224\,2 + 0.500\,001\,041\,456\,442\,4i$		
	$9/2$		$0.433\,888\,897\,825\,224\,2 - 0.500\,001\,041\,456\,442\,4i$		
	$9/2$		$0.453\,318\,300\,141\,246\,97 - 1.515\,357\,164\,180\,894\,5i$		
131.	$5/2$	2_2	$0.887\,207\,197\,966\,477\,5 + 0.513\,582\,426\,314\,984\,3i$	$-1.034\,020\,759\,311\,131\,7$	
	$7/2$		$0.887\,207\,197\,966\,477\,5 - 0.513\,582\,426\,314\,984\,3i$		
	$-9/2$	0_4	$-0.453\,318\,300\,141\,246\,97 + 1.515\,357\,164\,180\,894\,5i$		
	$-9/2$		$-0.433\,888\,897\,825\,224\,2 + 0.500\,001\,041\,456\,442\,4i$		
	$-7/2$		$-0.433\,888\,897\,825\,224\,2 - 0.500\,001\,041\,456\,442\,4i$		
	$-7/2$		$-0.453\,318\,300\,141\,246\,97 - 1.515\,357\,164\,180\,894\,5i$		

TABLE 6.11: Bethe root for $N = 12, M = 6$. There is 1 solution with two 3-strings.

	J	I_n	λ	E	Rigged Configuration
132.	$7/2$	$1/2_2$	$0.676\,245\,041\,405\,55 + 0.993\,633\,391\,204\,378\,2i$	$-1.111\,855\,930\,538\,382\,4$	
	$5/2$		$0.678\,017\,442\,247\,366\,9$		
	$9/2$		$0.676\,245\,041\,405\,55 - 0.993\,633\,391\,204\,378\,2i$		
	$-9/2$	$-1/2_2$	$-0.676\,245\,041\,405\,55 + 0.993\,633\,391\,204\,378\,2i$		
	$-5/2$		$-0.678\,017\,442\,247\,366\,9$		
	$-7/2$		$-0.676\,245\,041\,405\,55 - 0.993\,633\,391\,204\,378\,2i$		

VI. ACKNOWLEDGEMENT

The present study is partially supported by Grant-in-Aid for Scientific Research No. 24540396. P. R. Giri acknowledges the financial support from JSPS.

---

[1] H. A. Bethe, Z. Phys. **71** 205-226 (1931).
[2] M. Gaudin, *"La Fonction d' Onde de Bethe"*, (Paris: Masson) (1983).
[3] L. D. Faddeev and L. A. Takhtajan, J. Sov. Math. **24** 241 (1984).
[4] V. Korepin, N. Bogoliubov and A. Izergin, *"Quantum Inverse Scattering Method and Correlation Functions"*, (Cambridge: Cambridge University Press) (1993).
[5] M. Takahashi, *"Thermodynamics of One-Dimensional Solvable Models"*, (Cambridge: Cambridge University Press) (1999).
[6] R. I. Nepomechie, Int. J. Mod. Phys. B **13** 2973-2986 (1999).
[7] L. D. Faddeev, *Les Houches Summer School Proceedings*, **64**, Ed. A. Connes, K. Gawedzki and J. Zinn-Justin (Amsterdam: North Holland) 149-219 (1995), (arXiv: hep-th/9605187).
[8] T. Koma and H. Ezawa, Prog. Tehor. Phys. **78** 1009 (1987).
[9] S. N. Martynov, Phys. Lett. A **219** 329-334 (1996).
[10] N. Beisert, J. A. Minahan, M. Staudacher and K. Zarembo, JHEP **09** 010 (2003).
[11] B. Sutherland, *"Beautiful Models: 70 Years of Exactly Solved Quantum Many-Body Problems"*, (Singapore: World Scientific) (2004).
[12] A. A. Vladimirov, Theor. Math. Phys. **66** 102 (1986).
[13] F. Woynarovich, J. Phys. A **15** 2985 (1982).
[14] O. Babelon, H. J. de Vega and C. M. Viallet, Nucl. Phys. B **220** 13-34 (1983).
[15] K. Fabricius and B. M. McCoy, J. Stat. Phys. **103** 647-678 (2001).
[16] K. Fabricius and B. M. McCoy, J. Stat. Phys. **104** 573-587 (2001).
[17] R. Hagemans and J-S Caux, J. Phys. A: Math. Theor. **40** 14605-14647 (2007).
[18] W. Hao, R. I. Nepomechie and A. J. Sommese, Phy. Rev. E **88** 052113 (2013).
[19] M. Takahashi, Prog. Theor. Phys. **46** 401 (1971).
[20] J-S. Caux and J- M. Maillet, Phys. Rev. Lett. **95** 077201 (2005).
[21] J-S. Caux, R. Hagemans and J- M. Maillet, J. Stat. Mech: Theor. Exp. P09003 (2005).
[22] T. Deguchi, P. R. Giri, arXiv: 1408.7030 [hep-th], J. Stat. Mech: Theor. Exp. (2015) **(accepted)**.
[23] R. I. Nepomechie and C. Wang, J. Phys. A: Math. Theor. **46** 325002 (2013).
[24] L. V. Avdeev and A. A. Vladimirov, Theor. Math. Phys. **69** 1071 (1987).
[25] R. Siddharthan, arXiv:cond-mat/9804210.
[26] A. A. Vladimirov, Phys. Lett. A **105** 418-420 (1984).
[27] F. H. L. Essler, V. E. Korepin and K. Schoutens, J. Phys. A: Math. Gen. **25** 4115 (1992).
[28] K. Isler and M. B. Paranjape, Phys. Lett. B **319** 209 (1993).
[29] A. Ilakovac, M. Kolanović, S. Pallua and P. Prester, Phys. Rev. B **60** 7271 (1999).
[30] T Fujita, T. Kobayashi and H. Takahashi, J. Phys. A: Math. Gen. **36** 1553-1564 (2003).
[31] A. N. Kirillov and N. Yu. Reshetikhin, J. Sov. Math. **41** 925-955 (1988).
[32] A. N. Kirillov, J. Geom. Phys. **5** 365-389 (1988).
[33] A. N. Kirillov, St. Petersburg Math. J. **12** 161-190 (2001).
[34] B. Lulek, T. Lulek, M. Labuz and R. Stagraczynski, Physica B **405** 2654-2658 (2010).
[35] A. N. Kirillov and R. Sakamoto, J. Phys. A. Math. Theor. **47** 205207 (2014).
[36] T. Deguchi, J. Phys. A Math. Gen. **34** 9755-9775 (2001).
[37] A. N. Kirillov and R. Sakamoto, arXiv: 1406.1958v3 [math-ph].
[38] P. R. Giri, T. Deguchi, arXiv: 1411.5839 [hep-th].
[39] S. Pemmaraju and S. Skiena, *"Computational Discrete Mathematics: Combinatorics and Graph Theory with Mathematica"*, (Cambridge) (2009).