

Structural, magnetic, and transport properties of Co_2FeSi Heusler films

H Schneider, Ch Herbort, G Jakob and H Adrian

Institut für Physik, Johannes Gutenberg-Universität, 55099 Mainz, Germany

S Wurmehl and C Felser

Institut für Analytische Chemie und Anorganische Chemie, Johannes
Gutenberg-Universität, 55099 Mainz, Germany

E-mail: schneiho@uni-mainz.de

Abstract. We report the deposition of thin Co_2FeSi films by RF magnetron sputtering. Epitaxial (100)-oriented and L2_1 ordered growth is observed for films grown on MgO (100) substrates. (110)-oriented films on Al_2O_3 ($11\bar{2}0$) show several epitaxial domains in the film plane. Investigation of the magnetic properties reveals a saturation magnetization of $5.0 \mu_{\text{B}}/\text{fu}$ at low temperatures. The temperature dependence of the resistivity $\rho_{xx}(T)$ exhibits a crossover from a $T^{3.5}$ law at $T < 50 \text{ K}$ to a $T^{1.65}$ behaviour at elevated temperatures. $\rho_{xx}(H)$ shows a small anisotropic magnetoresistive effect. A weak dependence of the normal Hall effect on the external magnetic field indicates the compensation of electron and hole like contributions at the Fermi surface.

PACS numbers: 68.55.-a, 73.50.-h, 75.70.-i

1. Introduction

Recently Co-based full-Heusler compounds have attracted a large research interest. Due to their high Curie temperatures and their predicted high spin polarisation they are prime candidates for the use in spinelronic applications [1, 2]. In the fully ordered L2_1 crystal structure these Co_2XY compounds consist of four interpenetrating fcc lattices where each sublattice is occupied by atoms of one element. Only for this structure full spin polarisation is predicted [3]. The growth of L2_1 ordered Heusler films has been reported for example for Co_2MnGe [4] and $\text{Co}_2\text{Cr}_x\text{Fe}_{1-x}\text{Ga}$ [5], and magnetic tunneling junctions with epitaxial Co_2MnSi electrode show a high spin polarisation of 89% at low temperatures [6]. Unfortunately this spin polarisation decreases rapidly with increasing sample temperature.

Another promising candidate for spintronic applications is Co_2FeSi . Previous attempts in creating bulk samples of this Heusler alloy resulted in specimens with saturation magnetization values of $5.2 \mu_{\text{B}}/\text{fu}$ [7] and $5.7 \mu_{\text{B}}/\text{fu}$ [8]. From these values one would not expect Co_2FeSi to be a halfmetal, since these values are lower than expected from the Slater-Pauling rule for full Heusler alloys [1, 9]. However, recently fabricated bulk samples possess the expected value of $6 \mu_{\text{B}}/\text{fu}$ for a halfmetallic system [9, 10]. Furthermore LDA+U calculations that reproduce this experimental fact yield full spin polarisation [9]. Additionally these bulk samples exhibit a Curie temperature of 1100 K. This is the highest value reported for Heusler alloys to date and might result in a smaller reduction of the spin polarisation at room temperatures. Epitaxial film growth and first tunneling junctions using A2-ordered electrodes have very recently been reported [11, 12]. In this article we report the deposition and structural characterization of Co_2FeSi thin films on MgO (100) and Al_2O_3 ($11\bar{2}0$) substrates. Furthermore we investigate the magnetic and transport properties of these films in order to gain insight in the electronic structure of these films.

2. Film preparation and crystal structure

Thin films of Co_2FeSi were grown on Al_2O_3 ($11\bar{2}0$) and MgO (100) substrates by RF magnetron sputtering. The targets were cut from polycrystalline ingots which had been prepared by argon arc melting [9]. The base pressure was 5×10^{-8} mbar, the sputtering process was carried out in a flowing Ar atmosphere. Figure 1 shows a Bragg scan of a 60 nm thick Co_2FeSi film grown on MgO (100) at a substrate temperature of 700°C . The film grows (100)-oriented, the ω -scan of the (400) reflection has a width of 0.3° . The inset of Fig. 1 illustrates that for decreasing substrate temperatures the scattered intensities are reduced. This indicates that low deposition temperatures favour nanocrystalline rather than singlecrystalline growth. Subsequent annealing of these films did not improve the long-range crystal ordering of the samples. The differences between high temperature and low temperature growth are accompanied by a change of the surface morphology. Figure 2 shows an SEM image of a epitaxial film with a




Figure 1. Bragg scan of a $\text{Co}_2\text{FeSi}/\text{MgO}$ film grown at a substrate temperature of 700°C . The peaks marked with S are substrate reflections. The inset shows θ - 2θ scans of the (400) reflection of films deposited at various substrate temperatures. The thickness of all films was 65 nm, for better visibility the scans are shifted along the ordinate.

thickness of 80 nm. This film shows a flat surface pervaded with deep trenches. At lower deposition temperatures these trenches disappear.

Figure 3 depicts a scan of the reciprocal (2KL) plane of a film deposited at 700°C . Apart from the specular (200) reflection only the (220) and equivalent reflections are visible, which proves that these films grow fully epitaxial. The lattice constant has the bulk value of 5.64 \AA , the unit cell of the film is rotated by 45° with respect to the substrate. Furthermore the (111) and (311) reflections are present, which evidences L2_1 ordered growth. By analyzing the relative intensities of these superlattice reflections we find that the L2_1 ordering is not perfect, but a disorder between Si and Fe sites of 15 – 20% might be present [13].

Additional insight into the film growth process can be obtained from high-resolution transmission electron microscopy (HRTEM). The cross sections of our samples were prepared by mechanical thinning and subsequent Ar-ion polishing. Figure 4 shows an HRTEM image of a Co_2FeSi film deposited on MgO. Despite a lattice mismatch of 5.6% between film and substrate only a slightly distorted growth directly at the interface is




Figure 2. SEM image of a $\text{Co}_2\text{FeSi}/\text{MgO}$ film deposited at 700°C (thickness = 80 nm).




Figure 3. Scan of the reciprocal (2KL) plane of $\text{Co}_2\text{FeSi}/\text{MgO}$. The intensity is plotted with a logarithmic gray scale and a constant background is subtracted.




Figure 4. HRTEM image of the interface between Co_2FeSi film and MgO substrate.

visible. After a few layers complete order is restored.

On Al_2O_3 (11 $\bar{2}$ 0) films grow (110)-oriented at substrate temperatures of 700°C, the rocking curve of the (220) reflection has a width of 0.1°. Again, the scattered intensity is reduced if the films are deposited on colder substrates. In the film plane, however, several epitaxial domains are observed. The preferred orientation is $(1\bar{1}0)_{\text{film}} \parallel (0001)_{\text{sub}}$. The atomic site disorder is the same as in the films grown on MgO. The magnetic and transport properties presented in the following sections are identical for (100) and (110) oriented films unless stated otherwise.

3. Magnetism

The magnetic properties of the films were investigated with a vibrating sample magnetometer. Room temperature magnetization loops of an epitaxial $\text{Co}_2\text{FeSi}/\text{MgO}$ film along different directions are shown in Fig. 5. The measured volume magnetization corresponds to a saturation magnetization of $m_{\text{sat}}(300 \text{ K}) = 4.75 \mu_B/\text{fu}$. The temperature dependence of m_{sat} follows a $T^{3/2}$ law upon cooling and can be extrapolated to $5.0 \mu_B/\text{fu}$ at 0 K. This reduction of m_{sat} compared to the bulk value is likely caused by the incomplete L_{21} ordering of the crystal structure. The anisotropy of these films is extremely small, the difference in coercitivity is smaller than 1%. This result was confirmed by measurements of the magneto-optical Kerr effect of the films [14]. In contrast, our films deposited on Al_2O_3 as well as films deposited on GaAs (100) by molecular beam epitaxy [11] possess a uniaxial anisotropy with the easy axis along the $[1\bar{1}0]$ direction. For films deposited at low temperatures we find a further reduction of m_{sat} . However, for these samples the value changes after annealing as illustrated in Fig. 6. Since no change in the scattered X-ray intensities is observed, we assume that




Figure 5. Region of interest of hysteresis loops for different film orientations with respect to the external field. This $\text{Co}_2\text{FeSi}/\text{MgO}$ film was deposited at 700°C , the measurements were performed at room temperature.

although the films remain nanocrystalline, the annealing process alters L_{21} ordering within the crystallites.

4. Electronic transport

Despite the uneven surface of the epitaxial films they are electrically conducting down to a thickness of 5 nm. Patterning the samples by a standard photolithographic process with ion beam etching made it possible to obtain well defined geometries for the investigation of anisotropic transport properties. Resistivity and Hall effect were then measured using standard DC techniques. The temperature dependence of the film resistivity $\rho_{xx}(T)$ is shown in Fig. 7. A residual resistance ratio of 1.5 and a residual resistivity of $30 \mu\Omega\text{cm}$ was observed. This weak T-dependence is comparable to other thin films of Heusler alloys [15, 16] and is an indication for a strong contribution of impurity scattering to the resistivity. A $T^{3.5}$ dependence of $\rho_{xx}(T)$ at temperatures below 50 K is observed. As the sample temperature increases the exponent is reduced and reaches a value of 1.65 above 100 K. These exponents do not have a simple physical interpretation, since a number of effects can contribute to the temperature dependence of the resistivity of




Figure 6. Dependence of $m_{\text{sat}}(4\text{K})$ of a film deposited at room temperature on annealing temperature.

a ferromagnet, and the theoretical values for the exponents are usually obtained for simple systems only [17, 18, 19, 20].

Figure 8 shows the magnetoresistive properties of our films. Below magnetic saturation we observe a small anisotropic magnetoresistance effect. The spontaneous resistive anisotropy $(\rho_{\parallel} - \rho_{\perp})/(1/3\rho_{\parallel} + 2/3\rho_{\perp})$ at 4 K has a value of 0.3%. The effect decreases at higher temperatures, at room temperature a value of 0.08% is observed. At higher fields we find a linear decrease of the resistivity. The slope increases from 6.5 nΩcm/T at 4 K to 28 nΩcm/T at room temperature. This behaviour has been observed in a number of ferromagnets and is generally attributed to a suppression of spin-flip scattering in high magnetic fields [21].

Hall effect data for Co_2FeSi at 4 K is presented in Fig. 9. From the slope of the normal Hall effect we find a Hall constant of $R_H = 8.9 \times 10^{-12} \text{ m}^3/\text{As}$. This unusually small value corresponds to an effective charge carrier density of 31 electrons/fu. It indicates the compensation of the Hall voltage by electron and hole like contributions from different parts of the Fermi surface.




Figure 7. Temperature dependence of the resistivity in zero field.

5. Conclusion

We have successfully sputtered thin epitaxial films of the full Heusler compound Co_2FeSi . They grow in the ordered L2_1 structure. However, some disorder was found in these films. This disorder causes a reduction of the saturation magnetization compared to the values found in bulk samples and expected from the Slater-Pauling rule. It is also perceivable in a weak temperature dependence of the electrical resistivity. The analysis of the magnetoresistive data reveals the presence of an anisotropic magnetoresistive effect as well as the presence of spin-flip scattering in zero field even at low temperatures. From these properties we have to conclude that the very good, but not perfect, crystal structure of these Heusler films leads to a loss of the expected halfmetallicity and an improved deposition process, for example the use of a buffer layer, is required.

Financial support by the DFG (Forschergruppe 559) is acknowledged.

References

- [1] Galanakis I, Dederichs P H and Papanikolaou N 2002 *Phys Rev B* **66** 174429
- [2] Fecher G H, Kandpal H C, Wurmehl S, Felser C and Schönhense G 2006 *J Appl Phys* **99** 08J106
- [3] Miura Y, Shirai M, and Nagao K 2006 *J Appl Phys* **99** 08J112




Figure 8. Magnetoresistance of epitaxial Co_2FeSi thin film at 4 K and room temperature.

- [4] Ambrose T, Krebs J J and Prinz G A 2000 *J Appl Phys* **87** 5463
- [5] Umetsu R Y, Kobayashi K, Fujita A, Oikawa K, Kainuma K, Ishida K, Ende N, Fukamishi K and Sakuma A 2005 *Phys Rev B* **72** 214412
- [6] Oogane M, Sakuraba Y, Nakata J, Kubota H, Ando Y, Sakuma A and Miyazaki T 2006 *J Phys D: Appl Phys* **39** 834
- [7] Buschow K H J, van Engen P G and Jongebreur R 1983 *J Magn Magn Mater* **38** 1
- [8] Niculescu V, Budnick J I, Hines W A, Raj K, Pickart S and Skalski S 1979 *Phys Rev B* **19** 452
- [9] Wurmehl S, Fecher G H, Kandpal H C, Ksenofontov V, Felser C, Lin H-J and Morais J 2005 *Phys Rev B* **72** 184434
- [10] Wurmehl S, Fecher G H, Kandpal H C, Ksenofontov V, Felser C, Lin H-J 2006 *Appl Phys Lett* **72** 184434
- [11] Hashimoto M, Herfort J, Schönherr H-P and Ploog K H 2005 *Appl Phys Lett* **87** 102506
- [12] Inomata K, Okamura S, Miyazaki A, Kikuchi M, Tezuka N, Wojcik M and Jedryka E 2006 *J Phys D: Appl Phys* **39** 816
- [13] Schneider H, Jakob G, Kallmayer M, Elmers H J, Cinchetti M, Balke B, Wurmehl S, Felser C, Aeschlmann M and Adrian H 2006 *Phys Rev B* **74** 174426
- [14] Hamrle J, Blomeier S, Gaier O, Postava K, Schneider H, Jakob G, Felser C and Hillebrands B 2006 submitted to *J Phys D: Appl Phys*
- [15] Geiersbach U, Bergmann A and Westerholt K 2002 *J Magn Magn Mater* **240** 546
- [16] Singh L J, Barber Z H, Mioshi Y, Branford W R and Cohen 2004 L F *J Appl Phys* **95** 7231
- [17] Richter R, Wolf M and Goedsche F 1979 *Phys Stat Sol (B)* **95** 473




Figure 9. Field dependence of the Hall resistivity at 4 K.

[18] Goodings D A 1963 *Phys Rev* **132** 542

[19] Kubo K and Ohata N 1979 *J Phys Soc Jap* **33** 21

[20] Furukawa N 2000 *J Phys Soc Jap* **69** 1954

[21] Raquet B, Viret M, Sondergard E, Cespedes O and Mamy R 2002 *Phys Rev B* **66** 024433